

ASPHALT



DASCO PRO
A MARSHALLTOWN BRAND



BARWALT
A MARSHALLTOWN BRAND



WAL-BOARD
A MARSHALLTOWN BRAND



Avalanche!
A MARSHALLTOWN BRAND



VAUGHAN
A MARSHALLTOWN BRAND



**HOME OF THE ICONIC
AMERICAN-MADE TOOL BRANDS**

800-888-0127 | CustomerSuccess@MARSHALLTOWN.com | MARSHALLTOWN.com



Pour Pots

- Durable, 14-gauge steel welded steel construction
- Fingertip nozzle control
- Adjustable pouring nozzle from ½" (13 mm) down to ⅜" (10 mm)
- Used to apply cold crack sealants
- Sold 1 per inner pack/1 per outer pack

EDI	Part#	Description	Capacity
20106	RED704988	Pour Pot w/Legs	2.6 gal (9.8 L)
20110	RED704988W	Pour Pot w/Wheels	2.6 gal (9.8 L)
20107	RED704989	Pour Pot w/ Long Hdl	2.6 gal (9.8 L)



Asphalt Banding Machine

- Dispenses a uniform 3" (76 mm) banded finish up to ⅛" (3 mm) thick over cracks
- Made of durable 14-gauge steel
- Machine is pulled backwards, using guide to follow cracks
- Wear shoe is reversible, extending its life by at least three times before replacing
- Use with hot or cold crack sealants
- 4 gallon capacity hopper
- 6" (152 mm) diameter steel disk wheels
- Sold 1 per inner pack/1 per outer pack

EDI	Part#	Description	Capacity
20104	RED704986	Asphalt Banding Machine	4 gal (15.1 L)
26591	RED714197	Bander Wear Plate Repl.	N/A



RED714197



Direct Fire Melting Kettles

- Comes complete with hand agitator, temp gauge, torch head, hose, regulator, propane bottle holder, hinged fill lid, lifting handles and gravity pour spout
- 14-gauge double wall steel construction with vent holes
- Propane bottle not included
- Available in 10 gallon (27 X 16 X 24"- 85 lbs) and 30 gallon (49 X 23 X 37"- 190 lbs) sizes
- Replacement parts available
- Will fit in the back of most trucks or can be trailer mounted
- **RED704984** features a propane bottle holder
- Sold 1 per inner pack/1 per outer pack
- These items ship LTL


RED704985

RED704984

EDI	Part#	Description	Capacity
20102	RED704984	Direct Fire Melter	10 gal (37.8 L)
20103	RED704985	Direct Fire Melter	30 gal (113.6 L)

Replacement Parts		
EDI	Part#	Description
26590	RED704980	Molasses Valve
20092	RED704973	Complete Torch Assembly Kit
20100	RED704982	Torch Head
20099	RED704981	LPG Regulator only (No gauge or hose)
20097	RED704978	Gauge for LPG Regulator
20101	RED704983	6' (1.8 M) LPG Hose
20098	RED704979	Temp. Gauge

Portable Asphalt Melter/Applicator

- Does the work of both a melter and a pour pot all in one machine
- Comes complete with hand agitator, temp gauge, torch head, hose, regulator, propane bottle holder, spark ignitor and hinged fill lid
- 14-gauge double wall steel construction with vent holes
- Will provide hot material in just minutes
- Melts blocks of hot asphalt crack filler
- ¼" (6 mm) thick, 11" (279 mm) rear steel wheels for easy maneuvering
- Dual levers allow the operator to control the shoe and flow valve with one hand
- 10 gallon capacity
- Replacement parts available
- Propane bottle not included
- Sold 1 per inner pack/1 per outer pack


**Propane
regulator valve**


**Easy to read
temperature gauge**


EDI	Part#	Description	Capacity
27223	AT10MA	Direct Fire Melter/Applicator	10 gal (37.8 L)

Replacement Parts		
EDI	Part#	Description
20092	RED704973	Complete Torch Assembly Kit
20100	RED704982	Torch Head
20099	RED704981	LPG Regulator Only (No Gauge or Hose)
20097	RED704978	Gauge for LPG Regulator
20101	RED704983	6' (1.8 M) LPG Hose

Replacement Parts		
EDI	Part#	Description
20098	RED704979	Temp. Gauge
20095	RED704976	Inner Control Valve
20094	RED704975	Steel Back Wheels - Set of Two
20093	RED704974	Front Swivel Wheel
20096	RED704977	3" (76 mm) Melter Shoe

MARSHALLTOWN LUTE BLADE STYLES



Magnesium Lutes

- Durable, lightweight magnesium head
- Square to round wood handle for better grip
- Used for smoothing and leveling fresh asphalt prior to compacting
- Easily replaceable blade, connector and handle
- Sold 1 per inner pack/1 per outer pack
- Sold 1 per inner pack/12 per outer pack where noted with *
- Sold 6 per inner pack/6 per outer pack where noted with **



RED700232



Magnesium Asphalt Rake

- Lightweight "T" section blade has blunt teeth which are designed to allow material to pass through without catching
- Rugged formed steel pole connector prevents breakage and ensures rigidity
- 839 72 X 1 1/4" (1829 X 31 mm) handle (sold separately)
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
24442	RED700232	Lute w/66" Wood Handle	3 X 30	76 X 762
24569	RED700232-84	Lute w/84" Wood Handle	3 X 30	76 X 762
24521	RED702366*	Blade Only	3 X 30	76 X 762
24485	RED701048	Connector	N/A	N/A
26457	RED804136**	Square to Round Wood Handle	66	1524
26458	RED804137	Square to Round Wood Handle	84	2134

EDI	Part#	Description	Size-in	Size-mm
16438	838	Lute Head	36	914
16439	839	Handle Only	72	1829



Magnesium Lute Rakes with T-Connector

- Durable, lightweight magnesium head
- Includes 1 3/8" (35 mm) aluminum handle available in three different lengths
- All parts are easily replaceable
- Sold 1 per inner pack/1 per outer pack



RED700026C

EDI	Part#	Description	Size-in	Size-mm	Blade Type
24544	RED700026C	Lute w/6' handle	3 X 32	76 X 813	Blunt
24547	RED700028C	Lute w/6' handle	3 X 32	76 X 813	Sharp
24549	RED700030C	Lute w/6' handle	3 X 32	76 X 813	Plain
24545	RED700027C	Lute w/6' handle	3 X 36	76 X 914	Blunt
24548	RED700029C	Lute w/6' handle	3 X 36	76 X 914	Sharp
24550	RED700031C	Lute w/6' handle	3 X 36	76 X 914	Plain
24551	RED700081C	Lute w/7' handle	3 X 32	76 X 813	Blunt
24557	RED700094C	Lute w/7' handle	3 X 32	76 X 813	Sharp
24561	RED700104C	Lute w/7' handle	3 X 32	76 X 813	Plain
24553	RED700083C	Lute w/7' handle	3 X 36	76 X 914	Blunt
24559	RED700096C	Lute w/7' handle	3 X 36	76 X 914	Sharp
24563	RED700106C	Lute w/7' handle	3 X 36	76 X 914	Plain
24552	RED700082C	Lute w/8' handle	3 X 32	76 X 813	Blunt
24558	RED700095C	Lute w/8' handle	3 X 32	76 X 813	Sharp
24562	RED700105C	Lute w/8' handle	3 X 32	76 X 813	Plain
24554	RED700084C	Lute w/8' handle	3 X 36	76 X 914	Blunt
24560	RED700097C	Lute w/8' handle	3 X 36	76 X 914	Sharp
24564	RED700107C	Lute w/8' handle	3 X 36	76 X 914	Plain

Replacement Parts					
EDI	Part#	Description	Size-in	Size-mm	Blade Type
24503	RED702032	Repl. Blade Only	3 X 32	76 X 813	Blunt
24504	RED702033	Repl. Blade Only	3 X 32	76 X 813	Sharp
24507	RED702036	Repl. Blade Only	3 X 32	76 X 813	Plain
24505	RED702034	Repl. Blade Only	3 X 36	76 X 914	Blunt
24506	RED702035	Repl. Blade Only	3 X 36	76 X 914	Sharp
24508	RED702037	Repl. Blade Only	3 X 36	76 X 914	Plain
24496	RED701079	Repl. Handle Only	72	1829	N/A
24497	RED701080	Repl. Handle Only	84	2134	N/A
24498	RED701081	Repl. Handle Only	96	2438	N/A
24484	RED701047	Connector Only	N/A	N/A	N/A

Braced Magnesium Lute Rakes

- Durable, lightweight magnesium head
- Combination lute rake
- Gusset and metal braces with collar provide additional durability
- Aluminum handle
- All parts are easily replaceable
- Sold 1 per inner pack/1 per outer pack
- Sold 2 per inner pack/2 per outer pack where noted with *
- Sold 6 per inner pack/6 per outer pack where noted with **



Lute Rakes with Wood Handle

- Durable, lightweight magnesium head
- Combination lute rake
- Metal brace for more durability
- All parts are easily replaceable
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Handle	Size-in	Size-mm	Blade Type
24414	RED700088	6' (1.8 M)	3 X 32	76 X 813	Blunt
24424	RED700098	6' (1.8 M)	3 X 32	76 X 813	Sharp
24434	RED700108	6' (1.8 M)	3 X 32	76 X 813	Plain
24417	RED700091	6' (1.8 M)	3 X 36	76 X 914	Blunt
24427	RED700101	6' (1.8 M)	3 X 36	76 X 914	Sharp
24437	RED700111	6' (1.8 M)	3 X 36	76 X 914	Plain
24415	RED700089	7' (2 M)	3 X 32	76 X 813	Blunt
24425	RED700099	7' (2 M)	3 X 32	76 X 813	Sharp
24435	RED700109	7' (2 M)	3 X 32	76 X 813	Plain
24418	RED700092	7' (2 M)	3 X 36	76 X 914	Blunt
24428	RED700102	7' (2 M)	3 X 36	76 X 914	Sharp
24438	RED700112	7' (2 M)	3 X 36	76 X 914	Plain
24416	RED700090	8' (2.3 M)	3 X 32	76 X 813	Blunt
24426	RED700100	8' (2.3 M)	3 X 32	76 X 813	Sharp
24436	RED700110	8' (2.3 M)	3 X 32	76 X 813	Plain
24419	RED700093	8' (2.3 M)	3 X 36	76 X 914	Blunt
24429	RED700103	8' (2.3 M)	3 X 36	76 X 914	Sharp
24439	RED700113	8' (2.3 M)	3 X 36	76 X 914	Plain

Replacement Blades

EDI	Part#	Size-in	Size-mm	Blade Type
24503	RED702032	3 X 32	76 X 813	Blunt
24504	RED702033	3 X 32	76 X 813	Sharp
24507	RED702036	3 X 32	76 X 813	Plain
24505	RED702034	3 X 36	76 X 914	Blunt
24506	RED702035	3 X 36	76 X 914	Sharp
24508	RED702037	3 X 36	76 X 914	Plain

Replacement Parts

EDI	Part#	Description	Size-ft	Size-M
24490	RED701068	Braced Repl. Handle Only	6	1.8
24491	RED701069	Braced Repl. Handle Only	7	2.1
24492	RED701070**	Braced Repl. Handle Only	8	2.4
24501	RED701144*	Single Brace for Lute	N/A	N/A

EDI	Part#	Description	Size-in	Size-mm	Blade Type
24463	RED700547	Lute Rake w/60" Wood Hdl	3 X 32	76 X 813	Blunt
24464	RED700548	Lute Rake w/60" Wood Hdl	3 X 32	76 X 813	Sharp
24462	RED700546	Lute Rake w/60" Wood Hdl	3 X 32	76 X 813	Plain
24466	RED700550	Lute Rake w/60" Wood Hdl	3 X 36	76 X 914	Blunt
24467	RED700551	Lute Rake w/60" Wood Hdl	3 X 36	76 X 914	Sharp
24465	RED700549	Lute Rake w/60" Wood Hdl	3 X 36	76 X 914	Plain

Replacement Parts

EDI	Part#	Description	Size-in	Size-mm	Blade Type
24503	RED702032	Repl. Blade Only	3 X 32	76 X 813	Blunt
24504	RED702033	Repl. Blade Only	3 X 32	76 X 813	Sharp
24507	RED702036	Repl. Blade Only	3 X 32	76 X 813	Plain
24505	RED702034	Repl. Blade Only	3 X 36	76 X 914	Blunt
24506	RED702035	Repl. Blade Only	3 X 36	76 X 914	Sharp
24508	RED702037	Repl. Blade Only	3 X 36	76 X 914	Plain
24992	RED704240	Repl. 60" Wood Hdl	60	1524	N/A
24483	RED701043	Handle Connector	N/A	N/A	N/A
24501	RED701144	Single Brace for Lute	N/A	N/A	N/A

Asphalt Squeegees

- Aluminum and steel construction for strength and durability
- Black neoprene blade has a durometer of 72 and a temperature rating of 220° F/104° C
- Comes complete with a 60" (1524 mm) wood handle
- Replaceable wood handle and reversible blade
- Available with straight or curved blades
- Used for spreading sealers over existing asphalt surfaces
- Inner/outer pack quantities listed in table



Squeegee Head & Blade without Handle					
EDI	Part#	Description	Size-in	Size-mm	Inner/Outer
13702	13702	Straight	24	610	6/6
13708	13708	Curved	24	610	6/6

EDI	Part#	Description	Size-in	Size-mm	Inner/Outer
25697	RED700244*	Straight w/Handle	24	610	1/1
13712	13712*	Straight w/Handle	30	762	1/1
25698	RED700245*	Straight w/Handle	36	914	1/1
25700	RED700247*	Curved w/Handle	24	610	1/1
13715	13715*	Curved w/Handle	30	762	1/1
25701	RED700248*	Curved w/Handle	36	914	1/1

Replacement Blades & Handle					
EDI	Part#	Description	Size-in	Size-mm	Inner/Outer
25729	RED704926	Straight Blade	24	610	1/1
13706	13706**	Straight Blade	30	762	12/12
25730	RED704927	Straight Blade	36	914	1/1
14844	4844	Tapered Handle	1½ X 60	28 X 1524	1/12

V Shaped Crack Squeegees

- Unique V shape design allows you to push or pull material into cracks
- Forces sealant down into crack while pushing excess material forward
- Black neoprene blade has a temperature rating of 220° F / 104° C
- Comes complete with a 54" (1372 mm) clevis style wood handle
- Use with crack pour pot
- Sold 1 per inner pack/ 1 per outer pack



EDI	Part#	Description	Blade
25744	RED704942	V Shaped Squeegee w/54" Wood Hdl	Black Neoprene
25760	RED704942-01	V Shaped Squeegee w/o Wood Hdl	Black Neoprene

Replacement Blade & Handle				
EDI	Part#	Description	Size-in	Size-mm
25745	RED704943	V Shaped Black Neoprene Blade	13¾ X 2½ X ¼	340 X 64 X 6
14844	4844	Tapered Handle	1½ X 60	28 X 1524

18" Asphalt Squeegee

- Used to spread sealers over asphalt surfaces
- Provides even, smooth coverage during sealing applications
- Perfect for a variety of uses such as moving materials or clean-up of liquids
- Steel construction for strength and durability
- Accepts standard threaded broom handle (sold separately)
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
29734	18MS	Straight	18	457

V Shaped Crack Squeegees w/Snap Handle Connector

- Unique V shape design allows you to push or pull material into cracks
- Forces sealant down into crack while pushing excess material forward
- Comes complete with aluminum snap handle adapter for use with standard bull float handles
- Fits 1¾" or 1¼" bull float snap style handles (snap handles sold separately - see page 155)
- Use with crack pour pot
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Blade
25759	RED704959	V Shaped Squeegee w/ Snap Handle Connector	Black Neoprene
25760	RED704942-01	V Shaped Squeegee w/o Connector	Black Neoprene

Push and Pull V Squeegees

- Comes complete with a 54" (1372 mm) wood handle
- Forces sealant down into crack while pushing excess material forward
- Use with crack pour pot
- Blades are 1/4 X 2 X 12" (6 X 51 X 305 mm)
- Sold 1 per inner pack/ 1 per outer pack

RED700994

RED700993

RED700994R

EDI	Part#	Description	Blade
25713	RED700993	Push Squeegee w/54" Wood Hdl	Black Neoprene
27041	RED700993R	Push Squeegee w/54" Wood Hdl	Red Silicone
25714	RED700994	Pull Squeegee w/54" Wood Hdl	Black Neoprene
27042	RED700994R	Pull Squeegee w/54" Wood Hdl	Red Silicone

Replacement Blades

EDI	Part#	Description	Temp-F	Temp-C
25725	RED704916	Black Neoprene Blade	220°	104°
27039	RED714195	Red Silicone Blade	392°	200°
27040	RED714196	White Silicone Blade	392°	200°

U Shaped Push Crack Squeegee

- Comes complete with a 54" (1372 mm) wood handle
- Black neoprene blade
- U shaped cavity leaves a wider path of sealant
- Use with crack pour pot
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Blade
27036	RED700996	U Shaped Squeegee w/54" Wood Hdl	Black Neoprene

Replacement Blades

EDI	Part#	Description	Temp-F	Temp-C
27038	RED714193	U Shape Black Neoprene Blade	220°	104°

Crack Squeegees

- Used for crack repairs on asphalt and concrete
- Durable metal frame
- Handles not included
- Use with our 4844 wood handle (sold separately see next page)
- Sold 1 per inner pack/ 12 per outer pack

10156

10147



EDI	Part#	Description	Size-in	Size-mm
10147	10147	Heavy-Duty U Squeegee	4 1/4 X 10 1/2	108 X 267
10149	10147RB	Repl. Blade for 10147	20 3/4 X 2	527 X 51
10156	10156	V Shaped Squeegee	9 X 9	229 X 229
10157	10156RB	Repl. Blade for 10156	18 X 2	457 X 51
14844	4844	Tapered Handle	1 1/8 X 60	28 X 1524

Heavy-Duty Seal Coating Applicator Brooms

- Complete broom consists of broom with adapter and 1 1/8 X 72" (28 X 1829 mm) wood handle
- Heavy-duty synthetic brush strip has 2 1/2" (64 mm) trim
- All parts are easily replaceable
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20403	RED700372	Complete Broom	24 X 72	610 X 1829
20404	RED700373	Complete Broom	36 X 72	914 X 1829
20510	RED704965	Repl. Strip	2 1/4 X 24	57 X 610
20511	RED704966	Repl. Strip	2 1/4 X 36	57 X 914
26595	RED700376	Repl. Handle Kit	1 1/8 X 72	28 x 1829
20509	RED704964	Repl. Broom Holder Bracket	N/A	N/A
20468	RED704123	Repl. Handle	1 1/8 X 72	28 x 1829
20514	RED704969	Repl. Handle Bracket	N/A	N/A

Palmyra Brush/Squeegee Combo

- Ideal combo tool for driveway sealing applications
- Stiff Palmyra bristles are used for coating application, scrubbing, and cleaning
- Attached squeegee provides even, smooth coverage during sealing applications
- Accepts standard broom threaded handle (sold separately)
- Sold 1 per inner pack/18 per outer pack



EDI	Part#	Description	Length-in	Length-mm
29736	BSC18	Combo Head	18	457

Coarse Asphalt Broom


- Coarse 24" (610 mm) brown plastic garage brush used for wet or dry sweeping of rough concrete or asphalt floors
- Will not soften when exposed to water or oils
- 1½ X 60" (28 X 1524 mm) threaded handle included
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20402	RED700221	Broom w/ Handle	24	610
26456	RED704241	Repl. Handle	1½ X 60	28 X 1524

Wire Scraper Brush

- Oil spot brush with scraper for hard to reach stubborn stains
- 2" (51 mm) bristles
- 1½ X 60" (28 X 1524 mm) tapered wood handle sold separately
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20548	RED704210	Brush Head	2¼ X 7½	57 X 181
14844	4844	Tapered Handle	1½ X 60	28 X 1524

Asphalt Broom

- 24" (610 mm) attached steel blade scrapes and removes ice, snow, construction clean-up and other compacted debris
- Conveniently turns over to convert to a heavy-duty 24" (610 mm) wide industrial sweeping broom
- Braces provide extra stability and strength
- Handle included
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20454	RED704041	Broom w/ Handle	24	610

Wire Broom

- Ideal for cleaning oil or grease spots
- Built strong to withstand heavy-duty cleaning of driveways and parking lots
- 5" (127 mm) bristles
- 1½ X 60" (28 X 1524 mm) tapered wood handle sold separately
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20547	RED704133	Broom Head	2½ X 12	61 X 305
14844	4844	Tapered Handle	1½ X 60	28 X 1524

Wire Street Broom

- Coated steel wire
- Built strong to withstand heavy-duty cleaning of driveways and parking lots
- 3¼" (95 mm) bristles
- 1½ X 60" (28 X 1524 mm) tapered wood handle sold separately
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Length-in	Length-mm
20478	RED704152	Broom Head	16	406
14844	4844	Tapered Handle	1½ X 60	28 X 1524

Street or Asphalt Brooms

- For general sweeping prior to resurfacing
- 1½" (28 mm) diameter tapered wood handles sold separately
- Sold 1 per inner pack/1 per outer pack
- Sold 1 per inner pack/12 per outer pack where noted with *
- Sold 6 per inner pack/6 per outer pack where noted with **



EDI	Part#	Description	Size-in	Size-mm
20471	RED704126**	Polybase Plastic	16	406
20472	RED704127**	Polybase Plastic	18	457
20473	RED704128**	Polybase Plastic	24	610
20475	RED704130**	Palmyra Stalks	16	406
14844	4844*	Tapered Handle	1½ X 60	28 X 1524
20468	RED704123	Handle	1½ X 72	28 X 1829
20469	RED704124	Handle	1½ X 96	28 X 2438

Crack Hoe

- Easily breaks up and dislodges particles of dirt, rock and debris from cracks prior to filling
- Tapered 54" (1371 mm) wood handle
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Size-in	Size-mm
24268	RED802900	2½	64

Asphalt Rake

- 14 teeth 3¾" (95 mm) long
- 15½" (394 mm) level head
- 60" (1524 mm) lacquered ash handle
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Size-in	Size-mm
24271	RED802921	15½ X 66	394 X 1676

Tampers

- Cast iron base
- 48" (1219 mm) steel handle
- 10" (254 mm) rubber grip
- Used to flatten and smooth dirt, stone, asphalt and other materials
- Sold 1 per inner pack/
2 per outer pack



HT8

EDI	Part#	Size-in	Size-mm
10342	HT8	8 X 8	203 X 203
10343	HT10	10 X 10	254 X 254

Asphalt Shoes

- Choose from heavy-gauge, galvanized steel with felt soles or ¾" (19 mm) AC plywood with quick click buckles
- One size fits most
- Allows you to walk on asphalt without compromising the surface
- Tamp and compact hard to reach places
- Plywood shoes act as a thermal barrier and protect your feet from excessive heat
- No hassle, quick release adjustable straps
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
20086	RED704138	Galvanized Steel	N/A	N/A
20087	RED704139	AC Plywood	N/A	N/A

Welded Dirt Tampers

- Steel pipe construction with welded gussets for increased strength
- 48" (1219 mm) steel pipe handle may be filled with sand for added weight
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Size-in	Size-mm
25854	RED700346	8 X 8	203 X 203
25855	RED700347	10 X 10	254 X 254

