



	MADE WOOK				
		4½ X 12"(102 X	305 mm) Blad	е	
EDI	Part#	Notch Size -in	Notch Size -mm	Notch	Handle
15772	5772S*	3/16 X 11/16 X 1 ⁵¹ /64	4.5 X 8.5 X 46	U	
15773	5772SD*	$^{3}\!/_{16}$ X $^{11}\!/_{32}$ X $^{151}\!/_{64}$	4.5 X 8.5 X 46	U	
15783	5783S	1/4 X 3/8 X 11/4	6 X 10 X 32	U	
15822	5783SD	1/4 X 3/8 X 11/4	6 X 10 X 32	U	
15777	5776S*	½ X ½ X 2	13 X 13 X 51	U	
15778	5776SD*	½ X ½ X 2	13 X 13 X 51	U	
15784	5784S	%16 X % X 1	14 X 16 X 25	U	
15785	5784SD	% X % X 1	14 X 16 X 25	U	

4½ X 11" (102 X 279 mm) Blade					
EDI	Part#	Notch Size -in	Notch Size -mm	Notch	Handle
10719	5705SD	3/16 X 3/16 X 5/8	4.5 X 4.5 X 16	U	
10725	5705S	3/16 X 3/16 X 5/8	4.5 X 4.5 X 16	U	
10718	5704SD	3/16 X 3/8 X 13/4	4.5 X 10 X 44	U	
10724	5704S	3/16 X 3/8 X 13/4	4.5 X 10 X 44	U	
10720	5706SD	1/4 X 1/4 X 11/2	6 X 6 X 38	U	
10726	5706S	1/4 X 1/4 X 11/2	6 X 6 X 38	U	
10721	5707SD	5/16 X 5/16 X 3/4	8 X 8 X 19	U	
10727	5707S	5/16 X 5/16 X 3/4	8 X 8 X 19	U	
15779	5779S	% X % X %	10 X 10 X 10	SQ 📕	
15820	5779SD	% X % X %	10 X 10 X 10	SQ 📕	
10723	5709SD	3/8 X 1/2 X 11/2	10 X 13 X 38	U	
10729	5709S	$^{3}\!\!/_{8}$ X $^{1}\!\!/_{2}$ X $^{11}\!\!/_{2}$	10 X 13 X 38	U	
15775	775S	½ X ½ X ½	13 X 13 X 13	SQ 📕	
15804	775SD	½ X ½ X ½	13 X 13 X 13	SQ 📕	
15774	5774S*	¹⁹ / ₃₂ X ¹⁹ / ₃₂ X 1 ³ / ₁₆	15 X 15 X 30	SQ 📕	
15818	5774SD*	¹⁹ / ₃₂ X ¹⁹ / ₃₂ X 13/ ₁₆	15 X 15 X 30	SQ 📕	
10722	5708SD	% X % X 1	16 X 16 X 25	U	
10728	5708S	% X % X 1	16 X 16 X 25	U	

Stainless Steel Trowels

- Aluminum alloy mounting riveted to hard tempered blade
- Blade size is $4\frac{1}{2}$ X 11" (114 X 279 mm) unless specified otherwise
- For EIFS applications
- Choice of resilient DuraSoft® handle or smooth, natural finish hardwood handle
- Trowels with notches on the right side only and 4½ X 12" (114 X 305 mm) blade indicated with *
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Size-in	Size-mm	Notch	Handle
10705	5705SSD	3/16 X 3/16 X 5/8	4.5 X 4.5 X 16	U	
10712	5705SS	3/16 X 3/16 X 5/8	4.5 X 4.5 X 16	U	
10704	5704SSD	3/16 X 3/8 X 13/4	4.5 X 10 X 44	U	
10711	5704SS	3/16 X 3/8 X 13/4	4.5 X 10 X 44	U	
10706	5706SSD	1/4 X 1/4 X 11/2	6 X 6 X 38	U	
10713	5706SS	1/4 X 1/4 X 11/2	6 X 6 X 38	U	
10707	5707SSD	5/16 X 5/16 X 3/4	8 X 8 X 19	U	

EDI	Part#	Size-in	Size-mm	Notch	Handle
10714	5707SS	5/16 X 5/16 X 3/4	8 X 8 X 19	U	
10709	5709SSD	3/8 X 1/2 X 11/2	10 X 13 X 38	U	
10716	5709SS	3% X 1/2 X 11/2	10 X 13 X 38	U	
10710	5776SSD*	½ X ½ X 2	13 X 13 X 51	U	
10717	5776SS*	½ X ½ X 2	13 X 13 X 51	U	
10708	5708SSD	% X % X 1	16 X 16 X 25	U	
10715	5708SS	% X % X 1	16 X 16 X 25	U	

DuraFlex Trowels

- PermaShape® guarantees trowel will maintain original flat shape
- Flat, yet flexible blade makes applications easier with more consistent finish
- Available with a long or short mounting which allows for more flexibility
- Highest grade hardened and tempered golden stainless steel blade, properly shaped and fastened with stainless steel rivets
- Withstands pressure of hard-troweling
- Sold 1 per inner pack/12 per outer pack,
 6 per inner pack/6 per outer pack where noted with *



EDI	Part#	Mounting	Blade -in	Blade -mm	Handle
14468	4468DF	7¾" (197 mm)	12 X 5	305 X 127	
14467	4467DFD	7¾" (197 mm)	12 X 5	305 X 127	
14658	4658DFL	9¾" (248 mm)	12 X 5	305 X 127	
14663	4663DFDL	9¾" (248 mm)	12 X 5	305 X 127	
14470	4470DF	7¾" (197 mm)	13 X 5	330 X 127	
14469	4469DFD	7¾" (197 mm)	13 X 5	330 X 127	
14665	4665DFL	9¾" (248 mm)	13 X 5	330 X 127	
14681	4681DFDL	9¾" (248 mm)	13 X 5	330 X 127	

EDI	Part#	Mounting	Blade -in	Blade -mm	Handle
14472	4472DF	9¾" (248 mm)	14 X 5	356 X 127	
14471	4471DFD	9¾" (248 mm)	14 X 5	356 X 127	
14682	4682DFL	11%" (295 mm)	14 X 5	356 X 127	
14683	4683DFDL	11%" (295 mm)	14 X 5	356 X 127	
14474	4474DF*	11%" (295 mm)	16 X 5	406 X 127	
14473	4473DFD*	11%" (295 mm)	16 X 5	406 X 127	
14694	4694DFL*	13%" (346 mm)	16 X 5	406 X 127	
14713	4713DFDL*	135/8" (346 mm)	16 X 5	406 X 127	









- Most flexible trowel available
- For details and size options on PermaFlex™ trowels see page 319





Insulator's Finishing Trowel

- Highest grade hardened and tempered spring steel blade, properly shaped
- Aluminum alloy Xtralite® mounting is lightweight but very strong
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- Tapered blade measures 41/4" (114 mm) at the heel and 31/4" (89 mm) at the toe
- Sold 1 per inner pack/12 per outer pack

EDI	Part#	Size-in	Size-mm
12141	MXS91AD	10½X 4½ Heel	267 X 114 Heel



M Plastic Texturing Trowel

- · Unique composition blade material
- Has the ability to retain its flat shape
- Can be used for embedding the mesh in EIFS applications or texturing
- · Curved, smooth, natural finish hardwood handle
- Sold 1 per inner pack/12 per outer pack





EDI	Part#	Size-in	Size-mm
12161	2161	11½ X 5	292 X 127

Plastic Texturing Trowel

- · Blade made of durable plastic for long wear
- The mounting is permanently bonded to the blade
- The bottom of the blade is smooth so it will not mark the surface while troweling
- Won't rust or corrode, easy to clean
- Sold 10 per inner pack/60 per outer pack

EDI	Part#	Size-in	Size-mm
10668	PTT668	11 X 5½	279 X 140

Plastic Texturing Trowel

• Blade made of durable plastic for long wear

• The mounting is permanently bonded to the blade

- · The bottom of the blade is smooth so it will not mark the surface while troweling
- · Resilient handle feels soft and is comfortable to use
- Sold 12 per inner pack/48 per outer pack

EDI	Part#	Size-in	Size-mm
12160	2160	11 X 5½	279 X 140



- Conveniently snaps onto the rim of a standard 5 gallon bucket, preventing mortar buildup on bucket walls
- For details see page 26





Angle Trowels

- Lightweight tool made from one piece of $4\frac{1}{4}$ " (108 mm) long stainless steel
- Blade is formed at a 45° angle
- Resilient DuraSoft® handle with integral finger guard
- Sold 2 per inner pack/2 per outer pack



EDI	Part#	Size-in	Size-mm
15796	5796D	1	25
15798	5798D	2	51

EIFS Inside Corner Trowels

- $\bullet\,$ Lightweight tool made from one piece of 4½" (108 mm) long stainless steel
- Has a 90° angle between the blades
- Resilient DuraSoft® handle with integral finger guard
- Designed to be used with the outside corner trowels for finishing decorative details
- Sold 2 per inner pack/2 per outer pack





EDI	Part#	Size-in	Size-mm
15786	5786D	1	25
15787	5787D	1½	38
15788	5788D	2	51

EIFS Outside Corner Trowels

- Lightweight tool made from one piece of 41/4" (108 mm) long stainless steel
- Has a 90° angle between the blades
- Resilient DuraSoft® handle with integral finger guard
- for finishing decorative details





EDI	Part#	Size-in	Size-mm
15767	5767D	1	25
15768	5768D	1½	38
15769	5769D	2	51













Margin Trowels







STR106

STR484

Sanding Rasps

• Flat aluminum backing plate in two sizes • 12 grit sandpaper is included

• Can be used with pressure sensitive adhesive or

with plain backing sandpaper

• Sold 2 per inner pack/ 2 per outer pack



EDI	Part#	Size-in	Size-mm
15744	5744	14 X 4	356 X 102
15745	5745	14 X 8	356 X 203

M Rasp Sandpaper

- 12 grit
- · Pressure sensitive adhesive back
- Packed in bags of 10 sheets
- · Sold 2 per inner pack/2 per outer pack





EDI	Part#	Size-in	Size-mm
15748	5748	14 X 4	356 X 102
15749	5749	14 X 8	356 X 203

™ Rapid Rasps™

- Removes as much EIFS foam per stroke as carbide style rasps at a fraction of
- · Long wearing stainless steel blade is rugged and will not rust
- Aggressive pierced teeth are easy to control and won't leave lines
- Resilient DuraSoft® handle is comfortable, ergonomic and holds up to abuse

• Sold 1 per inner pack/12 per outer pack, 6 per inner pack/ 6 per outer pack where noted with*



EDI	Part#	Size-in	Size-mm
16090	RR214	14 X 2	356 X 51
16091	RR414	14 X 4	356 X 102
16092	RR614*	14 X 6	356 X 152
16093	RR814*	14 X 8	356 X 203

Shark Tooth Rasps NEW

• Aggressive 8 mm teeth for hard scratching Rasps through foam insulation board

· Lightweight, stable design for ease of use and the ability to last

• Blade can be replaced after teeth are well-worn

Equipped with sturdily mounted DuraSoft® handle

Inner/outer pack quantities





8 mm teeth

EDI	Part#	Description	Size- in	Size- mm	Inner/ Outer
32834	STR106	Shark Tooth Rasp	10 X 6	254 X 152	1/6
32835	STR484	Shark Tooth Rasp	48 X 4	1219 X 102	1/2
32836	STR106R	Replacement Blade	10 X 6	254 X 152	1/1
32837	STR484R	Replacement Blade	48 X 4	1219 X 102	1/3





Plastic Bristle Stucco Dash Brush

- Wood block with 8" (203 mm) long handle
- Yellow plastic bristles are 5½" (140 mm) long
- 10 rows of bristles, 5 rows deep
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Size-in-	Size-mm
16556	6556	5% X 3	146 X 76



Sponges

• For our complete line of Sponges, see page 30 - 31









