

FLOORING & TILE




**HOME OF THE ICONIC
AMERICAN-MADE TOOL BRANDS**

800-888-0127 | CustomerSuccess@MARSHALLTOWN.com | MARSHALLTOWN.com

Standard Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Choice of DuraSoft® or hardwood handle
- Blade size is 11 X 4½" (279 X 114 mm)
- **NEW** items shown red in table
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle
15722	706	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	SQ ■	
15724	706S	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	SQ ■	
15725	706SD	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	SQ ■	
18735	731SD	3/16 X 3/16 X 3/16	4.5 X 4.5 X 4.5	SQ ■	
15710	703	3/16 X 1/8 X 3/16	4.5 X 3 X 4.5	SQ ■	
15712	703S	3/16 X 1/8 X 3/16	4.5 X 3 X 4.5	SQ ■	
15713	703SD	3/16 X 1/8 X 3/16	4.5 X 3 X 4.5	SQ ■	
15706	702	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■	
15708	702S	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■	
15709	702SD	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■	
15776	776S	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■	
15806	776SD	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■	
15779	5779S	3/8 X 3/8 X 3/8	10 X 10 X 10	SQ ■	
15820	5779SD	3/8 X 3/8 X 3/8	10 X 10 X 10	SQ ■	
15775	775S	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■	
15804	775SD	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■	
15781	781S	1/2 X 3/4 X 1/2	13 X 19 X 13	SQ ■	
15782	781SD	1/2 X 3/4 X 1/2	13 X 19 X 13	SQ ■	
29547	788W	5/16 X 5/16 X 5/16	8 X 8 X 8	SQ ■	
29548	788SW	5/16 X 5/16 X 5/16	8 X 8 X 8	SQ ■	
29549	788SD	5/16 X 5/16 X 5/16	8 X 8 X 8	SQ ■	
32818	725SD	3/4 X 3/4 X 3/4	19 X 19 X 19	SQ ■	

EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle
15714	704	3/32 X 3/32 X 1/8	2.5 X 2.5 X 3	U ■	
15716	704S	3/32 X 3/32 X 1/8	2.5 X 2.5 X 3	U ■	
15717	704SD	3/32 X 3/32 X 1/8	2.5 X 2.5 X 3	U ■	
15732	718S	1/4 X 1/4 X 1/4	6 X 6 X 6	U ■	
15733	718SD	1/4 X 1/4 X 1/4	6 X 6 X 6	U ■	
15728	716S	1/4 X 3/8 X 1/4	6 X 10 X 6	U ■	
15729	716SD	1/4 X 3/8 X 1/4	6 X 10 X 6	U ■	
15730	717S	1/4 X 1/2 X 1/4	6 X 13 X 6	U ■	
15731	717SD	1/4 X 1/2 X 1/4	6 X 13 X 6	U ■	
15734	719S	3/4 X 9/16 X 3/8	19 X 14 X 9	U ■	
15735	719SD	3/4 X 9/16 X 3/8	19 X 14 X 9	U ■	
15702	701	7/32 X 5/32	5.5 X 4	V ■	
15704	701S	7/32 X 5/32	5.5 X 4	V ■	
15705	701SD	7/32 X 5/32	5.5 X 4	V ■	
15771	771S	3/16 X 5/32	4.5 X 4	V ■	
15802	771SD	3/16 X 5/32	4.5 X 4	V ■	
15780	780S	1/4 X 3/16	6 X 4.5	V ■	
15808	780SD	1/4 X 3/16	6 X 4.5	V ■	
11170	779S	1/4 X 1/4	6 X 6	V ■	
11171	779SD	1/4 X 1/4	6 X 6	V ■	
15770	770S	1/2 X 15/32	13 X 12	V ■	
15800	770SD	1/2 X 15/32	13 X 12	V ■	



M Euro Notched Trowel **NEW**

- Wavy notch design ensures improved mortar coverage, transfer, and support for large format tiles
- Maximizes mortar coverage by fully collapsing ridges with minimal side-to-side movement
- Highest quality steel blade lasts longer than competitor blades; measures 11 X 4½" (279 X 114 mm)
- Superior hold strength between the aluminum alloy Xtralite® mounting and hard tempered steel blade
- Thru-rivet mounting-to-blade connection produces the strongest, longest-lasting notched trowel on the market
- Ergonomic DuraSoft® handle is long-lasting, reduces fatigue, and increases user control
- Sold 6 per inner pack/6 per outer pack



M Sawtooth Notched Trowel **NEW**

- Sawtooth notch pattern ensures superior coverage for large format tiles
- Tested as the best trowel for large format tiles with a minimum coverage of 95%
- Highest quality steel blade lasts longer than competitor blades; measures 11 X 4½" (279 X 114 mm)
- Superior hold strength between the aluminum alloy Xtralite® mounting and hard tempered steel blade
- Thru-rivet mounting-to-blade connection produces the strongest, longest-lasting notched trowel on the market
- Ergonomic DuraSoft® handle is long-lasting, reduces fatigue, and increases user control
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description	Blade Size-in	Blade Size-mm
33187	EUR11SD	Euro Notched Trowel	11 X 4½	279 X 114

EDI	Part#	Description	Blade Size-in	Blade Size-mm
33240	SAW11SD	Sawtooth Notched Trowel	11 X 4½	279 X 114

M LayFlat™ Notched Trowels

- Designed to provide superior coverage and adhesion for medium to large format tile applications
- Wave-shaped notches create ridges that provide an overlapping and more easily collapsible action of thinset mortar
- Unique notch geometry helps to eliminate air pockets between the tile and underlayment
- Superior hold strength between the aluminum alloy Xtralite® mounting and blade
- Resilient DuraSoft® handle provides soft feel, reduces fatigue, and offers excellent durability
- Each LayFlat™ trowel comes with a merchandisable product hanger
- Sold 6 per inner pack/6 per outer pack, 4 per inner pack/4 per outer pack where noted with *



EDI	Part#	Notch Size-in	Notch Size-mm	Blade Size-in	Blade Size-mm
29550	LF1411SD	¼	6	11 X 4½	279 X 114
29552	LF3811SD	⅜	10	11 X 4½	279 X 114
29554	LF1211SD	½	13	11 X 4½	279 X 114
29556	LF1416SD*	¼	6	16 X 4	406 X 102
29558	LF3816SD*	⅜	10	16 X 4	406 X 102
29560	LF1216SD*	½	13	16 X 4	406 X 102

Elliptical Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Resilient DuraSoft® handle
- Blade size is 11 X 4½" (279 X 114 mm)
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15836	734SD	5/16 X 1/4 X 3/16	8 X 6 X 4.5	Ellipse
15837	735SD	7/16 X 3/8 X 1/4	11 X 10 X 6	Ellipse
15838	736SD	3/4 X 1/2 X 1/4	19 X 13 X 6	Ellipse

Left Handed Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Resilient DuraSoft® handle
- Blade size is 11 X 4½" (279 X 114 mm)
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15711	702SDL	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ
15757	775SDL	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ
15761	776SDL	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ
15739	718SDL	1/4 X 1/4 X 1/4	6 X 6 X 6	U
15720	716SDL	1/4 X 3/8 X 1/4	6 X 10 X 6	U
15721	717SDL	1/4 X 1/2 X 1/4	6 X 13 X 6	U
15763	780SDL	1/4 X 3/16	6 X 4.5	V

Stainless Steel

Standard Notched Trowels

- Essential for all functional or decorative floor and wall tiling
- 11 X 4½" (279 X 114 mm) stainless steel blade
- Square notch shape
- Comfortable DuraSoft® handle
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
32767	502SSD	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ
32769	588SSD	5/16 X 5/16 X 5/16	8 X 8 X 8	SQ
32768	5779SSD	3/8 X 3/8 X 3/8	10 X 10 X 10	SQ

Standard & Lefty Cut-Back Notched Trowels

- For resilient flooring and carpet
- Aluminum alloy mounting riveted to a hard tempered steel blade
- Blade has 10° cut-back for corners and tight places
- Blade size is 11 X 4½" (279 X 114 mm)
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- NEW** items shown red in table
- Sold 6 per inner pack/
6 per outer pack




EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15875	761SD	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ
15887	767SD	1/4 X 1/8 X 1/4	6 X 3 X 6	SQ
15885	766SD	1/16 X 1/32 X 1/32	1.5 X .75 X .75	U
32670	799SD	1/16 X .023 X 1/32	1.5 X .58 X .75	U
13694	664SD	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	U
13692	663SD	1/16 X 1/16 X 3/32	1.5 X 1.5 X 2.5	U
15891	769SD	1/8 X 3/32 X 1/8	3 X 2.5 X 3	U
15877	762SD	1/8 X 1/8 X 1/16	3 X 3 X 1.5	U
15889	768SD	1/8 X 1/8 X 1/8	3 X 3 X 3	U
15881	764SD	1/8 X 3/16 X 1/8	3 X 4.5 X 3	U
13690	662SD	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	Flat V
15883	765SD	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	Flat V
15879	763SD	1/8 X 1/8 X 1/16	3 X 3 X 1.5	Flat V
13688	661SD	1/8 X 1/8 X 1/8	3 X 3 X 3	Flat V

Left Handed Cut-Back

EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15746	761SDL	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ
15753	766SDL	1/16 X 1/32 X 1/32	1.5 X .75 X .75	U
15747	765SDL	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	Flat V

KEY



Notch Dimensions

Notch Width (X) by Notch Depth (Y) by Space Between Notches (Z)

Narrow Notched Trowel

- Blade size is 10½ X 3¾" (267 X 86 mm); front is angle cut back 10° for corners and tight places
- Resilient DuraSoft® handle provides a soft feel and reduces fatigue
- Blade is narrow enough to permit work under toe spaces
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15719	705SD	⅛ X ⅜ X ⅜	3 X 2.5 X 2.5	Flat V ▲

Marshall T. Trowel and Family **TILE, VINYL, AND CARPET**

see page 458 for details



Two- & Three-Sided Notched Trowels

- For tile, resilient flooring, and carpet
- Aluminum alloy mounting riveted to a hard tempered steel blade
- Three-sided trowels notched on both sides and toe to lengthen useful life of the trowel
- Blade size is 16 X 4" (406 X 102 mm)
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- Three-sided trowels are noted in table with *
- **NEW** items shown red in table
- Sold 4 per inner pack/4 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
13658	646SD	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	SQ ■
13684	DU659SD*	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	SQ ■
13640	637SD	¼ X ⅛ X ¼	6 X 3 X 6	SQ ■
13666	DU650SD*	¼ X ⅛ X ¼	6 X 3 X 6	SQ ■
15828	710SD	¼ X ¼ X ¼	6 X 6 X 6	SQ ■
15826	709SD	¼ X ⅜ X ¼	6 X 10 X 6	SQ ■
15830	711SD	½ X ½ X ½	13 X 13 X 13	SQ ■
32820	625SD	¾ X ¾ X ¾	19 X 19 X 19	SQ ■
13660	647SD	⅛ X ⅜ X ⅜	1.5 X .75 X .75	U ■
13686	DU660SD*	⅛ X ⅜ X ⅜	1.5 X .75 X .75	U ■
13656	645SD	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	U ■
13682	DU658SD*	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	U ■
13654	644SD	⅛ X ⅛ X ⅜	1.5 X 1.5 X 2.5	U ■
13680	DU657SD*	⅛ X ⅛ X ⅜	1.5 X 1.5 X 2.5	U ■
13644	639SD	⅛ X ⅜ X ⅛	3 X 2.5 X 3	U ■
13670	DU652SD*	⅛ X ⅜ X ⅛	3 X 2.5 X 3	U ■

EDI	Part#	Notch Size-in	Notch Size-mm	Notch
13648	641SD	⅛ X ⅛ X ⅛	3 X 3 X 1.5	U ■
13674	DU654SD*	⅛ X ⅛ X ⅛	3 X 3 X 1.5	U ■
13646	640SD	⅛ X ⅛ X ⅛	3 X 3 X 3	U ■
13672	DU653SD*	⅛ X ⅛ X ⅛	3 X 3 X 3	U ■
13642	638SD	⅛ X ⅜ X ⅛	3 X 4.5 X 3	U ■
13668	DU651SD*	⅛ X ⅜ X ⅛	3 X 4.5 X 3	U ■
15824	708SD	¼ X ⅜	6 X 4.5	V ▼
13652	643SD	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	Flat V ▲
13678	DU656SD*	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	Flat V ▲
13638	636SD	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V ▲
13664	DU649SD*	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V ▲
13636	635SD	⅛ X ⅛ X ⅛	3 X 3 X 1.5	Flat V ▲
13662	DU648SD*	⅛ X ⅛ X ⅛	3 X 3 X 1.5	Flat V ▲
13650	642SD	⅛ X ⅛ X ⅛	3 X 3 X 3	Flat V ▲
13676	DU655SD*	⅛ X ⅛ X ⅛	3 X 3 X 3	Flat V ▲


Bucky Scrape PRO **NEW**









- Conveniently snaps onto the rim of a standard 5 gallon bucket, preventing mortar buildup on bucket walls
- For details see page 26










Ultrastainless Notched Trowels **NEW**

- Essential for all functional and decorative tiling work
- Hardened and tempered stainless steel blade has been ground and polished
- Thru-riveted to aluminum alloy mounting
- Blade measures 11 X 4½" (279 X 114 mm)
- Equipped with a red Ultragrip™ handle
- Sold 12 per inner pack/48 per outer pack










































EDI	Part#	Notch Size-in	Notch Size-mm	Notch
41337	BWT70950	¼ X ⅜	6 X 4.5	V 
41339	BWT70952	⅜ X ⅜ X ⅜	1.5 X 1.5 X 1.5	SQ 
41340	BWT70953	⅝ X ¼ X ⅜	8 X 6 X 1.5	V 
41341	BWT70954	¼ X ⅜ X ¼	6 X 10 X 6	SQ 
41342	BWT70955	¼ X ¼ X ¼	6 X 6 X 6	SQ 
41343	BWT70956	½ X ½ X ½	13 X 13 X 13	SQ 
41344	BWT70957	⅜ X ⅜ X ⅜	1.5 X .75 X .75	U 
41345	BWT70958	⅜ X ⅜ X ⅜	3 X 3 X 3	U 













































EDI	Part#	Notch Size-in	Notch Size-mm	Notch
41346	BWT70959	¼ X ¼ X ¼	6 X 6 X 6	U 
41347	BWT70960	¼ X ⅜ X ¼	6 X 10 X 6	U 
41348	BWT70961	¾ X ⅜ X ⅝	19 X 15 X 10	U 
41349	BWT70962	¼ X ½ X ¼	6 X 13 X 6	U 
41350	BWT70963	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V 
41351	BWT70964	⅜ X ⅜ X ⅜	3 X 3 X 1.5	Flat V 
41352	BWT70965	⅜ X ¼ X ⅝	4.5 X 6 X 8	Flat V 
41353	BWT70966	N/A	N/A	Euro

Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Choice of comfort grip or wood handle
- Blade size is 11 X 4½" (279 X 114 mm)
- **NEW** items shown red in table
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle
17937	NT747	¼ X ¼ X ¼	6 X 6 X 6	SQ 	
17938	NT748	½ X ½ X ½	13 X 13 X 13	SQ 	
32798	NT749SG	⅝ X ⅝ X ⅝	8 X 8 X 8	SQ 	
32778	NT49	⅝ X ⅝ X ⅝	8 X 8 X 8	SQ 	
32799	NT750SG	¾ X ¾ X ¾	19 X 19 X 19	SQ 	
32779	NT750	¾ X ¾ X ¾	19 X 19 X 19	SQ 	
32800	NT751SG	⅜ X ⅜ X ⅜	21 X 21 X 21	SQ 	
32780	NT751	⅜ X ⅜ X ⅜	21 X 21 X 21	SQ 	
32801	NT752SG	⅜ X ⅜ X ⅜	1.5 X 1.5 X 4.5	Flat V 	
32781	NT752	⅜ X ⅜ X ⅜	1.5 X 1.5 X 4.5	Flat V 	
32802	NT753SG	⅜ X ⅜ X ¼	1.5 X 1.5 X 6	Flat V 	
32782	NT753	⅜ X ⅜ X ¼	1.5 X 1.5 X 6	Flat V 	
32803	NT754SG	⅜ X ¼ X ½	4.5 X 6 X 13	Flat V 	
32783	NT754	⅜ X ¼ X ½	4.5 X 6 X 13	Flat V 	
32804	NT755SG	⅝ X ⅜ X ⅜	4 X 3 X 2.5	Flat V 	
32784	NT755	⅝ X ⅜ X ⅜	4 X 3 X 2.5	Flat V 	
32805	NT756SG	⅜ X ⅜ X ⅜	5.5 X 4 X 4	Flat V 	
32785	NT756	⅜ X ⅜ X ⅜	5.5 X 4 X 4	Flat V 	
32806	NT757SG	¼ X ¼ X ¼	6 X 6 X 6	Flat V 	
32786	NT757	¼ X ¼ X ¼	6 X 6 X 6	Flat V 	
32807	NT758SG	¼ X ¼ X ¾	6 X 6 X 19	Flat V 	
32787	NT758	¼ X ¼ X ¾	6 X 6 X 19	Flat V 	

EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle
32808	NT759SG	⅝ X ⅝ X ⅜	8 X 8 X 4.5	Flat V 	
32788	NT759	⅝ X ⅝ X ⅜	8 X 8 X 4.5	Flat V 	
32809	NT760SG	⅜ X ⅜ X ⅜	9.5 X 9.5 X 3	Flat V 	
32789	NT760	⅜ X ⅜ X ⅜	9.5 X 9.5 X 3	Flat V 	
32810	NT761SG	¾ X ¾ X ¼	19 X 19 X 6	Flat V 	
32790	NT761	¾ X ¾ X ¼	19 X 19 X 6	Flat V 	
32811	NT762SG	⅜ X ⅜ X ⅜	9.5 X 9.5 X 16	Flat V 	
32791	NT762	⅜ X ⅜ X ⅜	9.5 X 9.5 X 16	Flat V 	
32812	NT763SG	⅜ X ⅜ X ⅜	3 X 3 X 9.5	Flat V 	
32792	NT763	⅜ X ⅜ X ⅜	3 X 3 X 9.5	Flat V 	
32813	NT764SG	⅝ X ¼ X ⅜	8 X 6 X 1.5	Flat V 	
32793	NT764	⅝ X ¼ X ⅜	8 X 6 X 1.5	Flat V 	
17935	NT745	⅜ X ⅜	4.5 X 4	V 	
17936	NT746	¼ X ⅜	6 X 4.5	V 	
32814	NT765SG	½ X ½	13 X 13	V 	
32794	NT765	½ X ½	13 X 13	V 	
32815	NT766SG	⅜ X ⅜ X ⅝	1.5 X 1 X 2	U 	
32795	NT766	⅜ X ⅜ X ⅝	1.5 X 1 X 2	U 	
32816	NT767SG	¼ X ⅜ X ¼	6 X 8 X 6	U 	
32796	NT767	¼ X ⅜ X ¼	6 X 8 X 6	U 	
32817	NT768SG	¾ X ⅜ X ⅝	19 X 15 X 10	U 	
32797	NT768	¾ X ⅜ X ⅝	19 X 15 X 10	U 	

QLT Soft Grip Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Soft grip handle
- Blade sizes are 11 X 4½" (279 X 114 mm), or 16 X 4" (406 X 102 mm) where noted with*
- Sold 6 per inner pack/ 36 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15669	NT669	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
15692	NT692*	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
15673	NT673	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	SQ ■
15674	NT674	3/16 X 3/8 X 3/16	4.5 X 3 X 4.5	SQ ■
15675	NT675	3/16 X 3/16 X 3/16	4.5 X 4.5 X 4.5	SQ ■
15671	NT671	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
15697	NT697*	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
15793	NT793	1/4 X 3/8 X 1/4	6 X 3 X 6	SQ ■
15672	NT672	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■
15698	NT698*	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■
15670	NT670	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■
15696	NT696*	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■
15684	NT684	1/16 X 1/32 X 1/32	1.5 X .75 X .75	U ■
15695	NT695*	1/16 X 1/32 X 1/32	1.5 X .75 X .75	U ■
15688	NT688	1/16 X 1/32 X 1/16	1.5 X .75 X 1.5	U ■
15690	NT690	1/8 X 1/8 X 1/8	3 X 3 X 3	U ■
15687	NT687	1/8 X 3/16 X 1/8	3 X 4.5 X 3	U ■
15689	NT689	1/4 X 1/4 X 1/4	6 X 6 X 6	U ■
15686	NT686	1/4 X 3/8 X 1/4	6 X 10 X 6	U ■
15685	NT685	1/4 X 1/2 X 1/4	6 X 13 X 6	U ■
15691	NT691	3/4 X 9/16 X 3/8	19 X 14 X 10	U ■
15677	NT677	3/16 X 5/32	4.5 X 4	V ▼
15679	NT679	7/32 X 5/32	5.5 X 4	V ▼
15676	NT676	1/4 X 3/16	6 X 4.5	V ▼
15699	NT699*	1/4 X 3/16	6 X 4.5	V ▼
15678	NT678	1/2 X 15/32	13 X 12	V ▼
19289	NT700	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	Flat V ▲
15681	NT681	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	Flat V ▲
15694	NT694*	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	Flat V ▲
15680	NT680	1/8 X 1/8 X 1/16	3 X 3 X 1.5	Flat V ▲
15693	NT693*	1/8 X 1/8 X 1/16	3 X 3 X 1.5	Flat V ▲
15683	NT683	5/16 X 1/4 X 1/16	8 X 6 X 1.5	Flat V ▲
15682	NT682	3/16 X 1/4 X 5/16	4.5 X 6 X 8	Flat V ▲

QLT Notched Trowels

- Aluminum alloy mounting riveted to a hard tempered steel blade
- Curved smooth hardwood handle
- Blade size is 11 X 4½" (279 X 114 mm)
- Sold 12 per inner pack/ 60 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15857	NT972	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
15862	NT974	3/16 X 3/16 X 3/16	4.5 X 4.5 X 4.5	SQ ■
15856	NT973	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
15858	NT976	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■
15860	NT975	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■
15855	NT971	3/16 X 5/32	4.5 X 4	V ▼
15859	NT981	1/4 X 3/16	6 X 4.5	V ▼
15861	NT970	1/2 X 15/32	13 X 12	V ▼

QLT Notched Trowels

NEW

- Aluminum alloy mounting spot welded to a hard tempered steel blade
- Curved smooth hardwood handle
- Blade size is 11 X 4½" (279 X 114 mm)
- Sold 1 per inner pack/ 6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
33159	NT960	3/16 X 1/4 X 1/2	4.5 X 6 X 13	Flat V ▲
33161	NT961	3/16 X 1/4 X 5/16	4.5 X 6 X 8	Flat V ▲

QLT Notched Trowels


- Aluminum alloy mounting riveted to a hard tempered steel blade
- Smooth wood handle slightly curved
- Blade size is 11 X 4½" (279 X 114 mm)
- Sold 6 per inner pack/60 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
16172	972	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
16175	974	3/16 X 3/16 X 3/16	4.5 X 4.5 X 4.5	SQ ■
16173	973	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
16179	976	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■
16177	975	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■
16178	981	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	U ■
16171	971	3/16 X 5/32	4.5 X 4	V ▼
16168	970	1/2 X 15/32	13 X 12	V ▼

QLT Cut-Back Notched Trowels


- Features a 10° cut-back blade on front end
- Aluminum alloy mounting riveted to a hard tempered steel blade
- Blade size is 11 X 4½" (279 X 114 mm)
- **NEW** items shown red in table
- Inner/outer pack quantities listed in table



EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle	Inner/Outer	EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle	Inner/Outer
15794	NT794	⅜ X ⅜ X ⅜	3 X 3 X 3	SQ		6/36	15899	NT998	⅜ X ⅜ X ⅜	3 X 3 X 3	U		12/60
15803	NT803	⅜ X ⅜ X ⅜	1.5 X 1.5 X 1.5	SQ		6/36	15895	NT994	⅜ X ⅜ X ⅜	3 X 4.5 X 3	U		12/60
15805	NT805	⅜ X ⅜ X ⅜	4.5 X 4	V		6/36	15896	NT995	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V		12/60
15811	NT811	⅜ X ⅜ X ⅜	3 X 3 X 1.5	Flat V		6/36	15894	NT993	⅜ X ⅜ X ⅜	3 X 3 X 1.5	Flat V		12/60
15813	NT813	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V		6/36	33011	782S	⅜ X ⅜ X ⅜	4.5 X 5.5 X 10	Flat V		1/6
15815	NT815	⅜ X ⅜ X ⅜	1.5 X .75 X .75	U		6/36	33012	783S	⅜ X ⅜ X ⅜	6 X 6 X 11	Flat V		1/6
15892	NT991	⅜ X ⅜ X ⅜	1.5 X 1.5 X 1.5	SQ		12/60	33013	784S	⅜ X ⅜ X ⅜	8 X 8 X 11	Flat V		1/6
15898	NT997	⅜ X ⅜ X ⅜	6 X 3 X 6	SQ		12/60	33014	785S	⅜ X ⅜ X ⅜	1.25 X 3 X .75	Flat V		1/6
15897	NT996	⅜ X ⅜ X ⅜	1.5 X .75 X .75	U		12/60	33015	786S	⅜ X ⅜ X ⅜	4 X 4 X 4	Flat V		1/6
15893	NT992	⅜ X ⅜ X ⅜	3 X 3 X 1.5	U		12/60	33016	787S	⅜ X ⅜ X ⅜	8 X 8 X 19	Flat V		1/6
15900	NT999	⅜ X ⅜ X ⅜	3 X 2.5 X 3	U		12/60							

QLT Blue Steel Cut-Back Notched Trowels


- Features a 10° cut-back blade on front end
- Aluminum alloy mounting riveted to a blue steel blade
- Smooth hardwood handle, slightly curved
- Blade size is 16 X 4" (406 X 102 mm)
- **NT980** blade size is 11 X 4½" (279 X 114 mm)
- Sold 6 per inner pack/36 per outer pack, **NT980** sold 12 per inner pack/36 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15852	NT982	⅜ X ⅜ X ⅜	1.5 X 1.5 X 1.5	SQ
15854	NT984	⅜ X ⅜ X ⅜	1.5 X .75 X .75	U
15864	NT986	⅜ X ⅜ X ⅜	3 X 2.5 X 3	U
15853	NT983	⅜ X ⅜ X ⅜	2.5 X 2.5 X 2.5	Flat V
15863	NT985	⅜ X ⅜ X ⅜	3 X 3 X 1.5	Flat V
15865	NT980	⅜ X ⅜ X ⅜	4.5 X 6 X 8	Flat V

Plastic Notched Trowels

- Dual edged for use with bonding and floor tile adhesives
- Excellent for installing radiant floor heating elements
- Non-conductive plastic blade & handle
- Won't rust or corrode; easy to clean
- Blade size is 11 X 5½" (279 X 140 mm)
- Sold 10 per inner pack/60 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
10666	PNT666	⅜ X ⅜ X ⅜	6 X 6 X 6	SQ
10667	PNT667	⅜ X ⅜ X ⅜	10 X 10 X 10	SQ

QLT Plastic Notched Trowels

- All plastic blade measures 9½ X 4¼" (241 X 108 mm)
- "V" notched and angled for either right- or left-handed use
- Sold 36 per inner pack/36 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
16274	6274	⅜ X ⅜	1.5 X 1.5	V
16260	6260	⅜ X ⅜	2.5 X 2.5	V
16261	6261	⅜ X ⅜	3 X 3	V
16262	6262	⅜ X ⅜	4.5 X 4.5	V
16275	6275	⅜ X ⅜	6 X 6	V
16263	6263	⅜ X ⅜	10 X 10	V

Notched Trowels

- Black plastic handle with full hard steel blade
- 10° angle indicated with*
- All 9 X 4" (229 X 102 mm) notched trowels are dual-notched except **206 & 243**
- NEW** items shown red in table
- Sold 12 per inner pack/12 per outer pack



Blade Size 11 X 4½" (279 X 114 mm)				
EDI	Part#	Notch Size-in	Notch Size-mm	Notch
16255	222	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
16259	226	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
16254	221	1/16 X 1/32 X 1/16	1.5 X .75 X 1.5	U ■
16257	224	3/16 X 5/32	4.5 X 4	V ▼
16258	225	1/4 X 3/16	6 X 4.5	V ▼
16256	223	1/8 X 1/8 X 1/16	3 X 3 X 1.5	Flat V ▲
33259	252	5/32 X 5/32 X 5/32	4.5 X 4.5 X 4.5	Flat V ▲
33261	253	1/4 X 1/4 X 7/16	6 X 6 X 11	Flat V ▲
33263	254	5/16 X 5/16 X 7/16	8 X 8 X 11	Flat V ▲
33265	255	3/16 X 7/32 X 25/64	4.5 X 5.5 X 10	Flat V ▲
33267	256	5/16 X 5/16 X 3/4	8 X 8 X 19	Flat V ▲

Blade Size 9 X 4" (229 X 102 mm)				
EDI	Part#	Notch Size-in	Notch Size-mm	Notch
16250	206*	3/16 X 5/32	4.5 X 4	V ▼
16251	207*	1/4 X 1/4 X 1/4 1/4 X 3/16	6 X 6 X 6 6 X 4.5	SQ ■ V ▼
16252	208*	1/16 X 1/16 X 1/16 1/16 X 1/32 X 1/16	1.5 X 1.5 X 1.5 1.5 X .75 X 1.5	SQ ■ U ■
28793	211*	1/16 X 1/32 X 5/64 1/8 X 1/8 X 1/16	1.5 X .75 X 2 3 X 3 X 1.5	U ■ U ■
28795	213*	1/8 X 3/32 X 1/8 1/16	3 X 2 X 3 1.5	U ■ SQ ■
16220	220*	1/8 X 1/8 X 1/16 1/8 X 1/8 X 1/8	3 X 3 X 1.5 3 X 3 X 3	Flat V ▲ SQ ■
33157	228	1/4 X 3/16 X 5/16 3/32 X 3/32 X 3/32	6 X 4.5 X 8 2 X 2 X 2	Flat V ▲ SQ ■
16234	234*	1/16 X 1/32 X 1/32 3/32 X 3/32 X 3/32	1.5 X .75 X .75 2 X 2 X 2	U ■ Flat V ▲
16236	236*	3/32 X 3/32 X 3/32 1/8 X 3/16 X 1/8	2 X 2 X 2 3 X 4.5 X 3	SQ ■ U ■
16238	238*	1/8 X 1/8 X 1/8 3/16 X 1/4 X 5/16	3 X 3 X 3 4.5 X 6 X 8	U ■ Flat V ▲
16239	239*	1/4 X 3/8 X 1/4 1/4 X 1/2 X 1/4	6 X 10 X 6 6 X 13 X 6	SQ ■ U ■
16240	240*	1/4 X 3/8 X 1/4 1/2 X 1/2 X 1/2	6 X 10 X 6 13 X 13 X 13	U ■ SQ ■
18640	243	1/8 X 1/8 X 7/16	3 X 3 X 11	Flat V ▲
29411	250*	3/32 X 3/32 X 1/8 3/16 X 3/16 X 3/16	2 X 2 X 3 4.5 X 4.5 X 4.5	U ■ SQ ■
29412	251*	3/32 X 3/32 X 1/8 1/32 X 1/32 X 1/32	2 X 2 X 3 .75 X .75 X .75	U ■ V ▼

Ultralife™ Trowel System

NEW

- A versatile and functional toolset
- Innovative design allows the complete trowel to double as a handle and lid for the case
- Carry up to 8 trowels
- Comfortable, textured cushion grip ensures optimal control during tile and flooring applications
- Trowel handle constructed from high-impact, glass-filled, chemical-resistant nylon
- Blades made of high-quality stainless steel for durability and longevity
- Blades are sold 6 per inner pack/12 per outer pack



EDI	Part#	Description	Inner/Outer
41120	BWT32000	Ultralife Trowel Handle w/ Latch	6/12
41121	BWT33000	Latch Only	6/6
41122	BWT34000	Ultralife Trowel Carrying Case	6/16

Ultralife™ Trowel Blades - 12 X 4½" (305 X 114 mm)				
EDI	Part#	Notch Size-in	Notch Size-mm	Notch
41092	BWT31091	1/4 X 3/16	6 X 5	V ▼
41093	BWT31100	Finishing Trowel		N/A
41094	BWT31231	1/16 X 1/16 X 1/16	1.5 X 1.5 X 1.5	SQ ■
41096	BWT31331	1/16 X 1/4	1.5 X 6	V ▼
41098	BWT31361	1/4 X 3/8 X 1/4	6 X 10 X 6	SQ ■
41099	BWT31421	1/4 X 1/4 X 1/4	6 X 6 X 6	SQ ■
41101	BWT31581	1/2 X 1/2 X 1/2	13 X 13 X 13	SQ ■
41103	BWT31611	1/16 X 1/32 X 1/32	1.5 X 1 X 1	U ■
41105	BWT31701	1/8 X 1/8 X 1/8	3 X 3 X 3	U ■
41107	BWT31721	1/4 X 1/4 X 1/4	6 X 6 X 6	U ■
41109	BWT31761	1/4 X 3/8 X 1/4	6 X 10 X 6	U ■
41111	BWT31771	3/4 X 19/32 X 25/64	19 X 15 X 10	U ■
41112	BWT31781	1/4 X 1/2 X 1/4	6 X 13 X 6	U ■
41114	BWT31841	3/32 X 3/32 X 3/32	2.5 X 2.5 X 2.5	Flat V ▲
41116	BWT31951	1/16 X 1/8 X 1/8	1.5 X 3 X 3	Flat V ▲
41118	BWT31981	5/16 X 1/4 X 3/16	8 X 6 X 4.5	Flat V ▲

Finishing Trowels **NEW**

- Achieve the best finish
- Multiple handle and blade styles to choose from
- Sold 12 per inner pack/
48 per outer pack



EDI	Part#	Handle	Size-in	Size-mm
41124	BWT35101	Plastic	9 X 4	229 X 102
41338	BWT70951	Red Ultragrip	11 X 4½	279 X 114
41356	BWT71013	Ultragrip	14 X 4	356 X 102

QLT Finishing Trowel

- Cast aluminum mounting securely riveted to tempered, polished steel blade
- Mounting has a square shank to prevent handle from turning
- Soft grip handle for increased comfort
- Sold 8 per inner pack/8 per outer pack



EDI	Part#	Size-in	Size-mm
28259	FT1145R	11 X 4½	279 X 114

USA Finishing Trowels

- For details and size options see page 86 - 91



Notched Spreaders

- Made of galvanized material to prevent rust
- Blade is ribbed for rigidity and strength
- Size is 6 X 4" (152 X 102 mm)
- Sold 100 per inner pack/
100 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
15810	977	¼ X ¼ X ¼	1.5 X 1.5 X 1.5	SQ ■
15814	979	¼ X ½ X ½	1.5 X .75 X .75	U ■
15812	978	¾ X ½	4.5 X 4	V ▼
15816	980	¼ X ¾	6 X 4.5	V ▼

QLT Plastic Notched Spreaders

- Multi-use spreader/scrapper
- Won't rust or corrode
- Each side has a different notch size
- Sold 45 per inner pack/
135 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
16286	6286	⅛ X ⅛; ⅜ X ⅝; ¼ X ¾; Tapered Edge	3 X 1.5; 4.5 X 4; 6 X 4.5; Tapered Edge	V ▼
16287	6287	⅛ X ⅛ X ⅛; ⅜ X ⅜ X ⅜; ¼ X ¼ X ¼; ¼ X ⅛ X ¼	1.5 X 1.5 X 1.5; 3 X 3 X 3; 6 X 6 X 6; 6 X 3 X 6	SQ ■

QLT Plastic Notched Spreaders

- Won't rust or corrode
- Blade width is 3" (76 mm)
- Used to apply adhesives quickly and easily
- Sold 36 per inner pack/
288 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch
28806	PNS16SQ	⅛ X ⅛ X ⅛	1.5 X 1.5 X 1.5	SQ ■
28807	PNS1816V	⅛ X ⅜ X ⅛	3 X 3 X 1.5	Flat V ▲

USA Notched Margin Trowels



- Forged from a single piece of highest grade tool steel
- Tempered, ground and polished from toe to heel
- Available with hardwood or DuraSoft® handle
- Blade size is 5 X 2" (127 X 51 mm)
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Notch Size-in	Notch Size-mm	Notch	Handle
11200	52SN	¼ X ¼ X ¼	6 X 6 X 6	SQ ■	■
11190	52SND	¼ X ¼ X ¼	6 X 6 X 6	SQ ■	■
11201	52VN	¼ X ¾	6 X 4.5	V ▼	■
11192	52VND	¼ X ¾	6 X 4.5	V ▼	■





QL Notched Margin Trowels

- Used to spread adhesive or thinset in tight areas
- Soft grip handle
- Blade size is 5 X 2" (127 X 51 mm)
- Sold 6 per inner pack/6 per outer pack

EDI	Part#	Notch Size-in	Notch Size-mm	Notch
28260	MT71	¼ X ¼ X ¼	6 X 6 X 6	SQ 
28261	MT79	¼ X ¼	6 X 6	V 

Margin Trowels **NEW**

- Slim-nosed design for spreading tile adhesive in tight places
- Wood handle trowels feature a high quality tempered steel blade
- Soft grip trowels are forged from a single piece of high carbon steel and then heat treated
- Choose a wood or soft grip handle
- Sold 12 per inner pack/120 per outer pack

EDI	Part#	Size-in	Size-mm	Handle
41327	BWT70900	5 X 2	127 X 102	
41329	BWT70910	5 X 2	127 X 102	
41330	BWT70911	6 X 2	152 X 102	
41331	BWT70912	8 X 2	203 X 102	

Margin Trowel

- Durable plastic construction
- Won't rust or corrode
- Sold 12 per inner pack/12 per outer pack

EDI	Part#	Size-in	Size-mm
16280	PMT280	5 X 2	127 X 51


M Margin Trowels

- Forged from a single piece of high carbon steel
- Tempered, ground, and polished from toe to heel
- For details and size options see page 293



Pointing Trowel **NEW**

- Ideal for scraping, digging, and repairing
- Forged from a single piece of high carbon steel for unsurpassed strength
- Soft grip handle is comfortable and helps to reduce user fatigue
- Sold 12 per inner pack/120 per outer pack

EDI	Part#	Size-in	Size-mm	Handle
41332	BWT70913	5 X 2	127 X 102	

Pointing Trowel


- Durable plastic construction
- Won't rust or corrode
- Sold 24 per inner pack/24 per outer pack



EDI	Part#	Size-in	Size-mm
16282	PPT282	6 X 3½	152 X 79

M Pointing Trowels

- Forged from a single piece of high carbon steel for unsurpassed strength
- For details and size options see page 290 - 292



Tile Setter's Trowel

- Tempered blade; fully ground and polished
- Designed for repeated use but priced for the Do-It-Yourselfer
- Soft grip handle for increased comfort
- Sold 6 per inner pack/6 per outer pack

EDI	Part#	Size-in	Size-mm
18636	TSTSG74	7 X 4½	178 X 114

Tile Setter's Trowel

- Tempered blade; fully ground and polished
- Hardwood handle
- Sold 6 per inner pack/60 per outer pack

EDI	Part#	Size-in	Size-mm
16127	927	7 X 4½	178 X 114

Tile Setter's Trowels

- Forged from a single piece of high carbon steel
- Blade is fully tempered, ground and polished
- Available with hardwood, DuraSoft® or DuraCork® handle
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Size-in	Size-mm	Handle
10757	57	7 X 4 $\frac{3}{8}$	178 X 112	
10758	57D	7 X 4 $\frac{3}{8}$	178 X 112	
28872	57DC	7 X 4 $\frac{3}{8}$	178 X 112	

Bucket Trowels

- Forged from a single piece of high carbon steel
- For details and size options see page 289




PLS Revolve™ Tile Leveling System **NEW**

- Consistently spaces tile and removes lippage
- Great for large format tiles up to 19 mm thick
- Use with both floor and wall tiles
- No extra tools are required to tighten and level tiles
- After thinset has dried, use a rubber mallet to hit the system in line with the grout joint
- Caps are reusable
- Sold 1 per inner pack/1 per outer pack, 6 per inner pack/6 per outer pack where noted with*




100 packs sold in resealable bag, bulk packs sold in boxes

EDI	Part#	Description	Size	Qty
33106	SPINC100*	PLS Revolve Caps	N/A	100
33107	3SPIN100*	PLS Revolve Spacer Bases	$\frac{1}{8}$ " (3 mm)	100
33108	15SPIN100*	PLS Revolve Spacer Bases	$\frac{1}{16}$ " (1.5 mm)	100
41841	CPLSREV500	PLS Revolve Caps - Bulk Box	N/A	500
41843	3PLSREV1000	PLS Revolve Spacer Bases - Bulk Box	$\frac{1}{8}$ " (3 mm)	1000
41845	15PLSREV1000	PLS Revolve Spacer Bases - Bulk Box	$\frac{1}{16}$ " (1.5 mm)	1000



PLS Max™ Tile Leveling System **NEW**


- Consistently spaces tile and removes lippage
- Great for larger wall and floor tiles up to 14 mm thick
- After thinset has dried, use a rubber mallet to hit the system in line with the grout joint
- Wedges are reusable
- For tight, level tiles, use the PLS Pliers (*BWTLSP*)
- Sold 1 per inner pack/
1 per outer pack, 6 per inner pack/
6 per outer pack where noted with*



PLS MAX™
PRECISION LEVELING SYSTEM




200 packs sold in resealable bag, bulk packs sold in boxes



EDI	Part#	Description	Size	Qty
33062	HDWTLS*	PLS Max Wedges	N/A	200
33064	HDWTLS3*	PLS Max Straight Spacer Bases	1/8" (3 mm)	200
33066	HDWTLS15*	PLS Max Straight Spacer Bases	1/16" (1.5 mm)	200
41831	WPLSMAX500	PLS Max Wedges - Bulk Box	N/A	500
41833	3PLSMAX1000	PLS Max Straight Spacer Bases - Bulk Box	1/8" (3 mm)	1000
41835	15PLSMAX1000	PLS Max Straight Spacer Bases - Bulk Box	1/16" (1.5 mm)	1000

PLS™ Tile Leveling System **NEW**

- Consistently spaces tile and removes lippage
- Great for both wall and floor tiles up to 11 mm thick
- After thinset has dried, use a rubber mallet to hit the system in line with the grout joint
- Wedges are reusable
- For tight, level tiles, use the PLS Pliers (*BWTLSP*)
- Sold 1 per inner pack/1 per outer pack, 10 per outer pack where noted with*



PLS™
PRECISION LEVELING SYSTEM




100 packs sold in resealable bag, bulk packs sold in boxes



EDI	Part#	Description	Size	Qty
33054	BWTL*	PLS Wedges	N/A	100
33056	BWTL3*	PLS Straight Spacer Bases	1/8" (3 mm)	100
33058	BWTL15*	PLS Straight Spacer Bases	1/16" (1.5 mm)	100
41821	WPLS500	PLS Wedges - Bulk Box	N/A	500
41823	3PLS1000	PLS Straight Spacer Bases - Bulk Box	1/8" (3 mm)	1000
41825	15SPIN1000	PLS Straight Spacer Bases - Bulk Box	1/16" (1.5 mm)	1000

PLS™ Pliers **NEW**

- For easier wedge installation
- Compatible with PLS™ and PLSMAX™ Leveling Systems
- Feature an adjustable hard stop to prevent applying too much force
- Sold 4 per inner pack/4 per outer pack




Reversible cap for use with multiple leveling systems



Adjust tightening length to save time and reduce fatigue

Compatible with PLS™ and PLS MAX™



EDI	Part#	Description
33060	BWTLSP	PLS Plier

Anti-Scratch Disk **NEW**

- Reusable and easy to clean
- Protects from scratches and marks on all tile, including delicate materials
- Compatible with PLS™, PLS MAX™ & PLS Revolve™ Leveling Systems
- Extends the life of leveling caps and wedges
- Sold 1 per inner pack/6 per outer pack




Compatible with PLS™, PLS MAX™, and PLS Revolve™



EDI	Part#	Description	Qty
41796	DSPIN100	Anti-Scratch Disk	100

Original Precision Tile Spacers™ **NEW**

- High-quality, flexible rubber allows for easy adjustments during tile installation
- Easy to remove once installation has set, saving time and effort
- Offered in both + and T spacer styles
- Inner/outer pack quantities are shown in table



BWT10040

BWT10033



BWT11100

BWT10041



EDI	Part#	Shape	Size-in	Size-mm	Qty	Inner/Outer
41002	BWT10010	Regular +	3/32	2.5	250	1/45
41000	BWT10000	Regular +	1/16	1.5	300	1/45
41023	BWT11000	Regular +	1/16	1.5	3000	1/27
41001	BWT10001	Thin +	1/16	1.5	300	1/45
41024	BWT11001	Thin +	1/16	1.5	3000	1/27
41015	BWT10100	Regular T	1/16	1.5	300	1/45
41038	BWT11100	Regular T	1/16	1.5	3000	1/27
41026	BWT11020	Regular +	1/8	3	1600	1/27
41028	BWT11023	Regular Long +	1/8	3	1100	1/27
41004	BWT10021	Thin +	1/8	3	200	1/45
41027	BWT11021	Thin +	1/8	3	1600	1/27
41039	BWT11120	Regular T	1/8	3	1600	1/27
41029	BWT11030	Regular +	3/16	5	850	1/27
41008	BWT10033	Regular Long +	3/16	5	100	1/45
41031	BWT11033	Regular Long +	3/16	5	600	1/27
41007	BWT10031	Thin +	3/16	5	150	1/45
41030	BWT11031	Thin +	3/16	5	950	1/27
41017	BWT10130	Regular T	3/16	5	150	1/45
41040	BWT11130	Regular T	3/16	5	850	1/45
41032	BWT11040	Regular +	1/4	6	550	1/27
41011	BWT10043	Regular Long +	1/4	6	75	1/45
41034	BWT11043	Regular Long +	1/4	6	400	1/27
41010	BWT10041	Thin +	1/4	6	100	1/45
41033	BWT11041	Thin +	1/4	6	650	1/27
41018	BWT10140	Regular T	1/4	6	100	1/45
41041	BWT11140	Regular T	1/4	6	650	1/27
41036	BWT11050	Regular +	3/8	10	300	1/27
41019	BWT10150	Regular T	3/8	10	50	1/45
41042	BWT11150	Regular T	3/8	10	300	1/27
41037	BWT11060	Regular +	1/2	13	175	1/27
41043	BWT11160	Regular T	1/2	13	200	1/27

The Original Tile Spacers **NEW**

- High-quality, + style flexible rubber allows for easy adjustments during tile installation
- For use with all types of tile on walls and floors
- Easy to remove once tile installation has set, saving time and effort
- Inner/outer pack quantities are shown in table




EDI	Part#	Size-in	Size-mm	Qty	Inner/Outer
33102	3RTS	1/8	3	500	1/20
33103	5RTS	3/16	5	500	1/12
33104	6RTS	1/4	6	500	1/10



Dual-Sided Tile Spacers **NEW**

- Versatile dual-sided design available in both four corner and T spacer styles
- Four corner spacers are used with four corner intersections and edge-to-edge spacing
- T spacers are used with offset intersections and edge-to-edge spacing
- Ensures straight grout lines
- Can be used with all types of tiles
- Easy to remove after the job is done
- Reusable and easy to clean
- Color-coded to quick size identification
- Inner/outer pack quantities are shown in table



EDI	Part#	Shape	Size-in	Size-mm	Qty	Inner/Outer
33083	1TSX2X	+	1/32	1	100	6/6
33082	15TSX2X	+	1/16	1.5	100	1/18
33090	15TST2X	T	1/16	1.5	100	1/12
33081	2TSX2X	+	3/32	2	100	6/6
33080	3TSX2X	+	1/8	3	100	1/18
33089	3TST2X	T	1/8	3	100	1/12
33079	5TSX2X	+	3/16	5	100	1/10
33088	5TST2X	T	3/16	5	100	6/6
33078	6TSX2X	+	1/4	6	100	1/10
33087	6TST2X	T	1/4	6	100	6/6

SIZE & COLOR CHART

1/32" (1 mm)	1/16" (1.5 mm)	3/32" (2 mm)	1/8" (3 mm)	3/16" (5 mm)	1/4" (6 mm)	3/8" (10 mm)	1/2" (13 mm)
--------------	----------------	--------------	-------------	--------------	-------------	--------------	--------------



Comes in a convenient, resealable storage bag

Precision Leave-In Tile Spacers **NEW**

- Industry-approved leave-in tile spacers allow for earlier grouting, saving valuable time
- Voids in spacers allow them to stay in the joint and be grouted over
- For use with all types of tile
- Offered in both + and T spacer styles
- Sold 4 per inner pack/4 per outer pack

SIZE & COLOR CHART

1/32" (1 mm)	1/16" (1.5 mm)	3/32" (2 mm)	1/8" (3 mm)	3/16" (5 mm)	1/4" (6 mm)	3/8" (10 mm)	1/2" (13 mm)
------------------------	--------------------------	------------------------	-----------------------	------------------------	-----------------------	------------------------	------------------------

EDI	Part#	Shape	Size-in	Size-mm	Qty
33095	3TTS	T	1/8	3	1000
33097	3TSX	+	1/8	3	1000
41960	5TTS	T	3/16	5	500
41964	5TSX	+	3/16	5	500
41959	6TTS	T	1/4	6	500
41961	6TSX	+	1/4	6	400
41962	10TSX	+	3/8	10	300
41963	13TSX	+	1/2	13	200



Comes in a convenient, resealable storage bag

Precision Tile Spacers **NEW**

- Perfect for 1/16" (1.5 mm) joint tile installations on both walls and floors
- For use with all types of tile
- Offered in both + and T spacer styles
- Let application dry before removing
- Always grout after removing spacers
- Sold 4 per inner pack/4 per outer pack



Comes in a convenient, resealable storage bag

EDI	Part#	Shape	Size-in	Size-mm	Qty
33094	15TTTS	T	1/16	1.5	1000
33096	15TSX	+	1/16	1.5	1000



Tile Spacer Popper

- Used to easily remove tile spacers
- Comfortable DuraSoft® handle with finger guard
- Sold 6 per inner pack/6 per outer pack




EDI	Part#	Size-in	Size-mm
15473	TSP473	N/A	N/A



Horseshoe Spacers **NEW**

- Ideal for many tile installations including marble and granite
- Used to achieve level rows of wall or floor tile
- Stackable to achieve various joint sizes
- U-Shaped design enhances stability when setting large format tiles
- Sold 1 per inner pack/ 8 per outer pack, 1 per outer pack where noted with *



Sold in a resealable bag or display box



EDI	Part#	Description	Size-in	Size-mm	Qty
41792	HTS15	Horseshoe Spacer-Bag	1/16	1.5	200
41793	HTS3	Horseshoe Spacer-Bag	1/8	3	150
41966	HTS5	Horseshoe Spacer-Bag	3/16	5	100
41965	HTS6	Horseshoe Spacer-Bag	1/4	6	75
41851	15BWTHS500*	Horseshoe Spacer-Box	1/16	1.5	500
41853	3BWTHS500*	Horseshoe Spacer-Box	1/8	3	500

Super Tile Wedges **NEW**

- Ideal for leveling and straightening rows of tile on both walls and floors
- Great for use on sloped or uneven bases
- Helps ensure correct grout joint size on irregular tiles
- Use with any tile including ceramic, porcelain, stone, and marble
- Sold 1 per inner pack/8 per outer pack



Stack wedges to increase grout joint size

Comes in a convenient, resealable storage bag

EDI	Part#	Description	Size-in	Size-mm	Qty
33085	5WTS	Super Tile Wedges	3/16	5	100

Precision Tile Wedges **NEW**


- Ideal for leveling and straightening rows of tile on both walls and floors
- Great for use on sloped or uneven bases
- Helps ensure correct grout joint size on irregular tiles
- Use with any tile including ceramic, porcelain, stone, and marble
- Gripper Wedges are narrower and have less incline, suitable for smaller joints and tight spots
- Inner/outer pack quantities listed in table



EDI	Part#	Description	Qty	Inner/Outer
41021	BWT10370	Regular Wedge	100	45/45
41048	BWT12370	Regular Wedge	450	30/30
41069	BWT16370	Gripper Wedge	550	30/30
41070	BWT16371	Gripper Wedge	100	45/45

M Spiral Mixers


- **RM770** fits 3/8" (10 mm) or larger variable speed drill, **RM774** fits 1/2" (13 mm) or larger variable speed drill
- Speed 200-600 RPM, depending on density of material to be mixed
- Place mixer in bucket of material and gently work around bucket edges
- Mix thinset, mortar, grout, paint, etc.
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Size-in	Size-mm
28247	RM770	3 X 16	76 X 406
28249	RM774	5 X 24	127 X 610

Twist Mixer **NEW**

- Mix grout, thinset, concrete, mortar, and more
- 24" (610 mm) hex shaft and a 4" (102 mm) twisted blade
- Popular European design to ensure an even mix
- Sold 20 per inner pack/20 per outer pack



EDI	Part#	Description	Size-in	Size-mm
41689	BWT73503	Twist Mixer	24	610

EZ-Mixer™ **NEW**

- Mix grout, thinset, concrete, mortar, and more
- 30" (762 mm) hex shaft and a 5 X 5" (127 X 127 mm) blade
- Unique design minimizes air entrapment
- Create mortars with greater compressive strength
- Sold 12 per inner pack/12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
41773	BWT82300	EZ-Mixer	30	762

M Eggbeater Mixers

- Used to mix paint, adhesive, mortar, joint compound and much more
- Welded all-steel construction; fully plated
- 7/8" (11 mm) steel hex shaft
- Fits 1/2" (13 mm) or larger variable speed drill
- Sold 1 per inner pack/8 per outer pack, 6 per inner pack/24 per outer pack where noted with *



EDI	Part#	Size-in	Size-mm
28248	EM24	24	610
15445	897*	30	762

M Mixers

- For full line of mixers see page 336 - 338



M Super Bucket Bag

- Durable, water-resistant nylon construction
- Ideal for use with standard 5 gallon buckets
- Slip bag over bucket to turn your bucket into a tool organizer
- Pockets on inside and outside
- Will not damage or gouge walls like standard squared toolboxes
- 33 exterior pockets, 1 covered pocket with Velcro® closure, 14 interior pockets, 1 key chain lobster claw clasp, 1 tape loop and 1 hammer loop
- Sold 1 per inner pack/12 per outer pack



Bucket Not Included

EDI	Part#	Description
10847	10847	Super Bucket Bag

M Bucky Scrape PRO **NEW**

- Snaps securely onto 3-5 gallon plastic or metal buckets
- Prevents mortar buildup on bucket walls—no more crusty buckets
- Stainless steel scraping edge removes excess material and adhesive from your trowel
- Heavy-duty magnets securely hold your trowel when not in use
- Minimizes mess and material waste during flooring installations
- Lift tabs allow for quick and easy removal from the bucket rim
- Sold 8 per inner pack/8 per outer pack

Magnets to hold trowel



Stainless steel scraping edge



**U.S. Patent Nos. US 10,960,439 B1
US 11,471,918 B2 & US 11,623,470 B2**



EDI	Part#	Description
33483	BSP	Bucky Scrape PRO


5 Gallon Bucket

- For details see page 447



DustPro 360™

- For details see page 448



Bucket Heater

- Designed to continuously heat buckets of water
- 120V, 1000 watts
- Will heat water over 150° F (66° C)
- Ideal for use on cold winter days
- Stainless steel guard
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Size-in	Size-mm
19043	742G	N/A	N/A

Immersion Bucket Water Heaters **NEW**

- Ideal for continuously heating buckets of water on the jobsite
- **BWT71341** has a 5½" (140 mm) max depth for water pans and most saws
- **BWT71342** has an 11½" (292 mm) max depth for buckets
- Both produce 120V, 1150 watts
- Sold 1 per inner pack/
18 per outer pack



EDI	Part#	Max Depth-in	Max Depth-mm
41448	BWT71341	5½	140
41449	BWT71342	10½	292

Epoxy Grout Float

- Pads are harder and stiffer for thick epoxy grout
- Compatible with all grout types
- Edges are beveled and front two corners are rounded
- Plastic backing plate is recessed to prevent scraping
- Easy to clean design
- DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- Sold 1 per inner pack/6 per outer pack



EDI	Part#	Blade Size-in	Blade Size-mm
12187	EF87D	10 X 4	254 X 102

Tile Grouter's Float

- Pure gum rubber face is bonded to the dense rubber pad; cemented to an aluminum backing plate
- Edges are beveled and the two front corners are rounded
- Dense rubber pad is designed specifically for tile grouting
- DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- Sold 8 per inner pack/8 per outer pack



EDI	Part#	Size-in	Size-mm
28263	43D	9 X 4	229 X 102

Molded Rubber Float

- Black sponge rubber pad has beveled edges and rounded front corners
- Plastic backing plate is recessed to prevent scraping
- DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Size-in	Size-mm
14453	53D	10 X 4	254 X 102



Tile Grouter's Floats


- Pure gum rubber face is bonded to the dense rubber pad; cemented to an aluminum backing plate with a smooth handle
- Edges are beveled and the two front corners are rounded
- Dense rubber pad is designed specifically for tile grouting
- **43BC** has an offset handle for base/cove work
- Sold 1 per inner pack/24 per outer pack, **43XL** sold 12 per outer pack



EDI	Part#	Size-in	Size-mm
14422	43	9 X 4	229 X 102
14423	43XL	12 X 4	305 X 102
14425	43BC	12 X 3	305 X 76

Neoprene Floats

- Aluminum backing plate is bonded to the non-porous neoprene pad
- Pad is 3/4" (6 mm) thick
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Size-in	Size-mm
14424	49	12 X 4	305 X 102
14434	49L	12 X 5	305 X 127

Molded Rubber Float

- Molded black rubber pad is ideal for bringing sand to the surface
- Float face is cemented to the lightweight aluminum backing
- Sold 1 per inner pack/24 per outer pack



EDI	Part#	Size-in	Size-mm
14408	40	9 X 4	229 X 102

Ultralight™ Grout Float **NEW**

- Designed to apply grout between tiles on walls and floors
- Produce a professional finish
- Improved handle is longer, wider, and lighter, perfect for larger hands
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Size-in	Size-mm
41740	BWT81300	9 X 4	229 X 102

Journeyman Floats **NEW**

- Ideal tiling tool to use for applying and smoothing grout
- Standard wood handle
- Sold 12 per inner pack/36 per outer pack



EDI	Part#	Size-in	Size-mm
41408	BWT71170	9 X 4	229 X 102
41409	BWT71171	12 X 4	305 X 102

Grout Floats **NEW**

- The Megasoft Float is designed for the tradesmen who like the feel of a polyurethane-type float
- The Ultrasoft Float is perfect for textured tile and natural stone applications as it won't mar or scratch the tile
- Sold 6 per inner pack/6 per outer pack, 12 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
41417	BWT71180	Megasoft Float	9½ X 3½	241 X 89
41419	BWT71185*	Ultrasoft Float	10½ X 4	267 X 102

QLT Epoxy Grout Float

- Pad is harder and stiffer for thick epoxy grout
- Beveled edges with rounded front corners
- Recessed aluminum backer to prevent scraping
- Comfortable soft grip handle
- Sold 8 per inner pack/ 8 per outer pack



EDI	Part#	Size-in	Size-mm
28262	EF250	9½ X 4	241 X 102

QLT Grout Float

- All-plastic handle and backing plate won't scratch tile
- Foam rubber pad for all types of grout, including epoxy grout
- Easy clean-up
- Sold 10 per inner pack/ 60 per outer pack



EDI	Part#	Size-in	Size-mm
15247	GF247	9 X 3¼	229 X 83

QLT Grout Float

- Plastic blade
- Foam pad is ¼" (6 mm) thick
- Sold 24 per inner pack/ 24 per outer pack



EDI	Part#	Size-in	Size-mm
16266	6266	9½ X 4¾	241 X 108

QLT Tile Grouter's Floats

- Pure gum rubber face is bonded to dense rubber pad; aluminum backing plate with soft grip handle
- Edges are beveled
- Specifically for tile grouting
- **GF248** sold 6 per inner pack/ 6 per outer pack,
- **GF249** sold 8 per inner pack/ 8 per outer pack



EDI	Part#	Size-in	Size-mm
19286	GF248	9 X 4	229 X 102
28264	GF249	12 X 4	305 X 102

QLT Tile Grouter's Margin Float

- Pure gum rubber face is bonded to the dense rubber pad; cemented to a tempered steel blade with a soft grip handle
- Edges are beveled
- Dense rubber pad is designed specifically for tile grouting
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Size-in	Size-mm
14454	MF54	6 X 2	152 X 51

QLT Molded Rubber Float

- Molded black rubber pad is very compact and dense
- Thick aluminum backing plate resists bending
- Rubber pad is ¾" (16 mm) thick
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Size-in	Size-mm
10753	MRF94	9 X 4	229 X 102


M Grout Bags

- For details and size options see page 302



Plastic Foam Floats

- Plastic foam pad specially bonded to an aluminum backing plate
- Wears well and does an excellent job on any sand surface
- Pads are ¾" (19 mm) thick
- Replacement pads are packed 6 per bag, 1 bag per inner pack/12 bags per outer pack
- Floats sold 1 per inner pack/12 per outer pack, 24 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
14416	46G*	Green/Fine	9½ X 4	242 X 102
14418	46LG	Green/Fine	12 X 4	305 X 102
14432	46BG	Green/Fine	12 X 5	305 X 127
14420	46LB	Orange/Coarse	12 X 4	305 X 102
14417	4417	Repl. Pad for 46G	9½ X 4	242 X 102
14379	4379	Repl. Pad for 46LG	12 X 4	305 X 102
14382	4382	Repl. Pad for 46BG	12 X 5	305 X 127
14384	4384	Repl. Pad for 46LB	12 X 4	305 X 102

Grout Scrubber

- Removes dried-on grout haze
- Non-scratch pad
- Use with water for best results
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Size-in	Size-mm
28265	GS1	6 X 3½	152 X 89

Micro-Fiber Sponge **NEW**

- Dual-surface design ideal for both cleanup and finishing work
- Micro-fiber side ideal for final grout haze removal and applying sealer
- Sold 24 per inner pack/24 per outer pack



EDI	Part#	Size-in	Size-mm
41157	BWT70225	7 X 5¼ X 1¼	178 X 133 X 44

Ultralight™ Full Scrubs **NEW**

- Clean up the job surface
- Non-Abrasive Full Scrub: white; use on highly glazed wall tile
- Abrasive Full Scrub: blue; use on tougher jobs like sanded grout and epoxy grout
- Both styles come with a handle and a pad
- Replacement pads available
- Sold 1 per inner pack/12 per outer pack



BWT81350



BWT81360



EDI	Part#	Description	Size-in	Size-mm
41747	BWT81350	Non-Abrasive Full Scrub	10 X 4½	254 X 114
41748	BWT81351	Non-Abrasive Replacement Pad	10 X 4½	254 X 114
41749	BWT81360	Abrasive Full Scrub	10 X 4½	254 X 114
41750	BWT81361	Abrasive Replacement Pad	10 X 4½	254 X 114

Tile Grout Sponges

- Used to wipe off excess grout from joints
- Rounded corners to prevent digging out or marring joints
- Available in two sizes: large and extra large
- Sold 50 per inner pack/50 per outer pack, 40 per inner pack/40 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
16462	TGSL	Large	6 X 4 X 2	152 X 102 X 51
16463	TGS1*	XL	7 X 4⅞ X 2⅞	178 X 124 X 54

Tile Grout Scrubbing Sponge


- For scrubbing and haze removal
- Yellow grout sponge on one side to wipe off excess grout from joints
- White scrubber side to remove grout haze and stubborn mortar colors
- Sold 50 per inner pack/50 per outer pack



EDI	Part#	Size-in	Size-mm
16460	TLW	6½ X 4¼ X 2½	165 X 114 X 54

Turtle Back Sponge

- Great general purpose cellulose sponge
- Shape conforms to hand
- Sold 24 per inner pack/24 per outer pack



EDI	Part#	Size-in	Size-mm
16587	16587	3½ X 6¾ X 2	89 X 171 X 51



Ultra Grouting System **NEW**

- Includes everything you need to achieve a professional finish on your next tiling job
- Cut your grouting time nearly in half with less of a mess
- Raised grate and slotted sponge sifts out grout material to settle at the bottom while leaving clean water on top
- Slotted rollers remove all excess water from the sponge
- Inner/outer pack quantities listed in table

EDI	Part#	Description	Inner/Outer
41762	BWT81584	Ultra Grouting System	1/1
41770	BWT81595	Ultra Grouting System Starter Kit	1/1



Replacement Parts			
EDI	Part#	Description	Inner/Outer
41756	BWT81510	Wall Sponge w/Handle	12/12
41757	BWT81511	Replacement Wall Sponge	12/50
41758	BWT81520	Floor Sponge w/Handle	12/12
41759	BWT81521	Replacement Floor Sponge	12/125
41760	BWT81530	Wall Non-Abrasive Scrub Pad	12/12
41761	BWT81540	Wall Abrasive Scrub Pad	12/12
41763	BWT81588	UGS Set - Bucket, Rollers, STR	1/1
41764	BWT81589	Grate	1/24
41765	BWT81590	Rollers (set of 3)	1/14
41767	BWT81592	Caster Set (set of 4)	1/50
41768	BWT81593	Roller Caps (set of 2)	1/84





QLT Sponge Floats

- Cleans grout in less time with less mess
- DuraSoft® handle for comfort and reduced fatigue
- Sold 6 per inner pack/6 per outer pack, 1 per inner pack/12 per outer pack where noted with*

EDI	Part#	Description	Size-in	Size-mm
16793	SSF93	Small Sponge Float	11 X 5½	279 X 140
16794	LSF94	Large Sponge Float	13 X 4½	330 X 114
16796	SF93RP*	Small Repl. Sponge	11 X 5½	279 X 140
16797	SF94RP*	Large Repl. Sponge	13 X 4½	330 X 114

SF93RP

SF94RP



M Grout Brush

- Stiff nylon bristles for cleaning tile and grout
- Comfortable soft grip handle
- Sold 6 per inner pack/ 6 per outer pack

EDI	Part#	Bristle Size-in	Bristle Size-mm
28257	B100	2 X 1¼/16	51 X 17

QLT Grout & Tile Brush

- Stiff nylon bristles for cleaning tile and grout
- Comfortable plastic handle
- Sold 12 per inner pack/ 12 per outer pack

EDI	Part#	Size-in	Size-mm
28258	B200	2 X ¾	51 X 19

Gloves **NEW**

- Protect your hands from various materials and chemicals
- Natural Latex Gloves: resistant to most chemicals, cleaners, and sealers; heavy-duty; flocked liner and patterned grip
- Neoprene Gloves: protect against abrasion, tears, cuts, punctures; also provide protection from broad range of chemicals and oils; flocked liner and textured grip
- Sold 12 per inner pack/ 144 per outer pack



Natural Latex



Neoprene

EDI	Part#	Material	Size
41509	BWT71915	Natural Latex	Medium
41510	BWT71916	Natural Latex	Large
41511	BWT71917	Natural Latex	X-Large
41514	BWT71925	Neoprene	Medium
41515	BWT71926	Neoprene	Large
41516	BWT71927	Neoprene	X-Large

QLT Rubber Grout Gloves

- Use when grouting tile
- Protects hands from Portland cement and other chemicals
- Latex rubber gloves
- Sold 6 per inner pack/60 per outer pack



EDI	Part#	Size
28282	RGL	Large

Microfiber Cloth

- Microfiber knit removes stubborn grout haze from tiles
- Can be used for general cleaning
- Sold 4 per inner pack/
4 per outer pack



EDI	Part#	Size-in	Size-mm
28269	MF470	17¼ X 17¼	438 X 438

Cheesecloth

- 100% unbleached loosely woven cotton used for cleaning grout from tile
- 5 sq. yards
- Sold 4 per inner pack/
4 per outer pack



EDI	Part#	Size-sq yds	Size-sq M
28268	CC470	5	4.18

Grout Sealer Bottle

- For applying grout sealer to tile grout
- 12 oz. bottle
- Includes ⅝" (3 mm) and ¾" (6 mm) wide rollers
- Sold 12 per inner pack/
12 per outer pack



EDI	Part#	Size-oz.	Size-L
28266	SBR	12	.35

Grout Sealant Tool

- Roll out grout sealant with ease
- Equipped with adjustable line guide
- Interchangeable wheel tip assemblies ranging in width from ¼" to ¾" (.4 to 6 mm)
- Sold 6 per inner pack/6 per outer pack
- **E1080** kit includes one single line striper and all eight interchangeable wheels, sold 6 per inner pack/6 per outer pack



EDI	Part#	Description	Size-in	Size-mm
19680	E1080	Striper Assy	N/A	N/A
19672	E1011	Tip Assy	¼	.4
19676	E1015	Tip Assy	⅝	2

Rod Saw w/ Drill Bit

- Used to cut irregular shapes in tile
- Resilient DuraSoft® handle
- Insert loose cutting rod through hole, then re-attach to bow
- Tungsten carbide drill bit for use on ceramic tile
- Replacement rods available
- Saw sold 4 per inner pack/
4 per outer pack, rods sold 5 per inner pack/5 per outer pack



EDI	Part#	Description	Blade Size-in	Blade Size-mm
28290	RS6	Rod Saw & Bit	6	152
28291	RS6B	Rod Saw Blade	6	152

Wet Diamond Hole Saw

- Cuts 1⅝" (35 mm) diameter holes in tile
- Used to allow water lines and faucets to pass through installed tile
- Watering cup and mounting gasket keep bit cool and held in place while drilling
- Can be used on ceramic, marble, porcelain and granite
- Includes 6 mounting gaskets
- Sold 4 per inner pack/4 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28274	DS138	Hole Saw & Cup	1⅝	35
29034	DS138RM	Hole Saw Replacement Pads	1⅝	35

Diamond Drill Bit System

- ⅝" (8 mm) diameter bit cuts holes in ceramic, porcelain and marble
- Used when installing doors or fixtures in tile
- Watering cup and mounting gasket keeps bit cool and holds the bit in place while drilling
- Includes eight mounting gaskets
- Sold 5 per inner pack/
5 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28275	DS14	Diamond Drill Bit and Cup	⅝	8
29036	DS14RM	Diamond Drill Bit Replacement Pads	⅝	8

Arranged Diamond Hole Saws **NEW**

- Order arranged diamond pattern cuts faster and lasts longer
- 7/8" (22 mm) flange
- Delivers clean cuts with minimal chipping
- Maintains sharpness for longer periods
- Can be used on stone
- Engineered to cut through where other bits fail
- Inner/outer pack quantities listed in table



EDI	Part#	Size-in	Size-mm	Compatibility	Inner/Outer
41886	DTT18	1/8	3	Grinder	10/100
41887	DTT316	3/16	5	Grinder	10/100
41888	DTT14	1/4	6	Grinder	10/100
41890	DTT516	5/16	8	Grinder	10/100
41892	DTT38	3/8	10	Grinder	10/100
41893	DTT12	1/2	12	Grinder	10/100
41894	DTT34	3/4	19	Grinder	10/50
41895	DTT10	1	25	Grinder	10/50
41897	DTT118	1 1/8	30	Grinder	10/50
41898	DTT114	1 1/4	32	Grinder	10/50
41899	DTT138	1 3/8	35	Grinder	10/50

EDI	Part#	Size-in	Size-mm	Compatibility	Inner/Outer
41901	DTT134	1 3/4	44	Grinder	5/20
41902	DTT20	2	51	Grinder	5/20
41904	DTT2316	2 3/16	55	Grinder	5/20
41905	DTT214	2 1/4	57	Grinder	5/20
41906	DTT238	2 3/8	60	Grinder	5/20
41907	DTT212	2 1/2	64	Grinder	5/20
41909	DTT258	2 5/8	65	Grinder	5/20
41910	DTT30	3	76	Grinder	5/20
41911	DTTD14	1/4	6	Drill	10/100
41913	DTTD516	5/16	8	Drill	10/100
41915	DTTD138	1 3/8	35	Drill	10/150

Diamond Milling Bits **NEW**

- Designed to enlarge, shape or round existing holes in porcelain, ceramic, and stone
- 7/8" (22 mm) flange
- Superior diamond grit for faster and smoother grinding
- For wet or dry use, no water feed system required
- Sold 10 per inner pack/40 per outer pack



EDI	Part#	Size-in	Size-mm	Compatibility
41923	DTTM38	3/8	10	Grinder
41925	DTTM34	3/4	19	Grinder

Diamond Milling Cones **NEW**

- Designed to enlarge, shape or round existing holes in porcelain, ceramic, and stone
- 7/8" (22 mm) flange
- Superior diamond grit for faster and smoother grinding
- For wet or dry use, no water feed system required
- Inner/outer pack quantities listed in table



EDI	Part#	Size-in	Size-mm	Compatibility	Inner/Outer
41917	DTTTC78	3/4 - 7/8	19-22	Grinder	5/40
41918	DTTTC112	1/8 - 1 1/2	3-38	Grinder	6/48
41920	DTTTC30	1/8 - 3	3-75	Grinder	3/12

MA Arranged Diamond Tools Fixture Kit **NEW**

- Kit contains sizes necessary to attach fixtures like shower doors, shelves, and racks to tile
- Includes:
 - 3/16" (5 mm) Diamond Hole Saw
 - 1/4" (6 mm) Diamond Hole Saw
 - 5/16" (8 mm) Diamond Hole Saw
 - 3/8" (10 mm) Diamond Hole Saw
 - Drill Adapter
- Heavy-duty aluminum case included
- Sold 10 per inner pack/10 per outer pack



Heavy-duty aluminum case

EDI	Part#	Description
41927	DTTSTC	Arranged Diamond Tools Fixture Kit

MA Arranged Diamond Tools Plumbing Kit **NEW**

- Kit contains sizes necessary to pass plumbing lines through tile
- Includes:
 - 1" (25 mm) Diamond Hole Saw
 - 1 3/8" (35 mm) Diamond Hole Saw
 - 2" (51 mm) Diamond Hole Saw
 - Drill Adapter
- Heavy-duty aluminum case included
- Sold 10 per inner pack/10 per outer pack




Heavy-duty aluminum case

EDI	Part#	Description
41929	DTTLTC	Arranged Diamond Tools Plumbing Kit

MA Drill Adapter **NEW**

- Adapts to 3/8"-11 grinder arbor to hex shaft for drills
- Made of zinc-plated steel
- Sold 10 per inner pack/100 per outer pack



EDI	Part#	Description
41931	DTTA	Drill Adapter

MA Diamond Edge Jig Saw Blade **NEW**

- Durable diamond cutting edge cuts ceramic and porcelain
- Cuts irregular shapes
- For use with most jig saws
- Sold 10 per inner pack/100 per outer pack



EDI	Part#	Size-in	Size-mm
41921	DTTJS3	3	76

MA Saber Saw Blade

- Fits standard 1/4" (6 mm) shank saber saws
- Cuts ceramic tile and cement backer board
- Sold 12 per inner pack/12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28280	SSBC	Saber Saw Blade	3	76

WE ARE JUST A PHONE CALL AWAY!

Our dedicated Customer Success Team is ready to assist you with your questions, concerns, and technical support needs - Just give us a call!

800.888.0127

Or send us an email at:

CustomerSuccess@MARSHALLTOWN.com

MEASURE SCORE SNAP

FIND THE RIGHT TILE CUTTER FOR YOU!



 Indicates Professional grade



BARWALT
A MARSHALLTOWN BRAND

14" TILE CUTTER

TC14 | EDI-33175

BARWALT
A MARSHALLTOWN BRAND

17" TILE CUTTER

TC17 | EDI-29386

BARWALT
A MARSHALLTOWN BRAND

20" TILE CUTTER

TC20 | EDI-33177

MARSHALLTOWN
USA

24" TILE CUTTER

TC24 | EDI-29390

**MAX CUT
LENGTH**

14" (356 mm)

17" (432 mm)

20" (508 mm)

24 3/4" (629 mm)

**MAX CUT
THICKNESS**

3/8" (9.5 mm)

1/2" (13 mm)

1/2" (13 mm)

1/2" (13 mm)

**SCORING
WHEEL SIZE**

5/8" (15 mm)

5/8" (15 mm)

5/8" (15 mm)

7/8" (22 mm)

**MAX 45°
ANGLE CUT**

9 7/8" (251 mm)

12" (305 mm)

14" (356 mm)

16" (406 mm)

**CERAMIC
FLOORING**



**PORCELAIN
FLOORING**



MOSAIC TILE



GLASS TILE






 24" PRO TILE CUTTER PTC24 EDI-29398	 30" TILE CUTTER TC30 EDI-33179	 36" TILE CUTTER TC36 EDI-29394	 36" PRO TILE CUTTER PTC36 EDI-29402	 48" PRO TILE CUTTER PTC48 EDI-29406
24 3/4" (629 mm)	30" (762 mm)	36" (914 mm)	36 1/2" (927 mm)	48" (1219 mm)
5/8" (16 mm)	9/16" (14 mm)	9/16" (14 mm)	13/16" (21 mm)	5/8" (16 mm)
7/8" (22 mm)	7/8" (22 mm)	7/8" (22 mm)	7/8" (22 mm)	7/8" (22 mm)
TITANIUM-COATED TUNGSTEN CARBIDE			TITANIUM-COATED TUNGSTEN CARBIDE	TITANIUM-COATED TUNGSTEN CARBIDE
17" (432 mm)	21" (533 mm)	24" (610 mm)	24" (610 mm)	33" (838 mm)
				
				
				
				

14" Tile Cutter **NEW**

- Cuts tile up to 14" (356 mm) long
- $\frac{3}{8}$ " (9.5 mm) cut thickness
- Two-Rod Rail System for smooth operation
- Cuts $9\frac{7}{8}$ " (251 mm) tile at a 45° angle
- Includes Adjustable Measuring Guide for precise cuts
- Includes $\frac{5}{8}$ " (15 mm) Tungsten Carbide Scoring Wheel
- Sold 1 per inner pack/6 per outer pack


EDI	Part#	Description
33175	TC14	14" (356 mm) Tile Cutter



17" Tile Cutter

- Cuts tile up to 17" (432 mm) long
- $\frac{1}{2}$ " (13 mm) cut thickness
- Two-Rod Rail System for smooth operation
- Cuts 12" (305 mm) tile at a 45° angle
- Great for use on porcelain
- Includes Adjustable Measuring Guide for precise cuts
- Includes $\frac{5}{8}$ " (15 mm) Tungsten Carbide Scoring Wheel
- Sold 4 per inner pack/4 per outer pack


EDI	Part#	Description
29386	TC17	17" (432 mm) Tile Cutter



20" Tile Cutter **NEW**


- Cuts tile up to 20" (508 mm) long
- $\frac{1}{2}$ " (13 mm) cut thickness
- Two-Rod Rail System for smooth operation
- Cuts 14" (356 mm) tile at a 45° angle
- Includes Adjustable Measuring Guide for precise cuts
- Includes $\frac{5}{8}$ " (15 mm) Tungsten Carbide Scoring Wheel
- Sold 1 per inner pack/4 per outer pack

EDI	Part#	Description
33177	TC20	20" (508 mm) Tile Cutter



24" Tile Cutter


- Cuts tile up to 24 $\frac{3}{4}$ " (629 mm) long
- $\frac{1}{2}$ " (13 mm) cut thickness
- Cuts 16" (406 mm) tile at a 45° angle
- Great for use on porcelain
- Includes spare $\frac{7}{8}$ " (22 mm) tungsten carbide scoring wheel
- Two-Rod Rail System for accurate cuts
- Includes small breaker foot engineered for mosaic tiles; but works on all tiles
- Sold 3 per inner pack/3 per outer pack



EDI	Part#	Description
29390	TC24	24" (610 mm) Tile Cutter

24" Pro Tile Cutter


- Cuts tile up to 24 $\frac{3}{4}$ " (629 mm) long
- Durable aluminum protractor gauge for precise angled cuts
- Cuts 17" (432 mm) tile at a 45° angle
- Great for use on porcelain
- $\frac{7}{8}$ " (22 mm) titanium-coated tungsten carbide scoring wheel
- Rigid steel monorail sliding system for accurate cuts
- Multi-level adjustable cutting wheel height up to $\frac{5}{8}$ " (16 mm)
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29398	PTC24	24" (610 mm) Pro Tile Cutter

30" Tile Cutter **NEW**


- Cuts tile up to 30" (762 mm) long
- $\frac{9}{16}$ " (14 mm) cut thickness
- Professional I-Beam Rail System for smooth operation
- Cuts 21" (533 mm) tile at a 45° angle
- Great for use on porcelain
- Includes Adjustable Measuring Guide for precise cuts
- Includes $\frac{7}{8}$ " (22 mm) Tungsten Carbide Scoring Wheel
- Sold 1 per inner pack/2 per outer pack



EDI	Part#	Description
33179	TC30	30" (762 mm) Tile Cutter

M 36" Tile Cutter

- Cuts tile up to 36" (914 mm) long
- $\frac{9}{16}$ " (14 mm) cut thickness
- Cuts 24" (610 mm) tile at a 45° angle
- Great for use on porcelain
- Rigid I-Beam Rail System for accurate cuts
- High quality bearings for smooth operation
- Includes $\frac{7}{8}$ " (22 mm) Tungsten Carbide Scoring Wheel
- Sold 2 per inner pack/2 per outer pack



Magnet to hold breaker foot while scoring

36"
TILE

24"
TILE

$\frac{9}{16}$ "
THICK




Professional I-Beam Rail System


EDI	Part#	Description
29394	TC36	36" (914 mm) Tile Cutter

M 36" Pro Tile Cutter

- Cuts tile up to 36½" (927 mm) long
- Multi-level adjustable cutting wheel height up to $\frac{13}{16}$ " (21 mm) cut thickness
- Cuts 24" (610 mm) tile at a 45° angle
- Great for use on porcelain
- Solid I-Beam Rail System for accurate cuts
- High quality bearings for smooth operation
- Sold 1 per inner pack/1 per outer pack



Multi-level adjustable cutting wheel height



36½"
TILE

24"
TILE

$\frac{13}{16}$ "
THICK



High quality bearings



Solid I-Beam Rail System

EDI	Part#	Description
29402	PTC36	36" (914 mm) Pro Tile Cutter

M 48" Pro Tile Cutter

- Cuts tile up to 48" (1219 mm) long
- $\frac{5}{8}$ " (16 mm) cut thickness
- Rigid Rectangular Beam System for smooth operation and accurate cuts
- Cuts 33" (838 mm) tile at a 45° angle
- Great for use on porcelain
- Spring-Loaded Support Bed for stable cutting
- Includes $\frac{7}{8}$ " (22 mm) Tungsten Carbide Scoring Wheel
- Sold 1 per inner pack/1 per outer pack



Rigid Beam System

48"
TILE

33"
TILE


$\frac{5}{8}$ "
THICK

Spring-Loaded Support Bed

EDI	Part#	Description
29406	PTC48	48" (1219 mm) Pro Tile Cutter

Glass Tile Blades **NEW**


- 7 mm diamond depth
- Designed to cut glass tile and block
- Constructed of premium grade steel
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Diameter	For Arbor
41180	BWT70400	4" (102 mm)	5/8" (16 mm)
41181	BWT70405	6" (152 mm)	5/8" (16 mm)

Continuous Rim Tile Blade **NEW**

- Continuous rim makes smooth, chip-free cuts on a wide variety of materials
- Wet or dry use with a small tile saw or disc grinder
- Features a higher diamond concentration for durability
- Sold 1 per inner pack/40 per outer pack



EDI	Part#	Diameter	For Arbor
41183	BWT70411	4" (102 mm)	5/8" (16 mm)

Dry Turbo Rim Blades **NEW**

- Designed for general purpose cutting on concrete, brick, tile, marble, and granite
- For dry use only!
- 10 mm diamond depth
- Cut concrete, brick, tile, marble, and granite
- Sold 1 per inner pack/40 per outer pack




For dry use only!

EDI	Part#	Diameter	For Arbor
41185	BWT70414	4" (102 mm)	5/8" or 7/8" (16 or 22 mm)
41200	BWT70441	7" (178 mm)	5/8", 7/8" or Diamond (16 or 22 mm)

Dry Continuous Rim Turbo Blades **NEW**

- Used for cutting general purpose concrete, brick, tile, marble, granite, and other aggregates
- Designed for dry use only!
- Sold 1 per inner pack/40 per outer pack




For dry use only!

EDI	Part#	Diameter	For Arbor
41187	BWT70416	4" (102 mm)	5/8" (16 mm)
41193	BWT70425	7" (178 mm)	5/8" (16 mm)

Wet Premium Diamond Blades **NEW**

- Cut ceramic tile and softer tile such as clay and soft stone
- Higher diamond concentration for long-lasting blade
- For wet use only!
- Sold 1 per inner pack/40 per outer pack




For wet use only!

EDI	Part#	Diameter	For Arbor
41199	BWT70440	7" (178 mm)	5/8" (16 mm)
41191	BWT70421	8" (203 mm)	5/8" (16 mm)
41198	BWT70431	10" (254 mm)	5/8" (16 mm)

Wet J Slot Blades **NEW**

- Cut ceramic, lightweight (500 lb break strength) porcelain, clay, and roofing tiles
- Higher diamond concentration for long-lasting blade
- For wet use only!
- Sold 1 per inner pack/1 per outer pack




For wet use only!

EDI	Part#	Diameter	For Arbor
41194	BWT70426	7" (178 mm)	5/8" (16 mm)
41192	BWT70423	8" (203 mm)	5/8" (16 mm)
41195	BWT70427	10" (254 mm)	5/8" (16 mm)

PRO Glass Tile/Block Wet Diamond Blades **NEW**

- 8 mm diamond depth and 5/8" (16 mm) arbor
- Highest quality glass blade cuts any thickness of glass, even dual thickness laminate glass
- Blades are engineered with special ultra-fine grit diamond bond matrix for a clean cut
- Sold 1 per inner pack/40 per outer pack




For wet use only!

EDI	Part#	Diameter	For Arbor
41196	BWT70429	7" (178 mm)	5/8" (16 mm)
41197	BWT70430	10" (254 mm)	5/8" (16 mm)

BEAST Blades **NEW**

- Cut porcelain, marble and granite tiles
- Thin kerf edge for a clean, fast cut with no chips
- Reinforced silent core hub greatly reduces noise
- Sold 5 per inner pack/40 per outer pack



EDI	Part#	Diameter	For Arbor
41445	BWT71335	7" (178 mm)	5/8" (16 mm)
41446	BWT71336	10" (254 mm)	5/8" (16 mm)

Saw Shacks **NEW**

- Designed to contain the mess and debris generated from cutting materials like tile, wood, or stone
- Easy assembly and disassembly
- Durable aluminum framework and stainless steel bolts fitted with aircraft nuts
- Plastic parts are made of glass-filled nylon (used for intake manifolds in car engines)
- Clear plastic surround is made of heavy gauge plastic with industrial strength zippers
- Commercial-grade Velcro® used at all attachment points
- Includes a heavy gauge bag for easy storage and transportation
- Replacement pan liners and clips sold separately
- Sold 1 per inner pack/1 per outer pack, 10 per outer pack where noted with *, 7 per outer pack where noted with **



EDI	Part#	Description	Size-in	Size-mm
41309	BWT70832	Large Saw Shack	47 X 47 X 62	1194 X 1194 X 1575
41316	BWT70852	X-Large Saw Shack	47 X 60 X 62	1194 X 1524 X 1575
41310	BWT70833*	Large Saw Shack Repl. Pan	47 X 47 X 62	1194 X 1194 X 1575
41317	BWT70853*	X-Large Saw Shack Repl. Pan	47 X 60 X 62	1194 X 1524 X 1575
41311	BWT70839**	Repl. Clips - 6 Pack	N/A	N/A

Alpha® Electric Polisher **NEW**


- Ultimate tool for tile contractors with a heavy-duty gear system
- Precise control with a variable speed range of 700 to 2,500 RPM
- Minimizes noise and vibration, extends seal life, and includes convenient features like an all-weather water hose, GFCI power cord, and more
- Includes extra carbon brush set
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
41559	BWT72559	Alpha Electric Polisher

Alpha® PVA VP Dry Polishing Pads **NEW**


- For use with polishers, sanders, and grinders
- Designed to polish stone, ceramics, metals, and wood
- Can be used for paint, coating, mill scale, and rust removal
- Max RPM 13,200
- Sold Individually
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Grit	Diameter	For Arbor
41542	BWT72530	40 - Coarse	4½" (114 mm)	⅞" (22 mm)
41543	BWT72531	80 - Coarse	4½" (114 mm)	⅞" (22 mm)
41544	BWT72532	220 - Medium	4½" (114 mm)	⅞" (22 mm)
41545	BWT72533	400 - Fine	4½" (114 mm)	⅞" (22 mm)
41546	BWT72534	600 - Fine	4½" (114 mm)	⅞" (22 mm)

Alpha® PVA MS Dry Polishing Pads **NEW**

- Designed to be used on a wide variety of materials including marble, ceramic, wood, stone, and metal
- Ideal for use with irregular surfaces
- Used for paint removal
- Assortment kit (41552) contains 2 of each grit; all cartons contain 10 pads
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Grit	Diameter	For Arbor
41552	BWT72546	Assortment Kit	4" (102 mm)	⅝" (16 mm)
41553	BWT72547	40 - Coarse	4" (102 mm)	⅝" (16 mm)
41554	BWT72548	80 - Coarse	4" (102 mm)	⅝" (16 mm)
41555	BWT72551	220 - Medium	4" (102 mm)	⅝" (16 mm)
41556	BWT72552	400 - Fine	4" (102 mm)	⅝" (16 mm)
41557	BWT72553	600 - Fine	4" (102 mm)	⅝" (16 mm)

Alpha® PVA Dry Quick Change Polishing Pads Assortment Kit **NEW**

- Designed to be used on a wide variety of materials including marble, ceramic, wood, stone, and metal
- Ideal for use with irregular surfaces
- Used for paint removal
- Includes 5 polishing pads of each grit measuring 4" (102 mm)
- Used with Alpha® PVA Dry Quick Change System
- Sold 1 per inner pack/1 per outer pack




EDI	Part#	Diameter	For Arbor
41560	BWT72562	4" (102 mm)	Alpha PVA Dry Quick Change compatible snail-lock type Arbor



QLT Door Jamb Saw

- Cuts bottom of door jambs, allowing tile to slide under when installed
- Used when thicker flooring is installed
- Soft grip handle
- Sold 4 per inner pack/
4 per outer pack



EDI	Part#	Size-in	Size-mm
28303	DJS	12	305

M Ceramic Tile File

- Carbide coating
- Removes rough or irregular edges on tile, marble and stone
- Rounded and flat sides for different tile shapes
- DuraSoft® Handle
- Sold 10 per inner pack/10 per outer pack



EDI	Part#	Size-in	Size-mm
28273	TFTS	6½ X 5/8	165 X 16

M Carbide Tipped Chisels

- Specially designed for removing tile
- Shaped to prevent damage to adjacent tiles
- Carbide tips provide long life
- **WARNING:** Always wear safety goggles when using this tool
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Size-in	Size-mm
15356	15356	¼	6
15357	15357	⅜	10
15358	15358	½	13

Small Cold Chisels

- For details and size options see page 276



M Scoring Knife

- 3 tungsten carbide tips
- One tip located inside of handle on opposite of blade
- Used to score cement backer board
- Comfortable soft grip handle
- Sold 6 per inner pack/
6 per outer pack



Reversible Blade

EDI	Part#	Size-in	Size-mm
28272	SC2S	7½	191

QLT Carbide Scoring Cutter

- Reversible blade has carbide tips on each end for double life
- Score and cut cement backer board, linoleum, plexiglas and soft tile
- Excellent tool for degROUTING work or removing caulk
- **WARNING:** Always wear the necessary eye, ear and breathing protection when using this tool
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
16068	SC68	Carbide Scoring Cutter	5½	140

M Folding Scoring Knife

- Easy 1-button opening and closing
- Tungsten carbide scoring tip
- Used to score cement backer board
- Belt clip for easy access
- Sold 6 per inner pack/
6 per outer pack



Belt Clip

EDI	Part#	Size-in	Size-mm
28271	FSK2	7	177

W Utility Saws

- For details and size options see page 347



QLT Aviation Snips

- Double-action snips
- Available in three styles; vinyl grips are color coded for cutting direction: right cut (green), left cut (red), straight (yellow)
- 10" (254 mm) long
- Sold 6 per inner pack/ 24 per outer pack



EDI	Part#	Description
16710	16710	Right Cut
16712	16712	Left Cut
16714	16714	Straight Cut

USA Grout Removal Tool

- Carbide tip removes existing grout, mortar and caulking
- DuraSoft® handle
- Includes 2 reversible carbide tip blades
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28270	GRT200	Grout Removal Tool	9 3/8	238
29595	GRT200B	Grout Removal Tool Blade	N/A	N/A

USA Miter Snips **NEW**

- Perfect for angle cuts ranging from 45° to 135°
- Designed to cut wood, trim, PVC, quarter round, and vinyl
- Features safety lock to prevent injury
- Sold 1 per inner pack/ 6 per outer pack



EDI	Part#	Description
33153	MS	Miter Snips

USA Grout Saw

- Coated with tungsten carbide
- Use both blades together for wider grout joints
- Inner/outer pack quantities listed in table



EDI	Part#	Description	Inner/Outer
15470	446	Grout Saw	1/6
15465	15465	Replacement Blades	1/10

Mesh Backer Tape **NEW**

- Adhesive-backed fiberglass tape
- Alkali-resistant
- Sold 24 per inner pack/ 72 per outer pack



EDI	Part#	Standard	Metric
41590	BWT72601	75' X 2"	23 M X 51 mm
41592	BWT72603	300' X 2"	91 M X 51 mm

USA Joint Tape Roll

- Self-adhesive mesh tape
- Alkali-resistant
- Tape underlayment seam and finish with thinset or mortar
- Sold 8 per inner pack/8 per outer pack



EDI	Part#	Standard	Metric
28250	ST50	50' X 2"	15.2 M X 51 mm

QLT Grout Saw

- Made of hard plastic yet lightweight
- Blade is coated with tungsten carbide abrasive and can be removed and replaced
- Designed to aid in the removal of tile grout
- Sold 6 per inner pack/ 6 per outer pack, 1 per inner pack/ 10 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
28292	GS200	Saw w/Blade	N/A	N/A
28277	GS200B*	Repl. Blade	N/A	N/A

Tile Stones & Rub Bricks

- Smooths and dresses down newly cut tile
- Variety of grits available
- Offered in black (silicon carbide) or white (aluminum oxide)
- White stones will not mark tile
- Sold 6 per inner pack/ 6 per outer pack
4 per inner pack/4 per outer pack where noted with*



EDI	Part#	Grit/Description	Size-in	Size-mm
16531	16531	60-90 Combo Black	4 X 1	102 X 25
28276	60TS90*	60-90 Combo	6 X 2 X 1	152 X 51 X 25
15380	15380	60 Black	8 X 2 X 1	203 X 51 X 25
15382	15382	60 White	8 X 2 X 1	203 X 51 X 25
15383	15383	80 White	8 X 2 X 1	203 X 51 X 25
15508	15508	120 Black	6 X 2 X 1	152 X 51 X 25
15509	15509	150 Black	6 X 2 X 1	152 X 51 X 25

Rub Bricks **NEW**

- Smooths and dresses down newly cut tile
- Variety of grits available
- Offered in black (silicon carbide) or white (aluminum oxide)
- White stones will not mark tile
- Sold 6 per inner pack/36 per outer pack



EDI	Part#	Grit	Size	Shape
41222	BWT70500	80	8 X 2 X 1" (203 X 51 X 25 mm)	Rectangle
41223	BWT70501	60	8 X 2 X 1" (203 X 51 X 25 mm)	Rectangle
41224	BWT70502	60	4" (102 mm)	Round

Dressing Stones **NEW**

- Sharpen and reactivate glazed over diamond products
- Use on wet or dry diamond blades, diamond core bits, and diamond grinding wheels
- RTC Rockin Red™ Dressing Stone has high concentration of aluminum oxide for improved sharpening
- Mean Green Dressing Stone has a higher concentration of aluminum oxide for the ultimate dressing
- Sold 12 per inner pack/48 per outer pack




EDI	Part#	Description
41226	BWT70504	RTC Rockin Red Dressing Stone
41227	BWT70505	Mean Green Dressing Stone

Diamond Sanding Blocks

COMING SOON!

- Designed for polishing tile, stone, and glass
- Lightweight foam base
- Can be used wet or dry
- Multiple grits to choose from depending on the job
- Sold 8 per inner pack/ 200 per outer pack



EDI	Part#	Grit	Size-in	Size-mm
41939	DTSB60	60 - Coarse	3 ¹¹ / ₁₆ X 2 ¹ / ₈ X 1 ¹ / ₄	94 X 54 X 32
41941	DTSB120	120 - Medium	3 ¹¹ / ₁₆ X 2 ¹ / ₈ X 1 ¹ / ₄	94 X 54 X 32
41943	DTSB200	200 - Fine	3 ¹¹ / ₁₆ X 2 ¹ / ₈ X 1 ¹ / ₄	94 X 54 X 32
41945	DTSB400	400 - Polishing	3 ¹¹ / ₁₆ X 2 ¹ / ₈ X 1 ¹ / ₄	94 X 54 X 32

Tile Screen

- Smooths rough edges on tile
- Can be bent to fit curves
- Can also be used on wood and plaster
- Two screens per package
- Sold 50 per inner pack/ 500 per outer pack



EDI	Part#	Size-in	Size-mm
11291	TILESCRN	N/A	N/A

Pro GT-Type Tile Nipper **NEW**

- Preferred handle shape for user comfort as well as offset "side biter" style jaws
- Carbide tipped 5/8" (16 mm) straight jaw
- Allow for greater precision and control when cutting tiles to size
- Sold 12 per inner pack/ 12 per outer pack



EDI	Part#	Description
41160	BWT70312	Pro GT-Type Tile Nipper



Tile Nippers

- Removes small pieces or irregular edges from tile
- Can be used to cut curves or shapes into tile
- Rugged carbide tips
- Comfortable soft grip handles
- Lasting cast steel body
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Size-in	Size-mm
28286	TN1	8½	216



Compound Tile Nippers

- Removes small pieces or irregular edges from tile
- Can be used to cut curves or shapes into tile
- Extra leverage requires less effort to cut
- Rugged carbide tips
- Comfortable soft grip handles
- Lasting cast steel body
- Sold 6 per inner pack/
6 per outer pack



EDI	Part#	Size-in	Size-mm
28285	TN2	9	229

Handheld Tile Cutter

- Score and snap ceramic tile
- Can cut and snap curves
- Replacement scoring wheel available - sold separately
- Comfortable soft grip handles
- Lasting cast steel body
- Sold 6 per inner pack/
6 per outer pack,
12 per inner pack/
12 per outer
pack where
noted with *



EDI	Part#	Description	Size-in	Size-mm
28288	HTC	8¼	8¼	210
28289	HTCR*	Repl. Wheel	N/A	N/A

Glass Tile Nippers

- Round blades cut evenly from both sides of the tile
- Used to cut straight lines or make smaller precision cuts in glass mosaic tiles
- Blades can be rotated to keep a sharp edge in use
- Comfortable soft grip handles
- Lasting cast steel body
- Sold 6 per inner pack/
6 per outer pack





EDI	Part#	Size-in	Size-mm
28287	TN3	8	203

Professional Straight & Radius Tile Nippers

- Great for small, curved or irregular nipping of ceramic or porcelain tiles
- Aluminum die cast body provides lightweight durability
- Internal torsion springs help prevent damaged or lost springs
- Comfortable DuraSoft® handles
- Replaceable, tungsten carbide tips
- Adjustment knob controls how far nippers open, with stops for closed, ¼" (6 mm) tile, ½" (13 mm) tile and fully open, to help reduce hand fatigue
- Patent Pending
- Sold 1 per inner pack/1 per outer pack, 6 per inner pack/6 per outer pack where noted with*


EDI	Part#	Description
29571	SN1*	Straight Tile Nippers
29572	RN2*	Radius Tile Nippers
29579	SN1B	Straight Tile Nipper Replacement Tips
29580	RN2B	Radius Tile Nipper Replacement Tips



Professional Wheeled Tile Nippers

- Work with ceramic and porcelain tiles as well as glass and mosaics
- Aluminum die cast body provides lightweight durability
- Internal torsion springs help prevent damaged or lost springs
- Comfortable DuraSoft® handles
- Replaceable, tungsten carbide tips
- Adjustment knob controls how far nippers open, with stops for closed, ¼" (6 mm) tile, ½" (13 mm) tile and fully open, to help reduce hand fatigue
- Sold 1 per inner pack/1 per outer pack, 6 per inner pack/6 per outer pack where noted with*

EDI	Part#	Description
29573	WN3*	Wheeled Tile Nippers
29574	AWN4*	Angled Wheeled Tile Nippers
29581	WNB	Wheeled Tile Nipper Replacement Wheels





V300 Vacuum Suction Cup **COMING SOON!**

- Pump powered aid for moving large format tile, glass, marble and stone
- 8" (203 mm) diameter non-marking suction cup protects material being lifted
- Anti-slip handle for comfortable grip
- White-line indicator warns user of any significant vacuum loss
- Safety pressure gauge
- Protective cover prolongs performance
- 300 lb lifting capacity
- Sold 1 per inner pack/4 per outer pack



V300E Battery Vacuum Suction Cup **COMING SOON!**

- Battery powered aid for moving large format tile, glass, marble and stone
- 8" (203 mm) diameter non-marking suction cup protects material being lifted
- Anti-slip handle for comfortable grip
- Protective cover prolongs performance
- Live capacity monitor
- 300 lb lifting capacity
- Sold 1 per inner pack/2 per outer pack



EDI	Part#	Description
41933	BWTV300	V300 Vacuum Suction Cup

EDI	Part#	Description
41935	BWTV300E	V300E Battery Vacuum Suction Cup

Vacuum Lifters **NEW**

- Aid in moving large format tile, glass, marble, and stone
- Feature a lever handle for ease of use
- Choose from two materials: aluminum and plastic
- Available in single, double, or triple designs
- **BWT73301** - 165 lb lifting capacity
- Aluminum lifting capacities:
BWT70800 - 110 lbs;
BWT73302 - 250 lbs;
BWT73303 - 300 lbs
- Inner/outer pack quantities listed in table

EDI	Part#	Style	Material	Inner/Outer
41293	BWT70800	1 Cup	Aluminum	6/60
41673	BWT73301	3 Cup	Plastic	1/10
41674	BWT73302	2 Cup	Aluminum	1/4
41675	BWT73303	3 Cup	Aluminum	1/12



RTC Suction Cup **NEW**

- RTC Suction Cup Squared is the best suction cup lifter for textured and smooth tile
- Simple one-handed operation
- Square base eliminates "rocking" when setting the handle
- Ergonomic handle gives you a comfortable grip for continued use
- 110 lb lifting capacity
- Sold 1 per inner pack/1 per outer pack



Suction Cup

- Aids in moving larger format tile, glass, marble or stone
- For use on smooth, flat surfaces only
- Holds up to 15 pounds
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description
41524	BWT72208	RTC Suction Cup

EDI	Part#	Size-in	Size-mm
28278	SC45	4½	114

Suction Cups

- Helps protect against cuts and scrapes when handling glass or sheet metal
- Good for installing ceramic tiles
- Use on any non-porous surface
- **12121** lifts up to 8 lbs, **12120** lifts up to 10 lbs
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Size-in	Size-mm
12121	12121	2⅝	67
12120	12120	3¼	83

Connect with us!



FOR MORE INFORMATION VISIT
www.MARSHALLTOWN.com

Contour Gauge

- Plastic pins slide in to record irregular shapes for marking on tile
- 4" wide X 10" long (102 mm wide X 254 mm long)
- Graduated frame
- Gauge holds shape during transfer
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Size-in	Size-mm
28284	CGP	4 X 10	102 X 254

DuraSoft® Auto-Load Utility Knife

- Auto-load blade replacement
- Easy to load blade storage door
- DuraSoft® handle for increased comfort and reduced fatigue
- Five blades included
- Sold 8 per inner pack/8 per outer pack



EDI	Part#	Size-in	Size-mm
28241	9040	6½	165

DuraSoft® Utility Knives

- Push-button blade release
- **9058** has sliding storage that holds five extra blades
- **9059** has butterfly storage that holds five extra blades
- DuraSoft® handle for increased comfort and reduced fatigue
- Cut string safely and easily
- **804** replacement blades sold separately
- One display box contains 12 knives
- Sold 12 per inner pack/48 per outer pack



EDI	Part#	Description	Size-in	Size-mm
19058	9058	Slide Storage	6¼	158
19059	9059	Butterfly Storage	6½	165

Utility Knives & Blades

- Many styles to choose from
- For details see page 438 - 439



Retractable Utility Knife

- Internal blade storage
- Zinc alloy body
- Magnet holds blade during replacement
- See page 439 for replacement blades
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
28800	9030	Retractable Utility Knife

Fixed Blade Carpet Knife

- Quick-change blade mechanism
- Large knob allows for easy opening
- Safety lock-back system
- Magnet holds blade during replacement
- Zinc alloy body
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
28802	9020	Fixed Blade Carpet Knife

Plastic Carpet Knife

- Durable plastic body
- Knurled knob for easy blade change
- Classic fixed blade carpet knife shape
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
28801	PCK1	Plastic Carpet Knife

Linoleum Knife

- Ideal for cutting linoleum and sheer vinyl
- Sharp high carbon steel blade
- DuraSoft® handle for increased comfort and reduced fatigue
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Description
28774	LK1	Linoleum Knife

Remodel & Trim Tools **NEW**

- Handy tool for homeowners to efficiently remove hardwood, tile, molding, trim, and glued or nailed down countertops without damaging backing material
- Over molded handle for comfort and extended life
- Threaded end can be used with a broom handle
- 11-gauge hardened steel blade for strength and durability
- **REMODT** features a gusseted blade for increased strength and a removable hammer end
- **REMODTT** has a large, flat surface for hammering
- Sold 1 per inner pack/6 per outer pack

EDI	Part#	Description
33131	REMODT	Remodel Tool
33132	REMODTT	Trim Tool



Removable hammer end



Threaded end



Door Pin Removal Tool

- Used to easily remove door pin from hinge during door removal process
- 90° drive pin easily drives out door pin with a hammer tap
- Precision-machined lift forks fit precisely under door pin head
- Spring-steel retaining clip secures door pin during removal
- Anti-slip knurled grip
- Plating is rust- and corrosion-resistant
- Sold 1 per inner pack/12 per outer pack



EDI	Part#	Description
29498	DPRT	Door Pin Removal Tool

Moulding Pry Bar

- Designed to lift baseboards without damage
- Notched ends for removing nails
- Sold 1 per inner pack/6 per outer pack



EDI	Part#	Description
28782	MPB	Moulding Pry Bar

Pry Bars & Nail Pullers

- For details see pages 273 - 275



Hammers

- For details see pages 258 - 271



Silver Foxtail Brush

- For cleaning grout film from ceramic tile
- Stiff bristles with soft ends
- 13½" (343 mm) long hardwood block
- Sold 1 per inner pack/ 12 per outer pack



EDI	Part#	Size-in	Size-mm
15434	6520	9 X 2½	229 X 67

Rubber Mallet

- White rubber leaves no marks
- Hardwood handle
- Sold 6 per inner pack/ 36 per outer pack



EDI	Part#	Size-in	Size-mm	Weight-oz
15430	789	12	305	16

Rubber Mallets **NEW**

- Used to gently tap tiles into place
- White rubber head weighs 24 oz and is non-marring
- Equipped with a smooth wood handle
- Sold 12 per inner pack/ 36 per outer pack



EDI	Part#	Description	Weight - oz
41528	BWT72300	Economy Rubber Mallet	24

Non-Marking Mallet **NEW**

- Superior non-marking 12 oz rubber head
- Use to gently tap tiles into place
- Fiberglass reinforced handle features an ergonomic slip-resistant grip for superior control and reduced hand fatigue
- Sold 1 per inner pack/ 3 per outer pack



EDI	Part#	Description	Weight - oz
33190	BTM	Non-Marking Mallet	12

Dead Blow Hammers **NEW**

- Use with a tapping block and pull bar to pull planks firmly together and eliminate gaps
- Improves force while reducing damage to floor
- Sold 1 per inner pack/ 6 per outer pack



EDI	Part#	Description	Weight-oz
33147	DB16	Dead Blow Hammer	16
33149	DB28	Dead Blow Hammer	28

Rubber Mallets

- For details see page 268 - 269



Caulking Guns **NEW**

- Effortlessly apply caulk, adhesive, or sealant
- Standard Caulking Gun (**BWT71602**) accepts 12 or 13 oz cartridge, ratchet advancing mechanism, sturdy steel construction is painted to resist corrosion
- Super Caulking Gun (**BWT71610**) has built-in spout cutter; includes ladder hook and sealant puncture tool; accepts 32 oz cartridge
- Sold 24 per inner pack/24 per outer pack, 12 per inner pack/12 per outer pack where noted with *



EDI	Part#	Description	Cartridge - oz
41490	BWT71602	Standard Caulking Gun	12 or 13
41492	BWT71610*	Super Caulking Gun	32

Wax Bowl Ring Kits


- Can be used for all floor type toilets
- Lasting gas-proof, waterproof, odor-proof seal between bowl and flange
- Will not dry out, harden or lose its "tackiness"
- Kit contains bowl ring, washers, nuts and bolts
- **RWG5** is to be used in remodeling jobs where a thicker floor is installed
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Wax Thickness	Hardware Length
13731	RWG5	1¼" (32 mm)	3½" (89 mm)
15495	RWG6	¾" (19 mm)	2¼" (57 mm)

Positive Weep Hole Protector™


- Designed to keep mortar from the weep holes in a drain
- Ridges allow for water to flow underneath the mortar and into the weep holes
- Inner and outer diameter of the disk are perforated to allow for customization depending on shower drain size
- Sold 1 per inner pack/48 per outer pack



EDI	Part#	Description
41480	BWT71519	Positive Weep Hole Protector

Dük Liners™

- Create a custom niche in only 20 minutes
- Dük Liners™ make easy work of installing a recessed tile shelf in showers, bathrooms and kitchens
- Ultra durable injected molded ABS plastic is ultra durable and leak-proof
- **BWT73414** Acrylic Divider Shelf used in Dük niches creating an instant shelf
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Size-in	Size-mm
41678	BWT73410	14 X 6	356 X 152
41679	BWT73411	14 X 14	356 X 356
41680	BWT73412	14 X 24	356 X 610
41682	BWT73414	N/A	N/A

Cement Board Screws

- #8 x 1¼" (32 mm)
- Constructed of the highest quality steel
- High and low threads for great gripping ability
- Large wafer head for extra clamping power
- Sharp point for attaching board to wood or metal studs
- Sold 8 per inner pack/100 per outer pack



EDI	Part#	Description	QTY
41300	BWT70810	Cement Board Screws	100
41301	BWT70811	Cement Board Screws	1000

Kirb-Perfect®

- Build perfect shower curbs in three steps: cut, mud, and tile
- Easily cut with PVC cutters, a hacksaw, or an angle grinder for use at multiple lengths
- Screws and installation instructions included
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
41472	BWT71511	Kirb-Perfect

Quick Pitch® Float Stick System


- Quick Pitch® Standard Kit (**BWT71512**): permits construction of standard 36 X 60" shower areas with a centered drain or custom shower areas where the drain is within 36" of each wall; included is one Center Ring and 6 Standard Float Sticks
- Quick Pitch® Standard Float Sticks (**BWT71513**): measure 1" to 1¼" taper (25 to 45 mm) X 36" (914 mm) long. Includes 4 float sticks
- Quick Pitch® Extended Float Sticks (**BWT71514**): measure 1¼" to 2½" taper (45 to 64 mm) X 36" (914 mm) long. Includes 4 float sticks
- Quick Pitch® Center Ring (**BWT71525**): used with the Quick Pitch® Kit to create perfect slope in the shower floor before tiling; standard float sticks fit into the Center Ring; 3⅝" (92 mm) inside diameter and 1" (25 mm) thick
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
41473	BWT71512	Standard Kit
41474	BWT71513	Standard Float Sticks
41475	BWT71514	Extended Float Sticks
41486	BWT71525	Center Ring

Straightedges **NEW**

- Use as a floor leveling tool, a straightedge, a layout tool for walls and floors, or to dry pack a shower pan
- Constructed of tough tempered aircraft aluminum and cut from stock with reinforced construction
- Screed profile measures 7/8" X 3" (22 X 76 mm)
- **BWT80011** is a replacement tote
- **BWT80100** Mini Straightedge Kit includes: 12" (305 mm), 15" (381 mm), 18" (457 mm), 21" (533 mm), and 24" (610 mm)
- **BWT80110** Straightedge Kit includes: 2'2" (66 cm), 3' (91 cm), 4' (122 cm), 4'10" (147 cm), and 6' (183 cm)
- Sold 1 per inner pack/1 per outer pack




EDI	Part#	Size	Size
41729	BWT80011	Replacement Tote	N/A
41730	BWT80100	Mini Straightedge Kit	12, 15, 18, 21, 24" (31, 38, 46, 53, 61 cm)
41731	BWT80110	Straightedge Kit	2'2", 3', 4', 4'10", 6' (66, 91, 122, 147, 183 cm)

EDI	Part#	Size	Size
41732	BWT80120	Straightedge	2' (61 cm)
41733	BWT80130	Straightedge	3' (91 cm)
41734	BWT80140	Straightedge	4' (122 cm)
41735	BWT80160	Straightedge	6' (183 cm)
41736	BWT80180	Straightedge	8' (244 cm)
41737	BWT80200	Straightedge	10' (305 cm)
41738	BWT80220	Straightedge	12' (366 cm)

"L" Straightedge 5 Piece Set **NEW**

- Used for leveling and planing of vertical and horizontal surfaces for a professional outcome
- Constructed of high-quality aluminum
- Will not warp or rot
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Size
41739	BWT80410	2'2", 3', 4', 4'10", 6' (66, 91, 122, 147, 183 cm)

Levels

- Many styles to choose from
- For details and size options see page 442



High Strength Screeds

- Many sizes to choose from
- For details and size options see page 174 - 175



Tape Measures

- For details see page 443



Chalk & Chalk Boxes

- For details see page 443



Safety Gear

- For details see page 452



Replaceable Blade Scrapers **NEW**

- Ideal for removing materials such as adhesive, grout or cement
- Available with a 19" (483 mm) handle or an adjustable handle which adjusts from 36" (914 mm) to 56" (1422 mm)
- Replacement blades available in pack of 100
- Sold 1 per inner pack/36 per outer pack, 6 per inner pack/12 per outer pack where noted with *



EDI	Part#	Description
41596	BWT72708*	Scraper w/ 19" Handle
41598	BWT72710	Replacement Blades - 100 Pack
41599	BWT72714*	Scraper w/ Adjustable Handle

Bent 3" Scraper

- Highly polished stainless steel blade
- DuraSoft® handle with threaded end to accept standard broom handles
- For removing vinyl flooring, carpet, wall paper, and adhesives
- Sold 5 per inner pack/ 5 per outer pack



EDI	Part#	Size-in	Size-mm
28251	E91D	3 X 10	76 X 254

Crain® Scrapers

- 4" (102 mm) scraping blade
- Available with 12" (305 mm) or 18" (457 mm) handles
- Comfortable rubber handle grip
- Sold 6 per inner pack/24 per outer pack, 10 per inner pack/30 per outer pack where noted with *

EDI	Part#	Size-in	Size-mm
15384	350	4 X 12	102 X 305
15385	360*	4 X 18	102 X 457



Heavy-Duty Dual Scraper

- Removes existing flooring, including tile, vinyl, carpet, and wood
- Blade can be flipped between 3" (76 mm) and 5" (127 mm) sides
- Heat-treated blade can be sharpened
- Sold 2 per inner pack/2 per outer pack



EDI	Part#	Size-in	Size-mm
28254	DS35	56	1422

Razor Scraper

- Used for surface preparation and maintenance
- 4" (102 mm) replaceable blade (5 included)
- DuraSoft® handle with blade storage
- Cast aluminum head
- Sold 6 per inner pack/6 per outer pack, blades sold 12 per inner pack/ 12 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28252	WFS49D	Scraper	4 X 9	102 X 229
28253	WFS49DB	5 Repl. Blades	4	102



8" Razor Scraper with Adjustable Handle

- Handle adjusts from 39-59" in length (991-1499 mm)
- Padded grip at center of handle provides added comfort
- Flanged handle prevents slipping
- Slightly angled head provides optimal positioning while scraping
- Comes with blade protector
- Used to remove wallcoverings, carpet, adhesives, vinyl, old tile and other floor covering materials
- **NEW** items shown red in table
- Sold 6 per inner pack/6 per outer pack, 20 per inner pack/20 per outer pack where noted with *



RS8-QP

EDI	Part#	Description	Size-in	Size-mm
28684	RS8	8" Razor Scraper	8	203
32840	RS8-QP*	8" Razor Scraper Quarter Pallet Display - 20 Pack	8	203

Replacement Blades For Scrapers

- All blades are 3/4" (19 mm) wide and 1/32" (8 mm) thick
- Sold 1 per inner pack/10 per outer pack



EDI	Part#	Description	Size-in	Size-mm
15386	15386	Tube of 10 blades	4	102
28692	RS8RB	8" Razor Scraper Replacement Blades	8	203

Heavy-Duty Scrapers

- Sharp 4" (102 mm) wide blade for stripping hard to remove floor coverings and adhesives
- Heavy-duty aluminum construction
- Double-sided, hardened steel blade
- Easy to replace blade
- Scraper size refers to handle length
- Sold 6 per inner pack/18 per outer pack, 10 per inner pack/100 per outer pack where noted with *




SC448

SCBLADE

EDI	Part#	Description	Size-in	Size-mm
10469	SC448	Scraper	48	1219
10470	SCBLADE*	Repl. Blade	4	102

Floor Scrapers

- 60 X 1 1/2" (1524 X 28 mm) steel handle securely welded to heavy angle iron bracket
- Blade is heavy gauge spring steel
- Plastic grip on handle to protect hands
- This durable scraper is the perfect clean-up tool
- Replacement blades available
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description	Size-in	Size-mm
12127	420	Floor Scraper	9 X 4 1/2	229 X 114
16453	720	Floor Scraper	14 X 4 1/2	356 X 114
40116	029-004	Floor Scraper	18 X 4 1/2	457 X 114
16398	820	Floor Scraper	20 X 4 1/2	508 X 114
12129	420B	Replacement Blade	9 X 4 1/2	229 X 114
16454	720B	Replacement Blade	14 X 4 1/2	356 X 114
40118	029-006	Replacement Blade	18 X 4 1/2	457 X 114
16399	820B	Replacement Blade	20 X 4 1/2	508 X 114

T-Handled Floor Scraper

- Ideal cleanup tool
- All-steel, heavy-duty construction
- 54" (1372 mm) long T-handle
- Removes many types of floor coverings from a variety of floors
- Ships with 7" (178 mm) blade
- Sold 1 per inner pack/6 per outer pack, 24 per inner pack/120 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
12504	THS7	Scraper w/ Blade	54 X 7	1372 X 178
12506	THS7B	7" Repl. Blade	7 X 3	178 X 76

Floor Scrapers

- Blade is spring steel
- Metal ferrule connects 54" (1372 mm) wood handle
- Size in table refers to blade
- Sold 6 per inner pack/6 per outer pack, 4 per inner pack/4 per outer pack where noted with *



EDI	Part#	Description	Size-in	Size-mm
25490	RED700506	Scraper	14	356
25491	RED700518	Scraper	18	457
25496	RED700855	Scraper	22	559
25500	RED702248*	Repl. Blade	14	356
25492	RED700519*	Repl. Blade	18	457
25497	RED700856	Repl. Blade	22	559

Floor Scrapers

- Used for surface preparation or cleaning of concrete forms and concrete and wood floors
- 54 x 1 1/8" (1372 x 28 mm) steel handle securely bolts to blade stiffener
- Non-slip grip provides comfort and durability
- Blade is made of high-quality 20-gauge high carbon steel
- Sold 1 per inner pack/1 per outer pack, 4 per inner pack/4 per outer pack where noted with *

FFS36 & FFS48
come with outriggers



EDI	Part#	Description	Size-in	Size-mm
18359	FFS7*	Scraper	7	178
18360	FFS14*	Scraper	14	356
18361	FFS18*	Scraper	18	457
18362	FFS22*	Scraper	22	559
18363	FFS36	Scraper	36	914.4
18364	FFS48	Scraper	48	1219
18365	FFS7RB*	Repl Blade	7	178
18366	FFS14RB*	Repl Blade	14	356
18367	FFS18RB*	Repl Blade	18	457
18368	FFS22RB*	Repl Blade	22	559
18369	FFS36RB	Repl Blade	36	914
18370	FFS48RB	Repl Blade	48	1219

Heavy-Duty Forged Scraper

- Stamped from a single piece of steel
- Ash wood handle is 48" (1219 mm)
- Blade size is 7 X 6" (178 X 152 mm)
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
24305	RED802911A	Scraper w/Handle	48	1219

Fiberglass Handled Scrapers

- Removes vinyl, linoleum, ceramic tile, wood, laminate, and carpet
- Great for ice removal on sidewalks and driveways
- Bent Blade Scraper features a 30° bend in the blade for a better working approach
- Steel blade has a 45° working edge, available in 6" (152 mm) or 12" (305 mm) blade size
- Blade can be sharpened to remove glued down flooring
- 50" (1270 mm) lightweight fiberglass handle with non-slip rubber grip reduces user fatigue
- **NEW** items shown red in table
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description	Size-in	Size-mm
28976	BB6	Bent Blade Scraper	6	152
28978	BB12	Bent Blade Scraper	12	305
32760	SB6	Straight Blade Scraper	6	152
32761	SB12	Straight Blade Scraper	12	305

QLT Scraper


- Stamped steel head with shank pattern handle attachment
- Wood handle is 54" (1372 mm)
- Blade size is 7 X 5" (178 X 127 mm)
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
24304	RED802910P	Scraper w/Handle	54	1372

Squeegees

- For details see page 239



Adjustable Squeegee Trowels

- For details see page 366





Kneepro UltraFlex III **NEW** **Knee Pads**

- Optimal protection for your knees
- Feature a hinged hard plastic outer shell for strength and durability
- Thick foam liner for user comfort
- Sold 1 per inner pack/
24 per outer pack



EDI	Part#	Description
41420	BWT71205	Kneepro UltraFlex III Knee Pads

Ultralight™ **NEW** **Knee Pads**

- Fully rebuildable with replacement straps, buttons, and liners
- Folding accordion top for comfort while standing
- KN-1 Ultralight™ (**BWT20010**): excellent grip, maximum comfort and security; tough yet flexible nonskid outer shell; weigh 11 oz each
- KN-3 Ultralight™ (**BWT20030**): offer a smooth hard shell exterior with flat kneeling surface; hard cap is ultrasonically heat staked, eliminating the use of rivets
- KN-5 Ultralight™ (**BWT21210**): maximum comfort; feature a patterned gripping surface that won't collect small particles; great for roofing
- KN-All Season Knee Pads (**BWT20200**): same long-lasting outer shell and comfortable liner as KN-1 but with an added cloth cover and adjustable cloth straps; ideal for use with shorts or jeans
- Inner/outer pack quantities listed in table



EDI	Part#	Description	Inner/Outer
41073	BWT20010	KN-1 Ultralight	1/24
41074	BWT20030	KN-3 Ultralight	20/20
41076	BWT20200	KN-All Season	1/24
41086	BWT21210	KN-5 Ultralight	10/24



Replacement Parts			
EDI	Part#	Description	Inner/Outer
41080	BWT20991	Replacement Straps - 4 Pack	6/12
41081	BWT20992	Replacement Liners - 2 Pack	6/110
41082	BWT20993	Replacement Buttons - 8 Pack	1/12



BWT20010



BWT20030



BWT20200



BWT21210



M All-Terrain™ Knee Pads

GKP368

- Injected gel provides superior comfort and protection
- All-Terrain™ cover easily snaps off and on
- **GKP368** with raised heel that evenly distributes body weight
- Extended feet absorb pressure while supporting the knee
- Adjustable clip fastener
- Double straps eliminate binding behind the knee
- Sold 1 pair per inner pack/ 6 pair per outer pack



GKP37

EDI	Part#	Size-in	Size-mm
12138	GKP368	9½ X 6½	242 X 165
12137	GKP37	8 X 6½	203 X 165

M Gel Knee Pads

- Injected gel provides superior comfort and protection
- Tough nylon exterior for added durability
- Adjustable clip fastener
- Double straps eliminate binding behind the knee
- Sold 1 pair per inner pack/4 pair per outer pack



EDI	Part#	Size-in	Size-mm
12136	GKP36	8 X 6½	203 X 165

M Front Fastening Knee Pads

- Non-marking material
- Single front fastening strap design for quick adjustments and easy on-off
- Single neoprene strap sits behind and below the knee for comfortable wear that won't bunch or bind with pants or shorts
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description
29700	FFKP	Front Fastening Knee Pads

M Rubber Knee Pads

- Made from comfortable foam rubber
- Single web strap holds them in place
- Strap will not slip or bind
- Sold 1 pair per inner pack/ 20 pair per outer pack



EDI	Part#	Description	Size-in	Size-mm
16412	823	Knee Pads	7 X 5½	178 X 140

M Replacement Clips for Gel Knee Pads

- Replacement clips for **GKP368**, **GKP37** and **GKP36**
- 4 clips per pack
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
10899	GKPClips	Repl. Clips

Neolite Knee Pads

- Tough construction that stands up under hard wear
- Neolite pads are felt-lined and shaped to fit your knee
- One leather strap holds them in place
- Strap will not slip or bind
- Sold 1 pair per inner pack/ 20 pair per outer pack



EDI	Part#	Size-in	Size-mm
16410	821	7 X 7	178 X 178

Carpet Installer's Kneepads


- Ergonomic calf and thigh strap placement
- Kicker compatible
- Non-marking urethane wear surface
- Machine washable neoprene
- Sold 1 per inner pack/8 per outer pack



EDI	Part#	Description
29504	CKKP	Carpet Installer's Knee Pads

Kneeler Board

- Extra-large handle grips
- Offers extra-comfortable support for knees
- Black foam pad securely fastened to generously sized polypropylene tray
- Padded area is 19 X 13½" (483 X 343 mm)
- Sold 12 per inner pack/ 12 per outer pack



EDI	Part#	Size-in	Size-mm
16451	KB451	19 X 13½	483 X 343



Orders of 12 sold in floor display

FlipMarker® Marking Tools

NEW

- Ideal for on-the-job color coding of utility services
- Combines a carpenter's pencil with a color marking crayon
- Can be used to write on any surface - wood, concrete or metal
- Double-ended marking tool
- Sold 1 per inner pack/ 10 per outer pack



EDI	Part#	Legacy ID	Description
43362	VN52003	FMBU	FlipMarker Marking Tools - Blue
44697	VN52011	FMD-FMR	FlipMarker Marking Tools - Red

China Markers - 3 Pack

- Paper wrapped pencils with tear string
- Perfect for marking on glass, plastic, film, paper, metal, rubber or any other smooth surface
- Pull string to remove paper and expose more writing surface
- Sold 12 per inner pack/ 12 per outer pack



EDI	Part#	Description
28279	CM3	Pack of 3, Red, Black Yellow



Racatac™

- Adjustable seat supports upper body weight and leaves feet free to control movement
- **01RACCS** and **01RAC3CS** allow you to work in a supported and leaning over position while sitting and kneeling on the Racatac™
- Knee pads allow knees to rest freely
- Work in shorts without bulky knee pads
- 2 or 3" (51 or 76 mm) casters allow you to roll instead of bouncing around the jobsite on your knees
- Keeps you elevated off your workspace and above wet, dirty or dusty floors
- Work on 1 or 2 knees
- Sold 3 per inner pack/3 per outer pack,
6 per inner pack/6 per outer pack where noted with *



Built-in knee pads for comfort



Center tray to store tools or supplies while you work

EDI	Part#	Description
11091	01RAC	Racatac w/ 2" Casters
11092	01RAC3	Racatac w/ 3" Casters
11093	01RACCS	Racatac w/ Chest Support and 2" Casters
11094	01RAC3CS	Racatac w/ Chest Support and 3" Casters

Replacement Parts		
EDI	Part#	Description
11095	05RCS*	Racatac Chest Support
11096	MR1006	2" Replacement Caster (single)
11097	MR10063	3" Replacement Caster (single)
11098	MR1011	Replacement Knee Pads (single)

NO DUST • NO NOISE • NO ELECTRICITY



MARSHALLTOWN
USA











































ULTRA-LITE

9" LWFS9 EDI-32628	13" LWFS13 EDI-29305
-------------------------	---------------------------

BULLET
A MARSHALLTOWN BRAND

EZ SHEAR FLOORING

9" ES00-PRO9 EDI-29980	13" ES00-1113 EDI-29976	20" 120-FLR EZ EDI-29795	26" ES90-0126 EDI-29982	26" SOFT FLOORING 526-RCT26 EDI-29828
------------------------------	-------------------------------	--------------------------------	-------------------------------	--

MAX CUT WIDTH	9" (229 mm)	13" (330 mm)	9" (229 mm)	13" (330 mm)	20" (508 mm)	26" (660 mm)	26" (660 mm)
MAX CUT THICKNESS	15/32" (12 mm)	15/32" (12 mm)	5/8" (16 mm)	5/8" (16 mm)	9/16" (14 mm)	9/16" (14 mm)	1" (25 mm)
MAX 45° ANGLE CUT	6" (152 mm)	8" (203 mm)	6" (152 mm)	8" (203 mm)	14" (356 mm)	18" (457 mm)	18" (457 mm)
LAMINATE FLOORING							
VINYL FLOORING							
ENGINEERED FLOORING							
SOLID HARDWOOD FLOORING							
CARPET TILE							
RUBBER TILE							

QUESTIONS ON JANKA HARDNESS?

Scan the QR code for details or visit marshalltown.com/janka-hardness-scale



FIND THE RIGHT CUTTER FOR YOU!


REPLACEMENT PARTS AVAILABLE ON MARSHALLTOWN.COM



9" MS90-1909 EDI-29999	13" MS90-1913 EDI-29987	20" 920 I-20-PC EDI-29929	26" 926 I-26-PC EDI-29751	SOFT FLOORING 30" 930-RCT-PC EDI-29937	SOFT FLOORING 40" 940-RCT40 EDI-29941
9½" (241 mm)	13" (330 mm)	20" (508 mm)	26" (660 mm)	30" (762 mm)	40" (1016 mm)
1" (25 mm)	1" (25 mm)	1" (25 mm)	1" (25 mm)	1" (25 mm)	40" (25 mm)
6" (152 mm)	8" (203 mm)	14" (356 mm)	18" (457 mm)	21" (533 mm)	28" (711 mm)



SEE PAGE 68 FOR EZ SHEAR & MAGNUM SIDING CUTTERS



Ultra-Lite Flooring Cutters


- Comes in 13" (330 mm) and 9" (229 mm) width options
- Lightweight and portable
- Bed markings on **LWFS13** for 45° (up to 8"/203 mm wide) and 90° cuts
- Cuts laminate and vinyl up to 12 mm thick and engineered wood up to 3/8" (9.5 mm) thick (Janka<1200)
- Quiet, dust-free operation for use inside
- No electricity needed
- Robust, metal-jacketed bearings for enhanced durability
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29305	LWFS13	13" Ultra-Lite Flooring Cutter
29385	LWFS13B	13" Ultra-Lite Flooring Cutter Repl. Blade
32628	LWFS9	9" Ultra-Lite Flooring Cutter
32629	LWFS9B	9" Ultra-Lite Flooring Cutter Repl. Blade
32630	LWFH	Ultra-Lite Flooring Cutter Repl. Handle



1 YEAR
WARRANTY



8½" (216 mm) Flooring Cross-Cutter

- Engineered for cutting both laminate and vinyl planks
- Allows you to cut where you work without dust or mess
- Rated to cut laminate and vinyl planks up to 8½" (216 mm) wide
- Cuts rigid core vinyl up to 7 mm thick and laminate up to 10 mm thick
- Dual-mount fence for added board width flexibility
- Separate board support stand included
- Sold 1 per inner pack/1 per outer pack

EDI	Part#	Description
29301	FCC85	8½" (216 mm) Flooring Cross-Cutter



Separate Board Support Stand Included

EASILY RIP VINYL PLANK FLOORING WITH ONE TOOL



STEP 1
SET-UP



STEP 2
PUT THE VINYL RIPPER IN PLACE



STEP 3
ALIGN AND ADJUST THE SCORING BLADE



STEP 4
TIME TO RIP

B Bullet Vinyl Glider™

- 9½" (241 mm) lockable guide allows you to make accurate, repeatable rip scores
- Cuts materials up to ⅝" (8 mm) thick and 9½" (241 mm) wide
- Can cut LVP, LVT, WPC, rigid core, and vinyl plank flooring
- Aluminum fence features built-in ruler for accurate, perfectly straight scores
- Sold 1 per inner pack/
1 per outer pack



M Vinyl Ripper

- Make straight, clean score-and-snap rip cuts on vinyl products
- Safe way to cut LVT, LVP and WPC up to 9½" (241 mm) wide
- Adjustable depth blade cuts vinyl up to ⅝" (8 mm) thick
- Easily make repeat cuts without a straight edge or pencil
- No dust, no noise and no electricity
- Sold 1 per inner pack/1 per outer pack




MTVR95B

EDI	Part#	Description
29954	BT92-2095	9½" (241 mm) Bullet Vinyl Glider
29803	2095B	Bullet Vinyl Glider Replacement Blades - 5 Pack

EDI	Part#	Description
29307	MTVR95	9½" (241 mm) Vinyl Ripper
29383	MTVR95B	Vinyl Ripper Replacement Blades - 5 Pack

B EZ Shear Series Flooring Cutters

- The best strong, lightweight flooring shear for professional installers
- Choose your preferred blade length between 9" (229 mm) – 26" (660 mm)
- **ES00-1113** and **ES00-PRO9** cut materials up $\frac{5}{8}$ " thick, width dependent on your choice of blade length
- **120-FLR EZ** and **ES90-0126** cut materials up $\frac{3}{4}$ " thick
- Can cut LVT, LVP, VCT, WPC, SPC, MLF, PVC, rubber tile, cove base, rigid core, and engineered hardwood flooring up to 1250 Janka
- Features built-in ruler, one-cut action handle, and moveable fence for both 90° and 45° angle cuts
- Metal-jacketed bearings ensure long tool life
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29980	ES00-PR09	9" (229 mm) Sharpshooter Pro	29788	109B	9" (229 mm)
29976	ES00-1113	13" (330 mm) Marksman	29794	113B	13" (330 mm)
29795	120-FLR EZ	20" (508 mm) EZ Shear Flooring Cutter	29796	120B	20" (508 mm)
29982	ES90-0126	26" (660 mm) EZ Shear Flooring Cutter	29831	526B	26" (660 mm)

B EZ Shear Series Soft Flooring Cutter

- Designed with flooring professionals in mind
- Cuts materials up to 1" (25 mm) thick and 26" (660 mm) wide
- Can cut carpet tile, VCT, LVT, LVP, WPC, SPC, MLF, rigid core, PVC, rubber tile, garage tile, and ceiling tile (cellulose & mineral fiber acoustic tiles)
- Features built-in ruler, one-cut action handle, and moveable fence for both 90° and 45° angle cuts
- Integrated caster system for smooth transportation on jobsite
- Self-measuring wall gauge makes your cut fit perfectly into place
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29828	526-RCT26	26" (660 mm) EZ Shear Soft Flooring Cutter	29831	526B	26" (660 mm)

B Magnum Series Flooring Cutters


- A must-have, heavy-duty flooring cutter for professional contractors
- Cut where you work without noise, dust, or electricity
- Cuts materials up to 1" (25 mm) thick; cut width dependent on choice of cutter
- 13" (330 mm), 20" (508 mm) and 26" (660 mm) Shear can cut solid hardwood (1250 Janka), engineered hardwood (1400 Janka), laminate, LVP, LVT, PVC and rubber tile, rubber cove base, WPC, MLF, SPC, rigid core, and VCT
- 9" (229 mm) Magnum Edge Cutter can cut hardwood flooring (up to 1"/25 mm thick, 4000 Janka), including bamboo flooring, engineered hardwood, laminate, WPC, and vinyl plank flooring
- Moveable fence allows 90° and 45° angle cuts
- Features built-in ruler and LED light kit for enhanced cutting precision
- Has strong, lightweight aircraft-grade aluminum construction
- Metal-jacketed "power cam" ball bearings
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29999	MS90-1909	9" (229 mm) Magnum Edge Hardwood Cutter	29984	MB93-P009	9" (229 mm)
29987	MS90-1913	13" (330 mm) Magnum Edge Flooring Cutter	29927	913B	13" (330 mm)
29929	920 I-20-PC	20" (508 mm) Magnum Flooring Cutter	29932	920B	20" (508 mm)
29751	926 I-26-PC	26" (660 mm) Magnum Flooring Cutter	29936	926B	26" (660 mm)

B Magnum Series Soft Flooring Cutters

- Designed to help professionals cut clean, square edges on soft flooring materials
- Can cut materials up to 1" (25 mm) thick, including: carpet tile, VCT, LVT, LVP, WPC, SPC, MLF, rigid core, PVC & rubber tile, garage tile, and ceiling tile (cellulose & mineral wood)
- Adjustable fence for 45° and 90° cuts
- Features built-in ruler and self-measuring wall gauge to make your cut fit perfectly into place
- LED light kit included for enhanced cutting precision
- Metal-jacketed "power cam" ball bearings
- Stack up to 5 tiles for faster cutting
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29937	930-RCT-PC	30" (762 mm) Magnum Soft Flooring Cutter	29940	930B	30" (762 mm)
29941	940-RCT40	40" (1016 mm) Magnum Soft Flooring Cutter	29942	940B	40" (1016 mm)

B EZ Shear Series Siding Cutter

- Professional-quality performance at an affordable price
- Can cut fiber cement board siding, pressboard lap, vinyl siding, wood siding, OSB trim, fiber cement trim, vinyl trim, PVC trim, tar and wood shingles
- Choose a blade length between 9" (229 mm) – 26" (660 mm)
- Cuts materials up to 1" (25 mm) thick; maximum width dependent on choice of cutter
- Features built-in ruler and strong aircraft-grade, F-beam aluminum construction
- Moveable fence for multi-angled cuts
- Won't produce dust or noise and works without electricity
- 9" (229 mm) SharpShooter Pro can be used to cut both siding and flooring
- Sold 1 per inner pack/1 per outer pack




EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29980	ES00-PRO9	9" (229 mm) Sharpshooter Pro Siding Cutter	29788	109B	9" (229 mm)
29808	213-SID	13" (330 mm) EZ Shear Siding Cutter	29810	213B	13" (330 mm)
29815	220-SSTDC	20" (508 mm) EZ Shear Siding Cutter	29817	220B	20" (508 mm)
29821	226-SST26	26" (660 mm) EZ Shear Siding Cutter	29823	226B	26" (660 mm)



B Magnum Series Siding Cutters

- Must-have siding cutter for siding professionals
- Can cut fiber board cement siding, pressboard lap, vinyl siding, wood siding, OSB trim, fiber cement trim, vinyl trim, PVC trim, tar & wood shingles
- Choose between a 13" (330 mm), 20" (508 mm) or 26" (660 mm) siding cutter
- Cuts materials up to 1" (25 mm) thick; maximum width dependent on choice of cutter
- Constructed from heavy-duty yet lightweight aircraft-grade aluminum
- 13" (330 mm) features built-in ruler and moveable fence for 90° and 45° cuts
- 20" (508 mm) and 26" (660 mm) cutters have protractor-style swing fences which may be set at any angle
- LED light kit allows for enhanced cutting precision
- Has universal mounting brackets so you can cut where you work
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description	Replacement Blade EDI	Replacement Blade Part#	Replacement Blade Size
29986	MS20-1613	13" (330 mm) Magnum Edge Siding Cutter	29810	213B	13" (330 mm)
29833	620-SID	20" (508 mm) Magnum Siding Cutter	29817	220B	20" (508 mm)
29985	MS20-0626	26" (660 mm) Magnum Siding Cutter	29823	226B	26" (660 mm)

B Universal Cutter Stand

- Designed for the EZ and Magnum Series Flooring and Siding Cutters
- High-quality and versatile accessory extends your cutting capabilities
- Features a quick-mount tool attachment and an extendable support
- Allows you to cut longer sections of material without the risk of losing your grip
- Easily attaches to Mounting Kit (sold separately)
- Extendable support allows you to cut longer flooring and siding materials
- Sold 1 per inner pack/1 per outer pack

EDI	Part#	Description
29842	709	Universal Cutter Stand



B Casters


- Attaches to your cutter for easy mobility around jobsite
- Comes with two casters
- Fit EZ Shear models **113, 120, 126, 213, 220, and 226**
- Fit Magnum models **613, 620, 626, 909, 913, and 920**
- Not compatible with Magnum EDGE models **MS90-1909, MS90-1913, or MS20-1613**
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29861	848-I	Magnum Shear Casters
29974	EA92-1000	EZ Shear Casters

B Mounting Kit


- Allows you to mount your shear to the BULLET Universal Cutter Stand
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29799	1600-MB	Fits Magnum Edge
29801	200-MB	Fits EZ Model SST-USA/RCT/FLR/SharpShooter
29919	900-MB	Fits 909/913/920 I-Series


B Cutter Maintenance Kits

- Everything you need to maintain your BULLET Flooring or Siding Cutter
- Premium replacement blade
- Slick Shot – for smooth, quiet cuts
- Hone Stone – for maintaining a razor-sharp blade
- Bearing Grease – for smoother overall operation
- Blade Stop Replacement – for cutters utilizing a blade stop replaceable cutting surface
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Cutter Type	Blade Length
29777	920-SMK	Magnum Flooring	20" (508 mm)
29778	PRO-SMK	SharpShooter Pro	9" (229 mm)
29809	213-SMK	EZ Shear Siding	13" (330 mm)
29814	220-SMK	EZ Shear Siding	20" (508 mm)
29820	226-SMK	EZ Shear Siding	26" (660 mm)

EDI	Part#	Cutter Type	Blade Length
29829	526-SMK	EZ Shear Flooring	26" (660 mm)
29834	620-SMK	Magnum Siding	20" (508 mm)
29835	626-SMK	Magnum Siding	26" (660 mm)
29921	909-SMK	Magnum Edge Hardwood	9" (229 mm)
29924	913-SMK	Magnum Edge Flooring	13" (330 mm)
29934	926-SMK	EZ Shear RCT	26" (660 mm)
29939	930-SMK	Magnum RCT	30" (762 mm)



B Slick Shot Spray-On Lubricant

- Increases the life of your Bullet, EZ, or Magnum Series Flooring or Siding Cutter
- Use on the cutter's pins (vertical shafts) and bearing surfaces for best results
- Water-based, low VOC formula lubricates moving parts without creating an oily residue
- One bottle contains enough lubricant for up to six months of heavy use
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29839	701-SL	Slick-Shot Spray-On Lubricant

B All Angle Fence

- A must-have for flooring and siding professionals
- Optimized for Magnum Series Flooring and Siding Cutters up to 20" (508 mm)
- Easily attaches to table edge of cutter
- Removable, adjustable, and sets to any angle between 0° to 90°
- Make diagonal or straight cuts
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29840	701AF	All Angle Fence

B LED Light Kit

- Cut day or night with this LED Light Kit
- Uses regular AA batteries
- Long-lasting LED quantum photon generation units
- Easy to install
- Includes heavy-duty power switch
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29949	BA00-9050	LED Light Kit

B Hone Stone

- Keeps edge sharp for clean cuts
- Requires no fluid or oil prior to or during use
- May be used on any steel blade
- Use after each cutting job to ensure clean, accurate cuts
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Description
29838	701-S	Hone Stone

B Angle Guide Kit

- Fits EZ and Magnum Series Flooring and Siding Cutters
- Provides a fixed "stop" point for quick repeat cuts
- Kit includes an Angle Guide and a fence upgrade
- 856AG-R40 does not include fence
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Size-in	Size-mm
29872	856AG-13	13	330
29873	856AG-20	20	508
29874	856AG-26	26	660
29750	856AG-R40	40	1016



B Stair Step Scribe

- Helps you measure and cut tread for faster stair installations
- Extends from 28½" (724 mm) to 48" (1219 mm) to fit most staircases
- Durable, non-marking plastic
- Flexible design works well in tight spaces and around trim
- Use as a template to measure and maintain uniform risers
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description	Size-in	Size-mm
29952	BT91-0048	Stair Step Scribe	28½-48	724-1219

B Stair Tread Tool **NEW**

- Helps user measure and cut tread and risers of many widths for faster stair installations
- Stair treads are almost never square; this tool ensures material is cut to the exact angle of the stair
- Accommodates a standard 2 X 4" (51 X 102 mm) or smaller
- Clear, bold markings improve readability
- Built-in ruler provides precise measurements
- High-quality knobs and a strengthened top crossmember contribute to a superior clamping force
- Patent Pending
- Sold 4 per inner pack/4 per outer pack

Contains
One Pair



EDI	Part#	Description
33208	STT	Stair Tread Tool

800.888.0127 // www.MARSHALLTOWN.com





B Tapping Block **NEW**

- Classic tapping block for installing plank flooring
- D-grip handle keeps hands away from pinch points
- Long edge helps avoid crushing click features
- Durable I-Beam style plastic construction
- 20" (508 mm) length is ideal for handling longer planks
- Sold 1 per inner pack/
6 per outer pack



B Striker Tapping Blocks

BA91-7119

- All-in-one flooring tapping block doesn't require a hammer to use
- Ideal weight and optimized balance to strike tongue-and-groove planks into place
- Made of high-density polyethylene for long-lasting durability
- Choose between a wood handle or DuraSoft® handle for comfort and reduced fatigue
- Rounded corners allow you to strike planks at any angle
- **NEW** items shown red in table
- Sold 1 per inner pack/1 per outer pack



STRKR



B Standard Tapping Block

- Must-have tool for flooring professionals
- Made of lightweight, high-density polyethylene for long-lasting durability
- Ball-shaped handle provides easy grip
- Non-marking textured surface prevents damage during installation
- Recommended for use with hardwood, engineered hardwood, and tongue-and-groove flooring
- Sold 6 per inner pack/6 per outer pack



EDI	Part#	Description
29950	BA91-7119	Striker XXL Tapping Block - Wood Handle
33188	STRKR	Striker Tapping Block - DuraSoft Handle

EDI	Part#	Size-in	Size-mm
29843	711	6 3/4 X 2 3/4	171 X 70

B Pro-Length Tapping Block

- 11 3/4 X 2 3/4" (298 X 70 mm) size makes it perfect for installing longer planks
- Made of lightweight, high-density polyethylene for long-lasting durability
- Ball-shaped handle provides easy grip
- Non-marking textured surface prevents damage during installation
- Recommended for use with hardwood, engineered hardwood, and tongue-and-groove flooring
- Sold 1 per inner pack/1 per outer pack



EDI	Part#	Size-in	Size-mm
29844	711P	11 3/4 X 2 3/4	298 X 70

B Heavy-Duty Pull Bar

- Heavy-duty 1/4" (6 mm) plate steel construction provides superior durability
- Angled steel block attached to tool body provides a durable hammer contact point
- Beveled ends allow you to pry in tight spaces
- Features a felted bottom to protect flooring materials while in use
- Ideal for installing laminate, hardwood, and tongue-and-groove flooring
- Sold 1 per inner pack/
1 per outer pack




EDI	Part#	Size-in	Size-mm
29845	712HD	17	432



B Professional Flooring **NEW** Installation Kit

- **STB8** Stepped Tapping Block is used to tightly fasten plank flooring together without damage and features a multi-sided design that is compatible with most plank flooring types
- **PPB14** Pro Pull Bar is used to tightly fasten plank flooring together in areas where a tapping block won't fit, like against walls and under toe kicks and features felt backing to protect the floor from scratches
- **3SPS** 3-Sided Pro Spacers are used to provide the correct spacing between the flooring being installed and walls and require half as many spacers as wedges
- **PFIK** includes 1 Tapping Block, 1 Pull Bar, 30 Wall Spacers, and 1 Mallet
- Sold 1 per inner pack/8 per outer pack, 6 per outer pack where noted with *




EDI	Part#	Description
33151	PFIK	Professional Flooring Installation Kit
33193	STB8	Stepped Tapping Block
33145	PPB14*	Professional Pull Bar
33155	3SPS	3-Sided Pro Spacers

M Flooring Installation Kit

- **TB7** Tapping Block is used to tightly fasten plank flooring together without damaging the tongue-and-groove system
- **PB12** Pull bar is used to tightly fasten plank flooring together in areas where a tapping block won't fit, like against walls and under toe kicks
- **WS48** Wall Spacers are used to provide the correct spacing between the flooring being installed and walls
- **FIK** includes 1 Tapping Block, 1 Pull Bar, and 30 Wall Spacers
- **FIKM** includes 1 Tapping Block, 1 Pull Bar, 30 Wall Spacers, and 1 Mallet
- **NEW** items shown red in table
- Sold 6 per inner pack/6 per outer pack, 1 per inner pack/8 per outer pack where noted with *



EDI	Part#	Description
28883	TB7*	Tapping Block
28885	PB12*	Pull Bar
28887	WS48	Wall Spacers - 48 Pack
28889	FIK	Flooring Installation Kit
33141	FIKM	Flooring Installation Kit w/ Mallet



Carpet Row Finder

- Used to separate carpet rows without damaging loops and nap
- 2-stage needle point for cut-pile carpet
- Flat-tip for loop-pile carpet
- Solid stainless steel body is rust- and corrosion-resistant
- Anti-slip knurled grip
- Sold 1 per inner pack/
12 per outer pack



EDI	Part#	Description
29502	SSRF	Carpet Row Finder

Loop Pile Cutter

- Adjustable throat opening for precision cuts on various thicknesses of carpet
- Dual blade design for cutting closer to the yarn edge for cleaner seams
- Base allows for cutting over top of other carpet by protecting material underneath
- Knurled knobs allow for tool-less blade replacement and tool adjustment
- Sold 1 per inner pack/
6 per outer pack



EDI	Part#	Description
28790	LPC2	Loop Pile Cutter

Cushion Back Cutter


- Used to cut cushion back or conventional carpet
- Dual blade design for cutting closer to yarn edge for cleaner seams
- Knurled knob for tool-less blade replacement
- Accepts standard slotted carpet blades
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description
28781	CBC2	Cushion Back Cutter

Carpet Knife Blades

- Fits most brands of Carpet Knives
- Choose between square or round corners
- 100 per box
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description
14946	9060SB	Replacement Blades - Square Corners
14947	9060RB	Replacement Blades - Round Corners

Stair Tool

- Used to tuck carpet into stair crevices and tack strip
- Long-lasting chrome plated steel body
- Edges are rounded to prevent snagging and cutting
- Sold 1 per inner pack/
4 per outer pack



EDI	Part#	Description
28789	ST35D	3½" (89 mm) Stair Tool

Stair Tool **NEW**

- For tucking carpet into stair crotches and tack strip
- Soft cushion grip provides added comfort and superior grip
- Edges are rounded to prevent snagging and cutting
- Chrome plated steel extends life of tool
- Sold 1 per inner pack/
24 per outer pack



EDI	Part#	Description
12211	ST35	3½" (89 mm) Stair Tool

Magnetic Nail Driver


- Essential tool when using short brad nails for installing carpet tack strip and more
- Stainless steel body is rust- and corrosion-resistant
- Anti-slip knurled grip
- Hardened steel striking face is durable and long-lasting
- High strength rare-earth magnet firmly holds nails while being set with a hammer
- Sold 1 per inner pack/
12 per outer pack



EDI	Part#	Description
29500	MND	Magnetic Nail Driver

Duckbill Napping Shears

- Used for trimming loose yarns in carpet
- Offset handle keeps fingers off of the carpet for accurate trimming
- Duckbill blade maintains level trimming
- Sold 1 per inner pack/6 per outer pack



EDI	Part#	Description
28785	DNS	Duckbill Napping Shears

Carpet Staples

- $\frac{3}{16}$ " (5 mm) crown $\frac{3}{16}$ " (14 mm) length
- 20-gauge fit most electric carpet staplers
- Comes in a box of 5,000
- Sold 1 per inner pack/
20 per outer pack



EDI	Part#	Description	Qty
17472	ESTAPLES	Carpet Staples	5,000

Professional Knee Kicker

- Used to stretch carpet over tack strip for a better, tighter fit
- Adjustable pins
- Thicker pad for more knee relief
- Handle is extendable in length from 18 $\frac{3}{4}$ " to 22 $\frac{3}{4}$ " (476 to 578 mm)
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description
28783	AKK	Professional Knee Kicker

Economy Knee Kicker

- Used to stretch carpet over tack strip
- Soft grip handle
- Foam pad for knee comfort
- Sold 1 per inner pack/
1 per outer pack



EDI	Part#	Description
28784	EKK	Economy Knee Kicker

Extension Roller

- Used for rolling laminate and other floor coverings
- Non-marking rubber rollers
- Extends from 17 to 27" (432 to 686 mm)
- Sold 4 per inner pack/ 4 per outer pack



EDI	Part#	Description
28792	ER21	Extension Roller

Smooth Carpet Seam Roller

- Improves seam strength by forcing adhesive into carpet backing
- Smooth wheel design reduces snags in carpet
- Can also be used for vinyl flooring
- DuraSoft® handle for increased comfort and reduced fatigue
- Sold 1 per inner pack/ 4 per outer pack



EDI	Part#	Description
28780	SSR6	6" (152 mm) Smooth Carpet Seam Roller

"J" Roller

- Recessed end permits rolling near back splashes or walls
- Designed for use by plastic laminate installers
- Roller is 3" (76 mm) wide; 1½" (38 mm) diameter
- Sold 6 per inner pack/ 60 per outer pack



EDI	Part#	Size-in	Size-mm
16008	JR008	13	330

Carpet Seam Roller

- Improves seam strength by forcing adhesive into carpet backing
- Star wheel design blends carpet yarn at seam
- DuraSoft® handle for increased comfort and reduced fatigue
- Sold 1 per inner pack/ 4 per outer pack



EDI	Part#	Description
28779	SWSR6	6" (152 mm) Carpet Seam Roller


Carpet Seam Squeezers

- For holding carpet seams together when gluing down or preceding hot-melt seaming
- Sold 1 per inner pack/ 8 per outer pack



EDI	Part#	Description
29506	CSZ	Carpet Seam Squeezers

Get the latest tips, tools & articles from MARSHALLTOWN WORKSHOP



Scan the code or visit marshalltown.com/blog