



In 1869, Alexander Vaughan, a plumber, relocated to Chicago, where he opened a blacksmith shop and designed his "Improved Post Auger," which he patented. His innovative design quickly gained attention, and soon, requests for hand tools poured in

The company faced challenges, including the Great Chicago Fire in 1871, but was revitalized with the help of Sidney Bushnell, leading to the formation of Vaughan & Bushnell Mfg. Co. in 1882. As the company expanded, it gained a reputation for producing high-quality hammers, hatches, axes, and a variety of hand tools, including chisels, star drills, wrecking bars, and pliers. By 1897, VAUGHAN's catalog had over 50 different tools in a wide range of weights and sizes.

After Alexander Vaughan's death in 1905, his son Sanford took over full management of the company. Sanford was an innovator and introduced key design improvements to the traditional carpenter's hammer—innovations which are found in all hammers being made today. Handle-to-head wedging was improved, and VAUGHAN patented the triple-wedge design. Then in 1918, VAUGHAN introduced its classic 999 pattern ripping hammer.

In 1940, Vaughan moved its operations to Bushnell, Illinois, where the company's commitment to quality earned its ISO 9002 certification in 1993. In 2018, under the leadership of fifth-generation president Charlie Vaughan, the company expanded further by acquiring DASCO PRO, Inc., an industry leader in the manufacturing of chisels and punches.

Today, as part of MARSHALLTOWN's portfolio of iconic American-made tool brands, VAUGHAN continues to lead the market in striking tools, maintaining its legacy of excellence that spans more than 150 years.



Hammers and other striking tools are some of the most misused tools. Injuries can be caused by trying to strike too heavy a blow with a lightweight hammer, by using a damaged hammer, or by using the wrong style of hammer for the task at hand. You should only use the tools that have been designed for the job.












#### EEP HARDENING

These hammer heads have been cut in half to show what can't normally be seen when selecting a hammer. The left side is a typical example of what some hammer manufacturers consider adequate hardening of the striking face. On the right is a VAUGHAN hammer showing the hardness going deep down to the core of the head, making it safer and tougher.





COMPETITOR



Need to replace your handle? **We've got you covered!** 

Scan the code to find the right handle & learn how to replace it



### **✓** California Framer® Hammers NEW

- Rugged hammer with rip claw ideal for framing and demolition tasks
- · American forged high carbon steel and heat treated with a rust-resistant finish for durability and strength
- Fully polished head, claw, and face enhances corrosion-resistance, reduces friction, and increases strength
- Innovative magnetic nail holding slot is great for one-handed nail starting
- Extra large striking face, milled (reduces slippage) or smooth (helps prevent marring)

 Extra long hatchet-style hickory handle absorbs shock, is well-balanced, comes in curved and straight styles and is replaceable


- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- All steel handle has a hickory plug to take the sting out of hammer blows
- Sold 1 per inner pack/
   4 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Handle Type	Face	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43103	VN11800	CF4	16	Hickory - Straight	Milled	14" (356 mm)	43012	VN03200
43104	VN11801	CF4P	16	Hickory - Straight	Smooth	14" (356 mm)	43012	VN03200
43091	VN11600	CF2	19	Hickory - Straight	Milled	16" (406 mm)	44111	VN64302W
43092	VN11601	CF2P	19	Hickory - Straight	Smooth	16" (406 mm)	44111	VN64302W
43093	VN11604	CF2-HC	19	Hickory - Curved	Milled	17" (432 mm)	44059	VN65002W
43094	VN11605	CF2L	19	Hickory - Straight	Milled	17" (432 mm)	43648	VN64501
43095	VN11610	CF2-HCP	19	Hickory - Curved	Smooth	17" (432 mm)	44059	VN65002W
43044	VN10300	CF1	23	Hickory - Straight	Milled	17" (432 mm)	44086	VN64182W
43045	VN10301	CF1P	23	Hickory - Straight	Smooth	17" (432 mm)	44086	VN64182W
43046	VN10304	CF1HC	23	Hickory - Curved	Milled	18" (457 mm)	44125	VN65182W
43099	VN11650	CF21FG	21	Fiberglass	Milled	16" (406 mm)	43581	VN59822
43100	VN11651	CF21FGP	21	Fiberglass	Smooth	16" (406 mm)	43581	VN59822
43106	VN12100	RCF2	19	All Steel	Milled	16" (406 mm)	N/A	N/A
43107	VN12101	RCF2P	19	All Steel	Smooth	16" (406 mm)	N/A	N/A



- Heavy ripping hammer with excellent balance, ideal for framing and demolition tasks
- Available with a smooth or milled striking face; milled face grips nail heads and reduces slippage; smooth face prevents marring
- · Smooth swept claws
- Special long neck design allows for power strikes in difficult areas
- American hickory handle absorbs shock, is well-balanced, and replaceable
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Sold 1 per inner pack/4 per outer pack, 2 per outer pack where noted with \*





EDI	Part#	Legacy ID	Weight-oz	Face	Handle Type	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43050	VN10500	999	20	Smooth	Hickory	14" (356 mm)	44068	VN61202W
43053	VN10510	999L	20	Smooth	Hickory	16" (406 mm)	44100	VN60202W
43056	VN10530	999ML	20	Milled	Hickory	16" (406 mm)	44100	VN60202W
43110	VN12320	505M	24	Milled	Hickory	17" (432 mm)	44091	VN61242W
43060	VN10602*	606S	28	Smooth	Hickory	18" (457 mm)	44079	VN61282W
43061	VN10620*	606M	28	Milled	Hickory	18" (457 mm)	44079	VN61282W
43062	VN10701*	707	32	Smooth	Hickory	18" (457 mm)	44079	VN61282W
43063	VN10702*	707S	32	Smooth	Hickory	15" (381 mm)	43598	VN61271
43065	VN10720*	707M	32	Milled	Hickory	18" (457 mm)	44079	VN61282W
43052	VN10508	FS999	20	Smooth	Fiberglass	14" (356 mm)	43578	VN59816
43054	VN10516	FS999L	20	Smooth	Fiberglass	16" (406 mm)	43580	VN59820
43055	VN10528	FS999M	20	Milled	Fiberglass	14" (356 mm)	43578	VN59816
43057	VN10538	FS999ML	20	Milled	Fiberglass	16" (406 mm)	43580	VN59820

#### **■** Hickory Handle VW Series Rip Hammers

- Ideal hammer for framing and ripping
- Features a patented steel head with overstrike guard and a deep "v" design for greater power
- Magnetic nail holder is perfect for one-handed nail starting
- Side nail puller provides extra leverage
- Short stack claws are reinforced to provide increased strength for prying
- Hardwood handle absorbs shock, is well-balanced, and replaceable
- Sold 1 per inner pack/2 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Face	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43038	VN07280	VW18	18	Milled	17" (432 mm)	43019	VN03800
43039	VN07282	VW18P	18	Smooth	17" (432 mm)	43019	VN03800
43040	VN07380	VW20	20	Milled	17" (432 mm)	43019	VN03800
43041	VN07382	VW20P	20	Smooth	17" (432 mm)	43019	VN03800



• Precise head to handle weight ratio feels like a much lighter hammer

· Surer, deeper, more powerful nail driving

• Straight hickory handle with overstrike protection measures 17" (432 mm) and is replaceable

· Choose smooth face or milled face

• Lightweight, precision-cast titanium heads weigh 16 oz

• Sold 2 per inner pack/ 2 per outer pack



NaiLoc™ Magnetic Nail Holder



Sidewinder™ Nail Puller provides extra leverage for removing nails without damage



EDI	Part#	Legacy ID	Handle Type	Weight-oz	Face	Claw	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43034	VN07180	DDT16	Hickory w/Overstrike	16	Milled	Rip	17" (432 mm)	43019	VN03800
43036	VN07182	DDT16P	Hickory w/Overstrike	16	Smooth	Rip	17" (432 mm)	43019	VN03800

#### • Designed for professional carpenters

- Precise head to handle weight ratio feels like a much lighter hammer
- · Surer, deeper, more powerful nail driving
- · Straight hickory, curved hickory or fiberglass handle options
- · Features milled face
- NaiLoc™ magnetic nail holder
- Lightweight, precision-cast titanium heads weigh 14 oz
- Sold 2 per inner pack/2 per outer pack



EDI	Part#	Legacy ID	Handle Type	Weight-oz	Face	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43029	VN07170	7170	Hickory - Straight	14	Milled	15" (381 mm)	43017	VN03700
43031	VN07172	7172	Fiberglass	14	Milled	17" (432 mm)	N/A	N/A
43032	VN07175	7175	Hickory - Curved	14	Milled	19" (483 mm)	43018	VN03750

### **V** Steel Eagle® Hammers **NEW**

- Rip claw hammers are ideal for framing and ripping; curved claw hammers are perfect for trim and finish work
- Forged steel heat treated with a rust-resistant powder-coated finish
- Polished striking heads, sides, and claws
- Features an octagon neck and extra large, round striking face, smooth or milled
- Hickory plug in handle adds strength and absorbs shock
- Equipped with a non-slip cushioned grip
- Sold 1 per inner pack/4 per outer pack, 2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight-oz	Face	Claw	Handle Length
43043	VN10120	R404ML	22	Milled	Rip	16" (406 mm)
43073	VN11000*	R606M	28	Milled	Rip	16" (406 mm)
43074	VN11001*	R606	28	Smooth	Rip	16" (406 mm)
43076	VN11200	R999	20	Smooth	Rip	14" (356 mm)
43077	VN11220	R999ML	20	Milled	Rip	16" (406 mm)
43066	VN10815	R24	24	Smooth	Curved	14" (356 mm)
43118	VN12715	R20	20	Smooth	Curved	13¾" (349 mm)
43069	VN10910	R16	16	Smooth	Curved	12¾" (324 mm)

#### **W** Nail/Trim Hammers **NEW**



- Ideal for driving and pulling nails and general repair work
- American forged high carbon steel heat treated with a rust-resistant powder-coated finish
- Available with a curved claw or rip claw
- American hickory handle absorbs shock, is well-balanced, and replaceable
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight -oz	Handle Type	Face	Claw	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43108	VN12201	#9	10	Hickory - Oval	Smooth	Rip	11" (279 mm)	44109	VN61072W
43112	VN12400	99	16	Hickory - Oval	Smooth	Rip	13" (330 mm)	44089	VN61162W
43080	VN11403	D016	16	Hickory - Octagon	Smooth	Curved	13" (330 mm)	44089	VN61162W
43087	VN11503	D020	20	Hickory - Octagon	Smooth	Curved	14" (356 mm)	44068	VN61202W
43081	VN11410	FS16	16	Fiberglass	Smooth	Curved	13" (330 mm)	43577	VN59815
43113	VN12410	FS99	16	Fiberglass	Smooth	Rip	13" (330 mm)	43577	VN59815
43088	VN11505	FS20	20	Fiberglass	Smooth	Curved	14" (356 mm)	43578	VN59816
43111	VN12338	FS505M	24	Fiberglass	Milled	Rip	17" (432 mm)	43580	VN59820

#### **STRIKING TOOLS**



EDI	Part#	Legacy ID	Weight -oz	Handle Type	Face	Claw	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
44699	VN01640	1600/DF4	16	Straight	Smooth	Rip	14" (356 mm)	43012	VN03200
44700	VN01645	1650/DF4-HC	16	Curved	Smooth	Rip	14" (356 mm)	44121	VN03250W
44701	VN02140	2170/DF5	21	Straight	Milled	Rip	18" (457 mm)	44086	VN64182W
44702	VN02145	2180/DF5-HC	21	Curved	Milled	Rip	18" (457 mm)	44125	VN65182W

### **✓** Straight and Curved Handle Cast Head Hammers NEW

- Designed for professional carpenters
- Cast polished solid steel head with milled face
- Precise head to handle weight ratio feels like a much lighter hammer
- NailLoc™ magnetic nail holder
- Ideal for traditional framing
- Hardwood handle absorbs shock, is well-balanced, and replaceable
- Choose between a straight or curved handle
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Handle Type	Face	Claw	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
43002	VN02110	2110	21	Straight	Milled	Rip	17" (432 mm)	43017	VN03700
43003	VN02115	2115C	21	Curved	Milled	Rip	18" (457 mm)	43018	VN03750



Milled face



Scan the code to find the right handle & learn how to replace it





- Useful for many tasks, but commonly used for metalworking like forming and shaping metals or rounding edges
- American forged high carbon steel heat-treated with a rust-resistant powder-coated finish
- Feature a polished striking head and pein and a generous bevel of the striking face to avoid chipping during off-center strikes
- VN18710 is a five piece set with 8 oz, 12 oz, 16 oz, 20 oz and 32 oz ball pein hammers with hickory handles
- American hickory handle absorbs shock, is well-balanced, and replaceable
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Steel handle has a hickory plug for better shock absorption and added strength
- Sold 1 per inner pack/4 per outer pack, 6 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight-oz	Handle Type	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43132	VN15130	TC504	4	Hickory	10 <sup>1</sup> / <sub>4</sub> " (260 mm)	44054	VN62062W
43136	VN15330	TC308	8	Hickory	11¾" (298 mm)	44055	VN62082W
43139	VN15430	TC2012	12	Hickory	12" (305 mm)	44117	VN62123W
43143	VN15530	TC016	16	Hickory	13¾" (349 mm)	44080	VN62162W
43149	VN15630	TC120	20	Hickory	15" (381 mm)	44102	VN62243W
43151	VN15730	TC224	24	Hickory	15 <sup>1</sup> / <sub>4</sub> " (387 mm)	44102	VN62243W
43157	VN15830	TC432	32	Hickory	15¾" (400 mm)	44069	VN62403W
43160	VN15930	TC640	40	Hickory	16" (406 mm)	44069	VN62403W
43163	VN16030	TC848	48	Hickory	16" (406 mm)	44069	VN62403W
43227	VN18710*	N/A	8, 12, 16, 20 & 32	Hickory	N/A	N/A	N/A
43167	VN16210	FS2012	12	Fiberglass	13" (330 mm)	N/A	N/A
43172	VN16310	FS016	16	Fiberglass	13" (330 mm)	N/A	N/A
43177	VN16410	FS224	24	Fiberglass	14½" (368 mm)	43576	VN59812
43184	VN16510	FS432	32	Fiberglass	14¾" (375 mm)	43576	VN59812
43176	VN16371	R016	16	Steel	13¾" (349 mm)	N/A	N/A
43183	VN16471	R224	24	Steel	151/4" (387 mm)	N/A	N/A

#### **W** Welder's Chipping Hammers **NEW**




- Chisel-like face is ideal for material removal and light demolition
- · American forged high carbon steel heads
- VN18510 has a hickory handle and rust-resistant powder-coated finish
- VN17930 has a solid steel handle and rust-resistant powder-coated finish
- VN19815 has a vertical blade, a coil spring steel handle, and rust-resistant
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Handle	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43225	VN18510	WC12	12	Hickory	11¼" (286 mm)	44367	VN63242W
43250	VN19815	WC-CS	15	Steel Coil	10" (254 mm)	N/A	N/A
43220	VN17930	RWC14	14	All Steel	11" (279 mm)	N/A	N/A

#### **✓** Tinner's Riveting Hammer **NEW**



- American forged high carbon steel that has been heat treated
- · Features an octagonal head with flat striking face and rounded cross pein
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Mold-on vinyl grip for a slip-resistant, comfortable grip
- Sold 1 per inner pack/4 per outer pack





EDI	Part#	Legacy ID	Weight-oz	<b>Handle Length</b>
43191	VN16815	TR16F	16	12½" (317 mm)

#### **I** Tack Hammer **NEW**

- Used to drive small nails or tacks in upholstery work, carpentry, home repair, and more
- · Polished, forged steel head weighs 5 oz
- Features a magnetic face for holding and setting tacks and a driving face
- · Equipped with a comfortable, top quality hardwood handle
- Sold 1 per inner pack/4 per outer pack

EDI	Part#	Legacy ID				Repl. Hdl Part #
43221	VN18034	SBP5	5	10" (254 mm)	44109	VN61072W

# **■** Bricklayer Hammers and Sets NEW

- · Ideal for breaking, cutting, chipping, and splitting brick, concrete, stone and other masonry materials
- · American forged high carbon steel heat treated with a rust-resistant powder-coated finish
- Features a square, flat face with beveled edges and a chisel-shaped blade
- VN17714 and VN17816 feature a carbide tip
- · VN18412 has a solid steel construction
- · Top-quality American hickory handle absorbs shock, is well-balanced and replaceable
- Sold 1 per inner pack/4 per outer pack





EDI	Part#	Legacy ID	Weight -oz	Handle Type	Face	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43211	VN17710	BL16	16	Hickory	Steel	11" (279 mm)	44366	VN63162W
43212	VN17714	BL16TC	16	Hickory	Steel w/Carbide Tip	11" (279 mm)	44366	VN63162W
43215	VN17810	BL24	24	Hickory	Steel	11½" (292 mm)	44367	VN63242W
43216	VN17816	BL24TC	24	Hickory	Steel w/Carbide Tip	11½" (292 mm)	44367	VN63242W
43224	VN18412	ABL18	18	Steel	Steel	11" (279 mm)	N/A	N/A
43272	VN43002	N/A	16	N/A	3½" Steel	7" (178 mm)	N/A	N/A
43273	VN43102	N/A	16	N/A	4" Steel	7" (178 mm)	N/A	N/A

#### **Brick Hammers**

- Forged in one piece from high grade steel
- · Perfectly balanced and securely fitted with a comfortable hickory handle
- Designed for breaking, trimming and cleaning brick
- Not intended for striking chisels or metal
- Sold 4 per inner pack/ 24 per outer pack



EDI	Part#	Length-in	Length-mm	Weight-oz
16560	600	11	279	16
16559	601	11½	292	24

#### Solid Steel Brick Hammer

- · 20 oz solid steel construction
- · Soft grip handle
- · Designed for breaking, trimming and cleaning brick
- · Not intended for striking chisels or metal
- Sold 4 per inner pack/24 per outer pack

EDI	Part#	Length-in	Length-mm	Weight-oz
10809	BHS720	11	279	20

#### Stone Mason's Hammers

- Sharp end used to chip off edges or small pieces of stone
- Heavy-duty 16" (406 mm) hickory handle
- · Sold 6 per inner pack/ 6 per outer pack





Made of a single piece of forged steel with nylon-vinyl cushion bricklayer grip

- Fully polished face
- Designed for breaking, trimming and cleaning brick
- · Not intended for striking chisels or metal
- Sold 2 per inner pack/ 24 per outer pack, 4 per inner pack where noted with\*



EDI	Part#	Length-in	Length-mm	Weight -oz
16668	E320BLC	11	279	20
16669	E324BLC*	11	279	24

#### Pick Hammers

- · Drop forged from high grade steel
- Expertly balanced and securely fitted with a comfortable hardwood handle
- Has a fully polished, milled face
- · Not intended for striking chisels or metal
- BH760 sold 6 per inner pack/ 36 per outer pack, BH761 sold 6 per inner pack/ 24 per outer pack



EDI	Part#	Weight-lbs	Weight-oz	EDI
10473	SMH3	3	48	10845
10474	SMH4	4	64	10846

EDI	Part#	Length-in	Length-mm	Weight-oz
10845	BH760	11½	292	16
10846	BH761	11½	292	24

### **WE ARE JUST A PHONE CALL AWAY!**

Our dedicated Customer Success Team is ready to assist you with your questions, concerns, and technical support needs - Just give us a call!

SMH4



**V** 800.888.0127



Or send us an email at:

CustomerSuccess@MARSHALLTOWN.com

### **Blacksmith Hammers NEW**

- · Forged high carbon steel heat treated with a rust-resistant powder-coated finish
- Features a polished striking face and beveled pein Ideal for shaping and forging metal
- American hickory handle absorbs shock, is well-balanced, and replaceable
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Sold 1 per inner pack/4 per outer pack



**Fiberglass** 



BS4XF

VN59223


- · Ideal for general outdoor tasks like excavating, clearing debris, and splitting rock
- · American forged high carbon steel heat treated with a rust-resistant powder-coated finish


43512

- · Polished flat striking face, polished bevel, and pointed pick
- Equipped with an I-beam handle with an air-cushioned grip
- Sold 1 per inner pack/ 4 per outer pack



4





Fiberglass handle absorbs shock and stands up against the toughest weather conditions

Sold 1 per inner pack/ 4 per outer pack





VN59209

EDI	Part#	Legacy ID	Weight-oz	Handle Length
43219	VN17901	AP22	22	13" (330 mm)

EDI	Part#	Legacy ID	Weight -oz	Hdl Length
43128	VN13820	E18F	18	14½" (368 mm)

# Hand Drilling Hammers



- · Ideal for striking star drills, cold chisels, brick chisels, and punches
- American forged high carbon steel heat treated a rust-resistant powder-coated finish
- Features a broad, polished striking face with a generous bevel
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight-lbs	Handle Type	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43503	VN59202	HD2XH	2	Hickory	10" (254 mm)	44110	VN63032W
43504	VN59203	HD2XF	2	Fiberglass	10" (254 mm)	N/A	N/A
43505	VN59206	HD3XH	3	Hickory	10" (254 mm)	44110	VN63032W
43506	VN59207	HD3XF	3	Fiberglass	10" (254 mm)	N/A	N/A
43238	VN19110	HD3	3	Hickory	10 <sup>1</sup> / <sub>4</sub> " (260 mm)	44110	VN63032W
43236	VN19010	RHD3	3	Steel	11" (279 mm)	N/A	N/A
43508	VN59210	HD4XH	4	Hickory	10" (254 mm)	44110	VN63032W
43509	VN59211	HD4XF	4	Fiberglass	10" (254 mm)	N/A	N/A

# **Double Face Engineer Hammers**

- Used in various construction, metalworking, and maintenance tasks
- American forged high carbon steel heat treated with a rust-resistant finish
- Polished striking faces with generous bevels to enhance durability and reduce chipping
- American hickory handle is well-balanced and absorbs shock
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Sold 1 per inner pack/4 per outer pack





EDI	Part#	Legacy ID	Weight-lbs	Handle Type	Handle Length	Repl. Handle EDI	Repl. Handle Part #
43201	VN17320	SDF40F	21/2	Fiberglass	15" (381 mm)	N/A	N/A
43203	VN17330	SDF40	21/2	Hickory	15½" (394 mm)	44069	VN62403W
43205	VN17430	SDF48	3	Hickory	16" (406 mm)	44069	VN62403W

# **✓** Sledge Hammers NEW

- · Designed for various tasks that include demolition work, shaping and bending steels, driving posts, rebar, and railroads, and breaking up stone and concrete
- Polished striking face with generous bevels to enhance durability and reduce chipping
- American hickory handle is well-balanced and absorbs shock
- Fiberglass handle absorbs shock and stands up against the toughest weather conditions
- Sold 1 per inner pack/4 per outer pack

EDI	Part#	Legacy ID	Weight -lbs	Handle Material	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
Coming Soon	VN59226	DF2XH	2	Hickory	16" (406 mm)	44069	VN62403W
43513	VN59227	DF2XF	2	Fiberglass	16" (406 mm)	N/A	N/A
43514	VN59230	DF3XH	3	Hickory	16" (406 mm)	44069	VN62403W
43515	VN59231	DF3XF	3	Fiberglass	16" (406 mm)	N/A	N/A
43516	VN59234	DF4XH	4	Hickory	16" (406 mm)	44069	VN62403W
43517	VN59235	DF4XF	4	Fiberglass	16" (406 mm)	N/A	N/A
Coming Soon	VN59238	SL4XH32	4	Hickory	32" (813 mm)	44061	VN67322W
Coming Soon	VN59239	SL4XH	4	Hickory	36" (914 mm)	44074	VN67362W
43518	VN59240	SL6XH16	6	Hickory	16" (406 mm)	44069	VN62403W
43519	VN59241	SL6XF16	6	Fiberglass	16" (406 mm)	N/A	N/A
43520	VN59242	SL6XH	6	Hickory	36" (914 mm)	44074	VN67362W
43521	VN59243	SL6XF	6	Fiberglass	36" (914 mm)	N/A	N/A
43522	VN59244	SL8XH16	8	Hickory	16" (406 mm)	44074	VN67362W
43523	VN59245	SL8XF16	8	Fiberglass	16" (406 mm)	N/A	N/A
43524	VN59246	SL8XH	8	Hickory	36" (914 mm)	44074	VN67362W
43525	VN59247	SL8XF	8	Fiberglass	16" (406 mm)	N/A	N/A
43527	VN59250	SL10XH	10	Hickory	36" (914 mm)	44074	VN67362W
43528	VN59251	SL10XF	10	Fiberglass	36" (914 mm)	N/A	N/A
43531	VN59254	SL12XH	12	Hickory	36" (914 mm)	44074	VN67362W
43532	VN59255	SL12XF	12	Fiberglass	36" (914 mm)	N/A	N/A
43533	VN59258	SL16XH	16	Hickory	36" (914 mm)	44074	VN67362W
43534	VN59259	SL16XF	16	Fiberglass	36" (914 mm)	N/A	N/A





### Linesman's (Farrier's Turning) Hammer NEW

- Primarily used by electricians, linemen, and farriers
- American forged high carbon steel heat treated with a rust-resistant finish
- Features a polished face and bevel
- · Equipped with a sturdy fiberglass handle
- Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight - Ibs	Handle Type	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
43206	VN17512	L36F	21/4	Fiberglass	15" (381 mm)	43576	VN59812

#### **■ Soft Face Hammers**



- soft metal work, automotive work, woodworking, and general maintenance and machinery
- Replaceable tips (soft red and hard yellow) are press fit by design and set in an American forged, heat-treated high carbon steel head
- Provides a softer striking surface that won't damage the workpiece
- Equipped with a quality hickory handle or a solid steel handle with a grip
- Sold 1 per inner pack/4 per outer pack, 1 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight -oz	Face	Handle Type	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
43241	VN19310	SF6	6	Soft Face Hammer w/ Red and Yellow Tips	Hickory	10½" (267 mm)	44054	VN62062W
43242	VN19410	SF12	12	Soft Face Hammer w/ Red and Yellow Tips	Hickory	12½" (318 mm)	44117	VN62123W
43243	VN19425	PF12	12	Soft Face Hammer w/ Yellow Tips	Hickory	12½" (318 mm)	44117	VN62123W
43244	VN19430	RSF12	12	Soft Face Hammer w/ Red and Yellow Tips	Steel	13" (330 mm)	N/A	N/A
43349	VN51101*	SF6H	N/A	1" Hard Yellow Replacement Tip	N/A	N/A	N/A	N/A
43351	VN51201*	SF6S	N/A	1" Soft Red Replacement Tip	N/A	N/A	N/A	N/A
43353	VN51301*	SF12H	N/A	1%" Hard Yellow Replacement Tip	N/A	N/A	N/A	N/A
43355	VN51401*	SF12S	N/A	1%" Soft Red Replacement Tip	N/A	N/A	N/A	N/A

#### **Soft Face Rubber Mallets**

- · Versatile for many applications such as furniture assembly, soft metal work, automotive work, woodworking, tile and flooring applications, general maintenance and machinery
- Replaceable tips (solid black rubber and non-marring white rubber) are press fit by design and set in an American forged, heat-treated high carbon steel head
- Provides a softer striking surface that won't damage the workpiece
- Equipped with a quality hickory handle
- Sold 1 per inner pack/4 per outer pack, 1 per inner pack/ 1 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight-oz	Description	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
43247	VN19510	RM24	24	Rubber Mallet w/ White and Black Tips	14%" (365 mm)	44080	VN62162W
43248	VN19515	RM24W	24	Rubber Mallet w/ Non-Marring White Tips	14%" (365 mm)	44080	VN62162W
43357	VN51501*	RM24TB	N/A	2" Solid Black Replacement Tip	N/A	N/A	N/A
43358	VN51502*	RM24TW	N/A	2" Non-Marring White Replacement Tip	N/A	N/A	N/A

#### Solid Rubber Mallets NEW

- Versatile for many applications such as furniture assembly, soft metal work, automotive work, woodworking, tile and flooring applications, general maintenance and machinery
- · Constructed of specially compounded, quality rubber for high-impact strength and a long life
- · Provides a softer striking surface that won't damage the workpiece; white is non-marring
- 20 oz 21/4" (57 mm) rubber head is securely mounted on an 11" (279 mm) hardwood handle
- Sold 1 per inner pack/4 per outer pack

#### M Dead Blow Hammers NEW

• Use with a tapping block and pull bar to pull planks firmly together and eliminate gaps



VN57431

VN57432

• Sold 1 per inner pack/ 6 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Handle Type
43415	VN57431	RM2B	20	Hickory
43416	VN57432	RM2W	20	Hickory

EDI	Part#	Size-in	Size-mm	Weight-oz
33147	DB16	12	305	16
33149	DB28	13	330	28

#### **Rubber Mallet**

- · White rubber leaves no marks
- Hardwood handle
- Sold 6 per inner pack/ 36 per outer pack

EDI	Part#	Size-in	Size-mm	Weight-oz
15430	789	12	305	16

- Sold 12 per inner pack/ 36 per outer pack

	🖥 Rubber Mallet 📭	
•	Used to gently tap tiles into place, or they can be used with a chisel to remove grout	
•	Always use this tool carefully on the jobsite to avoid damaging tiles or the underlying surface	

EDI	Part#	Description	Weight-oz
41528	BWT72300	Economy Rubber Mallet	24

#### ■ Non-Marking Mallet NEW • Superior non-marking 12 oz rubber head

- Use to gently tap tiles into place
- Fiberglass reinforced handle features an ergonomic slip-resistant grip for superior control and reduced hand fatigue
- Sold 1 per inner pack/ 3 per outer pack



#### **Dead Blow Hammers**

- Ideal for woodworking, metalworking, automotive work, tile and flooring installation, and general maintenance
- · Partially filled with steel shot to enhance impact and minimize rebound for efficient performance
- Replaceable nylon faces set in an aluminum alloy head provide a softer striking surface that won't damage the workpiece
- Handle has a neoprene grip to absorb shock and improve comfort
- One-piece threaded faces with a shoulder design absorb the force of side blows while! protecting the threads
- Sold 4 per inner pack/ 4 per outer pack, 2 per inner pack/ 2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight -lbs	Face Size	Handle Length
43443	VN58512	DB150	1½	1½" (38 mm)	11¾" (298 mm)
43444	VN58514	DB175	2	1¾" (44 mm)	12" (305 mm)
43445	VN58516*	DB200	3	2" (51 mm)	12½" (318 mm)
43446	VN58520*	DB250	41/4	2½" (64 mm)	14 <sup>1</sup> / <sub>4</sub> " (362 mm)

Replacement Faces							
EDI	Part#	Legacy ID	Face Size				
43452	VN58900	100HF	<sup>31</sup> / <sub>32</sub> " (25 mm)				
43456	VN58920	125HF	1¼" (32 mm)				
43460	VN58940	150HF	1½" (38 mm)				
43463	VN58960	175HF	1¾" (44 mm)				
43466	VN58980	200HF	2" (51 mm)				
43468	VN58990	250HF	2½" (64 mm)				

#### **W** Nylon Face Hammers **NEW**

- · Ideal for furniture assembly, soft metal work, woodworking, automotive work, tile and flooring installation, and leather smithing
- Replaceable nylon faces set in a chrome-plated, zinc alloy head provide a softer striking surface that won't damage the workpiece
- Shoulder design on head absorbs the force of side blows and protects the threads
- Equipped with a quality American hickory handle that reduces vibration
- VN58418 has a black painted malleable iron head
- Sold 1 per inner pack/4 per outer pack, 2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight-lbs	Face	Handle Length
43437	VN58408	NT100	1/2	Chrome Plated w/1" (25 mm) Diameter Nylon Face	10" (254 mm)
43438	VN58410	NT125	1	Chrome Plated w/11/4" (32 mm) Diameter Nylon Face	11" (279 mm)
43439	VN58412	NT150	1½	Chrome Plated w/1½" (38 mm) Diameter Nylon Face	11 <sup>1</sup> / <sub>4</sub> " (286 mm)
43440	VN58414	NT175	2	Chrome Plated w/13/4" (44 mm) Diameter Nylon Face	12" (305 mm)
43441	VN58416*	NT200	2¾	Chrome Plated w/2" (51 mm) Diameter Nylon Face	13½" (343 mm)
43442	VN58418*	NT250	41/2	Black Painted Malleable Iron w/21/2" (64 mm) Diameter Nylon Face	14" (356 mm)

### Copper Face Mallets NEW



- Replaceable copper faces set in a malleable iron head provide a softer, non-sparking striking surface that won't damage the workpiece
- Versatile for many applications including metalworking, machinery maintenance, automotive work, jewelry making, electrical, and woodworking
- Heads have grooved, tapered socket walls ensuring a secure press fit for the replaceable faces
- Equipped with a top-quality hardwood handle for durability and comfort
- Sold 4 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Weight -lbs	Face	Handle Length
43421	VN58008	C100	1	Iron w/1" (25 mm) Diameter Copper Faces	9" (229 mm)
43422	VN58010	C125	1¾	Iron w/11/4" (32 mm) Diameter Copper Faces	10¾" (273 mm)
43423	VN58012	C150	23/4	Iron w/1½" (38 mm) Diameter Copper Faces	12" (305 mm)
43424	VN58014	C175	4	Iron w/1¾" (44 mm) Diameter Copper Faces	12" (305 mm)
43425	VN58016	C200	6½	Iron w/2" (51 mm) Diameter Copper Faces	16" (406 mm)

Replacement Faces						
EDI	Part#	Legacy ID	Face Size			
43470	VN59002	100CF	1" (25 mm)			
43472	VN59022	125CF	1¼" (32 mm)			
43474	VN59042	150CF	1½" (38 mm)			
43478	VN59062	175CF	1¾" (44 mm)			
43481	VN59082	200CF	2" (51 mm)			

#### **Solid Brass Mallets**



- Non-sparking, non-marring solid brass heads deliver firm blows without causing damage, even in explosive situations
- · Versatile for many applications including setting punches and chisels, assembling machinery, electrical and gas trades, and jewelry making
- Equipped with a quality hardwood handle for durability and comfort
- Large striking faces are compressed under hydraulic pressure and seasoned resulting in constant, even strikes, and resistance to deformation and mineral wear
- Sold 4 per inner pack/4 per outer pack, 2 per inner pack/ 2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight-lbs	Handle Type	Face	Handle Length
43545	VN59308	BM100	3/4	Hardwood	1" (25 mm) Diameter Solid Brass	10" (254 mm)
43548	VN59312	BM150	1½	Hardwood	1½" (38 mm) Diameter Solid Brass	11" (279 mm)
43551	VN59316*	BM200	3¾	Hardwood	2" (51 mm) Diameter Solid Brass	13" (330 mm)

### Split-Head Hammers NEW

- Replaceable rawhide faces provide a softer striking surface that won't damage the workpiece
- Malleable iron head applies uniform clamping pressure on handle and faces for balance and stability with controlled strikes without extension rebound
- · Split-head allows for quick changes of faces and handles
- Versatile for many applications including metalworking, woodworking, and masonry
- · Equipped with a quality hardwood handle for durability and support
- Extension collar transfers shock to a larger handle surface area minimizing the risk of breakage
- Sold 4 per inner pack/4 per outer pack, 2 per inner pack/ 2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight -lbs	Face	Handle Length	Repl. Hdl EDI	Repl. Hdl Part #
43447	VN58710	SH125	1½	1¼" (32 mm) Diameter Rawhide	11" (279 mm)	43555	VN59500
43448	VN58712	SH150	2	1½" (38 mm) Diameter Rawhide	12" (305 mm)	43556	VN59502
43449	VN58714	SH175	31/4	1¾" (44 mm) Diameter Rawhide	12¾" (324 mm)	43557	VN59504
43450	VN58716*	SH200	4½	2" (51 mm) Diameter Rawhide	13¾" (349 mm)	43558	VN59506
43451	VN58722*	SH275	7½	2¾" (70 mm) Diameter Rawhide	15¾" (400 mm)	43559	VN59508

Replacement Faces						
EDI	Part#	Legacy ID	Face Size			
43469	VN59000	100RF	1" (25 mm)			
43471	VN59020	125RF	1¼" (32 mm)			
43473	VN59040	150RF	1½" (38 mm)			
43477	VN59060	175RF	1¾" (44 mm)			
43480	VN59080	200RF	2" (51 mm)			
43484	VN59090	275RF	2¾" (70 mm)			

#### Solid Rawhide Mallets NEW


- Ideal for furniture assembly, soft metal work, jewelry making and repair, and musical instrument making and repair
- Solid rawhide head provides a softer striking surface that won't damage the workpiece
- Large rawhide faces are compressed under hydraulic pressure and seasoned for increased durability, density, long-lasting use, and shock absorption
- Equipped with a quality hardwood handle for durability and comfort
- Sold 4 per inner pack/4 per outer pack, 2 per inner pack/2 per outer pack where noted with \*



EDI	Part#	Legacy ID	Weight	Handle Type	Face	Handle Length
43428	VN58210	RM125	4 oz	Hardwood	11/4" (32 mm) Diameter Compressed Rawhide	10" (254 mm)
43429	VN58212	RM150	6 oz	Hardwood	11/2" (38 mm) Diameter Compressed Rawhide	10¾" (273 mm)
43431	VN58214	RM175	8 oz	Hardwood	1¾" (44 mm) Diameter Compressed Rawhide	12" (305 mm)
43432	VN58216	RM200	12 oz	Hardwood	2" (51 mm) Diameter Compressed Rawhide	12" (305 mm)
43434	VN58220*	RM250	11/4 lbs	Hardwood	2½" (64 mm) Diameter Compressed Rawhide	13½" (343 mm)
43435	VN58222*	RM275	1½ lbs	Hardwood	2¾" (70 mm) Diameter Compressed Rawhide	13½" (343 mm)

#### **✓** Professional Shingling Hatchet **VEW**

• Fully polished, milled, crowned face and back blade



- Three-position gauge allows for U.S. standard and metric shingle measurements
- · Equipped with a smooth, top quality hickory handle
- VN20110 Replacement gauge available
- Sold 1 per inner pack/ 2 per outer pack, 50 per outer pack where noted with \*



face and back blade  teel heat treated with a  rust-resistant finish  Features a fully polished head and extra-large milled	
Features a fully polished head and	
extra-large milled face with a 3½" (89 mm) cut	
Designed for heavy construction	
• Equipped with a select 17" (432 mm) hickory handle MADE MUSA	No.
• Sold 1 per inner pack/2 per outer pack	JOH)

EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part #
43252	VN20101	SH	14 oz	43634	VN64132
43253	VN20110*	N/A	N/A	N/A	N/A

### Professional Drywall Hatchet NEW

- · Flat head designed nailing close to corners
- Equipped with a top quality 151/4" (387 mm) hickory handle
- Fully polished, milled, crowned face
- · Thin blade with 13/4" (44 mm) cut
- · Sold 1 per inner pac 2 per outer pack

	all Hatoliot
for	
	and the state of t
8	
ck/	MADEHUSA

2 001 00	itoi paoit				TORAL MAIL
EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part #
43258	VN21001	WB	12 oz	44369	VN64152W
				_	

EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part#
43254	VN20420	RB	28 oz	44086	VN64182W
				W	

**▼** Professional Rig Builder's Hatchet



- · Specialized hatchet designed for use with lathing and plastering, as well as drywall installation
- · Hammer and hatchet blade combination offer versatility for wall and ceiling work
- · Features a fully polished head with a milled, crowned face
- · Extra thin blade constructed American forged high carbon steel heat treated with a rust-resistant finish
- Sold 1 per inner pack/2 per outer pack

		<i>,</i> , ,			
EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part #
43251	VN20001	UL	14 oz	43634	VN64132

# Standard Half Hatchet NEW

- · Ideal for construction trades or the handyman
- · American forged high carbon steel heat treated with a rust-resistant finish
- · Fully polished head and smooth face with a 31/2" (89 mm) cut
- · Equipped with a top quality 13" (330 mm) American hickory handle

• Sold 1 p	TGCORAL MATCH				
EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part #
43255	VN20520	SH2	22 oz	44096	VN65142W

### Oyster Hatchet NEW

- Specialized hatchet designed for opening oysters and other shellfish
- American forged high carbon steel heat treated with a rust-resistant finish
- Features a smooth face with a 234" (70 mm) cut
- · Equipped with a top quality American hickory handle
- Sold 1 per inner pack/ 4 per outer pack

MADE:::USA |

EDI	Part#	Legacy ID	Head Weight	Repl. Hdl EDI	Repl. Hdl Part #
43259	VN21202	2/0	12 oz	43644	VN64201



VN46502

VN47002



EDI	Part#	Legacy ID	Description	Repl. Hdl EDI	Repl. Hdl Part #	
43271	VN33402	AS1-1/4	1¼ lb Camp Axe w/ Sheath	N/A	N/A	
43265	VN33220	SC1-1/4	1¼ lb Camp Axe	44096	VN65142W	
43266	VN33224	SC1-1/4	1¼ lb Camp Axe w/Sheath	44096	VN65142W	

# Sportsman Camp Axe NEW

- Lightweight axe is small enough to fit in tackle box
- Durable enough to withstand outdoor conditions and heavy use while camping or hiking
- Rust-resistant powder-coated finish
- Equipped with a smooth hickory handle

4 per outer pack

Sold 1 per inner pack/4 per outer pack



EDI	Part#	Legacy ID	Description	Repl. Hdl EDI	Repl. Hdl Part #
43268	VN33301	ZS½	½ lb Sportsman Camp Axe	43650	VN65101



• For details see page 254



#### W Hex Stock Nail Pullers NEW

- Forged of %" (16 mm) hex high carbon steel
- VN33402 Ideal for extracting deeply imbedded nails
  - Claws are hardened and tempered for strength and long life
  - · Blue rust-resistant finish
  - Sold 1 per inner pack/
     4 per outer pack

**MADE#USA** 

EDI	Part#	Legacy ID	Description	Size
43299	VN46502	NP12G	Nail Puller w/ Cushion Grip	12" (305 mm)
43303	VN46802	NP12R	Nail Puller w/ Ripping End	12" (305 mm)
43305	VN47002	NP12DE	Nail Puller w/ Ripping End	11" (279 mm)

#### **Bear Claw® Nail Pullers**

- · Designed to pull and remove nails
- Drop forged and heat-treated
- American forged high carbon steel heat treated with a rust-resistant powder-coated finish
- Flat claw easily slips under nail heads with minimal damage to wood surfaces
- Rocker head provides excellent leverage
- Sold 4 per inner pack/
   4 per outer pack



#### **■** Bear Claw® Scraper Bars **NEW**

- Versatile scraper with two ends designed for pulling and removing nails
- Wide, thin blade is ideal for scraping and cutting
- Nail puller end has a rocker head for maximum leverage
- Forged, tempered steel with a rust-resistant powder-coated finish
- Sold 1 per inner pack/
   4 per outer pack



EDI	Part#	Legacy ID	Size-in	Size-mm
43404	VN57042	BC/SB8	8	203
43405	VN57043	BC/SB10	10	254

### Ripping Bars NEW

· Designed for nail removal and demolition work

 Forged of tough, ¾" (19 mm) hex high carbon steel

- · Features three beveled nail slots and hardened, tempered claws
- · Rust-resistant powder-coated finish
- Polished ends
- VN45503 has a 90° offset ripping fork for better leverage
- Sold 1 per inner pack/4 per outer pack

	EDI	Part#	Legacy ID	Weight-oz	Size-in	Size-mm
	43288	VN45501	RB18	40	18	457
	43289	VN45503	RB180S	40	18	457
	43739	VN72311	231	37	173/4	451

#### Molding Lifter Bar NEW

- · Wide, sharp blade easily slips under molding and baseboards
- · Ends are curved for leverage
- · Forged, tempered steel construction
- Sold 1 per inner pack/ 4 per outer pack

EDI	Part#	Legacy ID	Weight-oz	Size-in	Size-mm
43403	VN57039	MI B	15	10	254

# **✓** Carpenter Wrecking Bars NEW

- · Remove nails, pry apart boards, and break apart structures with ease
- · Constructed of hardened, tempered American forged steel with a rust-resistant finish
- · Goose neck end provides even more leverage
- Sold 1 per inner pack/ 6 per outer pack



VN57318

EDI	Part#	Legacy ID	Size-in	Size-mm
43407	VN57318	318	18	457
43408	VN57324	324	24	610
43410	VN57330	330	30	762
43411	VN57336	336	36	914

#### Small Pry Bars NEW

- · Sharp edges make prying, ripping, pulling, and scraping tasks easy and efficient
- · Made with high carbon, heat-treated American steel for durability and strength
- VN18773 3 Piece Set includes:
  - (1) 90° Banton Bar
  - (1) 51/2" (140 mm) Mini-Bar®
  - (1) 75/8" (194 mm) Mini-Bar®
- · Inner/outer pack quantities listed in table



VN72309

### **DA Bar® Pry Bars NEW**

- Flat claws easily slip under nail heads
- Ideal for trim work and removing molding
- Rocker head provides leverage
- Chrome finish

VN45503

VN45501

Sold 1 per inner pack/ 4 per outer pack

EDI	Part#	Legacy ID	Handle Type	Size-in	Size-mm
43027	VN04410	4410	Steel	16	406
43028	VN04420	4420	Steel	24	610

### **IV** Bantom Bars **NEW**

- Designed to lift, remove, and pull objects into place
- Claw eye is ideal for pulling up materials like nails
- Heat-treated, stamped flat bar with a blue rust-resistant finish
- Features a nail slot and sharpened scraper blades
- Offered with a 45° angle or 90° angle
- Sold 1 per inner pack/ 10 per outer pack



VN46104

VN46201

VN46004

VN04420

EDI	Part#	Legacy ID	Angle	Size-in	Size-mm
43295	VN46201	BT45	45°	9	229
43296	VN46210	BT90	90°	9½	241

#### 🗾 Mini-Bar® 🔃

- Versatile tool perfect for opening paint cans and pulling small nails and staples
- High-quality, chrome-plated tempered steel construction with a rust-resistant powder-coated finish
- Small size perfect for a toolbox
- VN46003 is a pack of 12
- Sold 1 per inner pack/10 per outer pack, 12 per outer pack where noted with \*



EDI	Part#	Legacy ID	Size-in	Size-mm	Inner/ Outer
43732	VN72220	222-0	5½	140	1/5
43298	VN72290	2229	5½	140	6/6
43735	VN72270	227-0	7½	191	1/6
43738	VN72310	2231-0	91/2	241	1/3
43229	VN18773	222/BT90/444	N/A	N/A	1/4




# Original SuperBar® NEW

- Essential tool for tradesmen and homeowners
- "Shepherd's Crook" rocker head design for maximum power
- Polished, sharp blades for prying molding, scraping, and pulling nails
- Three beveled nail slots make every nail easy to reach
- Drop forged and heat-treated spring tempered steel for heavy-duty use
- Sold 4 per inner pack/4 per outer pack

#### SuperBar®



Competitors



EDI	Part#	Legacy ID	Weight-oz	Description	Size-in	Size-mm
43284	VN45101	B215S	19	StubbyBar	12	305
43278	VN45001	B215	24	SuperBar	15	381
43285	VN45201	B215L	32	XL SuperBar	21	533

VN45101

#### **M** HookBar® NEW

- Features a reverse hook for increased leverage when removing nails, pulling apart materials, and prying in tight spaces
- Constructed of spring tempered steel with a rust-resistant powder-coated finish
- Three beveled nail slots make every nail easy to reach for heavy-duty use
- Sold 4 per inner pack/ 4 per outer pack



EDI	Part#	Legacy ID	Weight-oz	Size-in	Size-mm
43287	VN45301	B215H	24	15	381

### Shingle Rippers NEW

- · Removes all types of shingles with no damage
- · High carbon steel with powder-coated finish
- VN76404 features TargetGuard® for a more comfortable grip, while preventing your hand from sliding off the handle
- Sold 4 per inner pack/ 4 per outer pack



**MADE HUSA** 

EDI	Part#	Legacy ID	Length-in	Length-mm
43899	VN76400	640	24	610
43900	VN76404	G640	24	610

#### O Long Cold Chisels NEW

· Precision ground for cutting, shaping, and removing metal softer than the cutting edge of the chisel

· Made of high carbon steel that has been heat treated for durability and performance

• Suitable for use on cast iron, wrought iron, steel, bronze, and copper

• Sold 3 per inner pack, 3 per outer pack



EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43792	VN74100	410-0	3/4	19	12	305
43797	VN74111	411	3/4	19	18	457
43805	VN74190	419-0	1	25	12	305
43811	VN74201	420	1	25	18	457

#### **⊚ Small Cold Chisels NEW**

• Precision ground for cutting, shaping, and removing metal softer than the cutting edge of the chisel

• Made of high carbon steel that has been heat treated for durability and performance

· Suitable for use on cast iron, wrought iron, steel, bronze, and copper

· Sold 3 per inner pack/3 per outer pack

VN7400	00	57570	
The state of the s	SNA		
T. Out C	354C		



VN74130

EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43773	VN74000	400-0	1/4	6	47/8	124
43775	VN74010	401-0	5/16	8	51/4	133
43777	VN74020	402-0	3/8	10	5%	143
43781	VN74050	405-0	1/2	13	6%	162
43786	VN74060	406-0	5/8	16	6¾	171
43788	VN74080	408-0	3/4	19	71/8	181
43798	VN74130	413-0	7/8	22	7½	191
43802	VN74170	417-0	1	25	71/8	200

### © Cold Chisels with TargetGuard® NEW

· Designed for shearing nuts, bolts, rivets, and other materials

· Large target head striking area reduces mushrooming and protects hands from missed hits

· Made of high carbon steel for durability and performance

 Sold 3 per inner pack/ 3 per outer pack

VN74193



EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43795	VN74104	G410	3/4	19	12	305
43804	VN74174	G417	1	25	8	203
43809	VN74194	G419	1	25	12	305
43769	VN73374	G337	11/4	32	12	305

VN73374

Cold Chisel Kits NEW · Made of high carbon steel that has been heat treated for durability and performance

VN70044 includes (3) Cold Chisels:

- 5/16" (7 mm)

- %" (16 mm)

- 34" (19 mm)

VN70029 includes: (2) Cold Chisels:

- %" (9.5 mm)

- ¾" (19 mm) (1) Pin Punch:

- ½" (3 mm)

(1) Starter Punch:

- 3/32" (2 mm)

VN70046 includes: (2) Cold Chisels

> - ½" (13 mm) - 34" (19 mm)

• VN70047 includes:

(3) Cold Chisels - %" (10 mm)

- %" (16 mm)

- %" (22 mm)

· Sold 3 per inner pack/3 per outer pack,

4 per inner pack/4 per outer pack where noted with *						
	EDI	Part#	Legacy ID	Description		
	43703	VN70029	29	4 Piece Kit		
	43706	VN70044	44	3 Piece Kit		
	44711	VN70046*	46	2 Piece Kit		
	44712	VN70047*	47	3 Piece Kit		

VN70047

VN74720

### Floor Chisels NEW

· The ultimate companion for removing tongue-and-groove flooring

Strong, thin cutting blade for rough cutting and trimming hard and soft woods

Made of high carbon steel that has been heat treated for durability and performance

Sold 3 per inner pack/ 3 per outer pack

EDI	Part#	Legacy ID				Handle Size-mm
43837	VN74720	472-0	2½	64	10	254
43842	VN74730	473-0	3	76	11	279



606B115

#### 




- Designed with a shorter handle for electricians to work in tight, crowded areas
- Strong, thin cutting blade for rough cutting and trimming wood and building materials
- · Made of high carbon steel that has been heat treated for durability and performance
- Sold 3 per inner pack/3 per outer pack

MADE #USA
ATTACORAL MATEMAT
TORAL MIN.

VN74723

EDI	Part#					Handle Size-mm
43833	VN74700	470-0	23/4	64	8	203

#### Floor & Electrician's Chisels w/TargetGuard®




- VN74704 Electrician's Chisel features a short handle for easy access to small, tight areas
- Innovative TargetGuard® provides a 3¾" (95 mm) circle of protection against glancing blows and missed hits
- Sold 3 per inner pack/ 3 per outer pack



VN74703

EDI	Part#	Legacy ID	Size- in		Handle Size-in	Handle Size-mm
43840	VN74724	G472	21/2	64	10	254
43845	VN74734	G473	3	76	11	279
43836	VN74704	G470	23/4	64	8	203

#### Masonry Brick Sets NEW



· Constructed from high carbon steel, heat treated for durability and longevity

· Equipped with sharp, enduring cutting edges for prolonged use

 Sold 3 per inner pack/ 3 per outer pack



MADE#USA

#### Size-Size-Handle Handle **EDI Legacy ID** Part# Size-mm mm Size-in 43819 VN74350 435-0 3 76 178 VN74360 436-0 89 43822 31/2 7 178 43827 VN74370 437-0 102 178

#### **Brick Chisels**

- For cutting, trimming or cleaning brick
- · Forged from the finest quality tool steel, hardened, tempered and well-balanced
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Length —	Width	Stock		
				0.00		
18863	604B26	7" (178 mm)	4" (102 mm)	%" (22 mm)		
18868	658B14	7" (178 mm)	3" (76 mm)	⅓" (22 mm)		

#### Mason's Chisels

Forged from the finest quality tool steel, hardened, tempered and well-balanced

 Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Length	Width	Stock
18864	606B115	7½" (191 mm)	2" (51 mm)	¾" (19 mm)
18866	648B15	7½" (191 mm)	21/4" (57 mm)	¾" (19 mm)

#### **Toothed Stone Mason's Chisel**

- · Strong, sharp teeth cut cleanly and accurately
- Ideal for cutting through soft stone such as Bedford
- Not to be used on hard stone or concrete
- Forged from hard steel
- Sold 6 per inner pack/ 6 per outer pack



EDI	Part#	Length	Width	Stock
18869	655B16	7½" (191 mm)	2½" (57 mm)	¾" (19 mm)

#### O Plugging Chisel NEV

- · Specially designed tapered blade for easy cleaning of mortar joints without binding
- Ensures precision and longevity in use
- Sold 10 per inner pack, 10 per outer pack



EDI	Part#				Handle Size-in	Handle Size-mm
43847	VN74761	476	3/16	5	10	254

#### M Plugging Chisel

- · For cleaning out hardened mortar
- Forged from the finest quality tool steel, hardened, tempered and well-balanced
- 1/4" (6 mm) thick bit
- Sold 6 per inner pack, 6 per outer pack

EDI	Part# Length		Width	Stock
18862	607D11	10" (254 mm)	1" (25 mm)	3/4" (13 mm)



EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43747	VN73320	332-0	11/4	32	8	203
43750	VN73330	333-0	1¾	44	8	203
43755	VN73340	334-0	21/4	57	8	203
43760	VN73350	335-0	23/4	70	8	203



 Ideal for cutting, shaping, and trimming brick, cement block, cinder block, and excess mortar

 TargetGuard® head designed to protect hands from missed hits and reduce mushrooming from repeated blows

• Sold 3 per inner pack/ 3 per outer pack

VN74374



VN74804

 Crafted with precision and expertise for optimal performance
 Heat-treated cutting edge ensures durability and longevity

Suitable for tackling various cutting tasks with ease

 Sold 3 per inner pack/ 3 per outer pack




EDI	Part#					Handle Size-mm
43766	VN73370	337-0	11/4	32	12	305

EDI	Part#	Leg. ID	Desc.	Size- in	Size- mm	Handle Size-in	Handle Size- mm
43753	VN73334	G333	Mason's Chisel w/ TargetGuard	1¾	44	8	203
43758	VN73344	G334	Mason's Chisel w/ TargetGuard	21/4	57	8	203
43763	VN73354	G335	Mason's Chisel w/ TargetGuard	2¾	70	8	203
43821	VN74354	G435	Brick Set w/ TargetGuard	3	76	7	178
43825	VN74364	G436	Brick Set w/ TargetGuard	3½	89	7	178
43831	VN74374	G437	Brick Set w/ TargetGuard	4	102	7	178
43849	VN74804	G480	Concrete Chisel w/ TargetGuard	3/4	19	12	305





#### © Center Punches NEW



• Made of high carbon steel that has been heat treated for durability

- · Designed for use on metals softer than their point
- Sold 3 per inner pack/ 3 per outer pack



EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43850	VN75300	530-0	1/4	6	4	102
43852	VN75310	531-0	5/16	8	41/2	114
43854	VN75320	532-0	7/16	11	5	127
43857	VN75340	534-0	1/2	13	5½	140



• Used to mark and scribe work pieces with precision

• Made of high carbon steel that has been heat treated for durability

• Designed for use on metals softer than their points

• Sold 3 per inner pack/ 3 per outer pack





EDI	Part#	Legacy ID	Size- in		Handle Size-in	Handle Size-mm
43860	VN75390	539-0	1/4	6	4	102
43862	VN75400	540-0	5/16	8	41/2	114
43864	VN75410	541-0	3/8	10	5	127

#### Solid Punches NEW

- · Made of heat-treated high carbon steel for strength and durability
- · Ideal for loosening frozen or tight pins and keys or knocking out rivets
- · Follow up with a pin punch to drive the pin or key out once loosened
- · Suitable for use on any softer metal
- Sold 3 per inner pack/ 3 per outer pack





EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43866	VN75640	564-0	1/8	3	5	127
43868	VN75650	565-0	5/32	4	5½	140
43870	VN75660	566-0	3/16	5	7	178

#### Roll Pin Punches NEW Specifically designed to remove spring/ roll pins with ease VN75320 • Heat-treated point with a rounded nib centers the point into the pin for precise removal VN72530 Point shoulder maintains maximum contact with the pin during removal Punch shaft ensures a VN72550 long, straight removal

of the pin without damaging the pin wall material

Sold 3 per inner pack/ 3 per outer pack

ADE HUSA
My GLOBAL MATERIAL

EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43741	VN72530	253-0	1/8	3	4	102
43743	VN72541	254	5/32	4	4	102
43744	VN72550	255-0	3/16	5	4½	114
43746	VN72561	256	7/32	6	5	127

VN72561

### Pin Punches NEW

Reco small to pre walls

Sold 3 per

VN75 VN

d to remove pins or keys with precision	1
ommended to use a pin punch one size ller than the pin being driven revent damage to the side s containing the pin	SIL OF AC
3 per inner pack/	A STATE OF THE STA
r outer pack	
5830	ONY ONLO
N75840	A S. M. Marke Control of Party.
VN75900	MADERNICA
VN75920	MADE #USA

EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43872	VN75810	581-0	3/32	2	5½	140
43874	VN75820	582-0	1/8	3	5½	140
43876	VN75830	583-0	5/32	4	5½	140
43878	VN75840	584-0	3/16	5	6	152
43880	VN75890	589-0	1/4	6	6	152
43883	VN75900	590-0	5/16	8	6	152
43885	VN75920	592-0	1/16	2	4½	114

# Drift/Alignment Punches


- Designed with long, tapered points for aligning and sizing holes in diverse materials
- Crafted from high carbon steel, ensuring durability and longevity
- Heat treated for extended use, guaranteeing years of reliability
- Sold 3 per inner pack/3 per outer pack



VN76060

**MADE#USA** 





- Knurled grip ensures precise tip placement on non-hardened finish nails
- · Ideal for professional use
- Offered in multiple set configurations for versatility
- Sold 6 per inner pack/ 6 per outer pack



Handle Size-mm
203
254
229
279
305

EDI	Part#	Legacy ID	Size- in	Size- mm	Handle Size-in	Handle Size-mm
43908	VN77960	796-0	1/32	1	5	127
43909	VN77970	797-0	2/32	1.5	5	127
43910	VN77980	798-0	3/32	2	5	127
43708	VN70076	76	<sup>1</sup> / <sub>32</sub> , <sup>2</sup> / <sub>32</sub> & <sup>3</sup> / <sub>32</sub>	1, 1.5 & 2	5	127

#### Standard Nail Sets NEW

- Designed for countersinking finishing nails in hard or soft wood
- Knurled grip ensures precise tip placement on non-hardened finish nails
- Ideal for both professionals and DIYers
- Offered in multiple set configurations for versatility
- Sold 5 per inner pack/5 per outer pack



	DE WHOM
I MA	DE₩USA
	Mary Mary

EDI	Part#	Legacy ID	Size-in	Size-mm	Material	Handle Size-in	Handle Size-mm
43901	VN76960	696-0	1/32	1	Black Oxide	4	102
43903	VN76970	697-0	2/32	1.5	Black Oxide	4	102
43906	VN76980	698-0	3/32	2	Black Oxide	4	102
43709	VN70077	77	1/32, 2/32 & 3/32	1, 1.5 & 2	Black Oxide	4	102
43902	VN76961	696	1/32	1	Zinc Plated	4	102
43904	VN76971	697	2/32	1.5	Zinc Plated	4	102
43907	VN76981	698	3/32	2	Zinc Plated	4	102

# Scratch Awl NEW

- One-piece drop forged construction for superior strength and durability
- · Ideal for professionals and DIY enthusiasts alike
- Sturdy and durable tool for marking, scribing, and starting holes in various materials
- Sold 3 per inner pack/ 3 per outer pack



EDI	Part#					Handle Size-mm
43812	VN74310	431-0	7	178	7	178



**MADE #USA** 



EDI	Part#	Legacy ID	Description
43698	VN70012	12	3 Piece Alignment Kit w/Pouch

# 

• (2) Cold Chisels: - ½" (13 mm) - %" (16 mm) • (1) Solid Punch: - 5/32" (4 mm) • (1) Pin Punch: - 3/16" (5 mm) • (1) Center Punch: - 1/16" (10 mm)

· Sold 3 per inner pack/ 3 per outer pack



EDI	Part#	Legacy ID	Description
43699	VN70013	13	5 Piece Punch & Chisel Kit w/Pouch

### ⊗ 8 Piece Punch & Chisel Kit w/Pouch NEW



• (1) Center Punch: - 5/16" (7 mm)

 Sold 3 per inner pack/ 3 per outer pack



EDI	Part#	Legacy ID	Description
43700	VN70014	14	8 Piece Punch & Chisel Kit w/Pouch

#### (6) Roll Pin Punches

- - 1/8" (3 mm)
  - 5/32" (4 mm)
  - 3/16" (5 mm)
  - 1/32" (5.5 mm)
  - 1/4" (6 mm)
  - 1/16" (7 mm)
- Sold 3 per inner pack/ 3 per outer pack

EDI	Part#	Legacy ID	Description
43697	VN70011	11	6 Piece Roll Pin Punch Kit

# 3 Piece Small Pin Punch Kit

- (6) Pin Punches:
  - 1/16" (1.5 mm)
  - 3/32" (2 mm)
  - 1/8" (3 mm)
- Sold 4 per inner pack/ 4 per outer pack



### 

• (6) Pin Punches:

STATE ON OUT OUT

- ½6" (1.5 mm)
- 1/8" (3 mm) - 5/32" (4 mm)
- 3/16" (5 mm)
- 1/4" (6 mm)
- 1/16" (7 mm)
- Sold 3 per inner pack/ 3 per outer pack



### 

- Precision ground for cutting, shaping and removing metal that is softer than the cutting edge of the chisel
- · Made of high carbon steel that has been heat treated
- · For use on cast iron, wrought iron, steel, bronze and copper
- (2) Cold Chisels:
  - %" (9.5 mm)
  - 3/4" (19 mm)
- (1) Pin Punch: - 1/4" (3 mm)
- (1) Starter Punch: - 3/32" (2 mm)
  - Sold 3 per inner pack/3 per outer pack

EDI	Part#	Legacy ID	Description
43703	VN70029	29	4 Piece Punch & Chisel Kit

#### 



- (1) Pin Punch: - 1/8" (3 mm)
- (1) Starter Punch - 3/32" (2 mm)
- (1) Center Punch: - 1/16" (10 mm)
- Sold 3 per inner pack/3 per outer pack

EDI	Part#	Legacy ID	Description
43704	VN70030	30	5 Piece Punch & Chisel Kit

#### 

- (1) Center Punch: - 5/16" (7 mm)
- (1) Starter Punch: - 3/32" (2 mm)
- (1) Prick Punch: - %" (9.5 mm)
- Sold 3 per inner pack/ 3 per outer pack



EDI	Part#	Legacy ID	Description
43705	VN70033	33	3 Piece Starter/Marking Punch Kit



- 3/4" (19 mm) • (1) Prick Punch:

- %" (16 mm)

- %" (10 mm)
- (1) Center Punch: - 1/4" (6 mm)
- (6) Pin Punches:
- ½6" (1.5 mm)
  - 1/8" (3 mm)
  - 5/32" (4 mm)
  - 3/16" (5 mm)
  - 1/4" (6 mm)
- 1/16" (7 mm)
- (1) Scratch Awl: - 7" (178 mm)
- · Sold 3 per inner pack/ 3 per outer pack



#### 

• (1) 12" (305 mm) Pro Bar • (1) 7" (178 mm) Tack Puller

- (1) 1/32" (.8 mm) Pro Nail Set
- Sold 3 per inner pack/ 3 per outer pack

MADEUSA



**MADE!!!USA** 

### 

- (1) 51/2" (140 mm) LiL' Bar
- (1) 71/2" (191 mm) Ultra Bar II



EDI	Part#	Legacy ID	Description
43712	VN70091	91	3 Piece Small Bar Kit

#### ② 2 Piece Ultra Bar II w/ Thumb Bar Set ▼ ▼ □

• (1) 71/2" (191 mm) Ultra Bar II

• (1) 3" (76 mm) Thumb Bar

· Sold 4 per inner pack/ 4 per outer pack



EDI	Part#	Legacy ID	Description
43710	VN70095	95	2 Piece Ultra Bar II w/Thumb Bar Set

#### ③ 3 Piece Trim Kit NEW

• (1) 12" (305 mm) Pro Bar

• (1) 51/2" (140 mm) Trim Bar

(1) 1/32" (.8 mm) Pro Nail Set

Sold 3 per inner pack/3 per outer pack



EDI	Part#	Legacy ID	Description
43710	VN70088	88	12 Piece Punch & Chisel Kit

EDI	Part#	Legacy ID	Description
43715	VN70097	97	3 Piece Trim Kit